

You can read the recommendations in the user guide, the technical guide or the installation guide for AEG-ELECTROLUX EWP1472TDW. You'll find the answers to all your questions on the AEG-ELECTROLUX EWP1472TDW in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual AEG-ELECTROLUX EWP1472TDW
User guide AEG-ELECTROLUX EWP1472TDW
Operating instructions AEG-ELECTROLUX EWP1472TDW
Instructions for use AEG-ELECTROLUX EWP1472TDW
Instruction manual AEG-ELECTROLUX EWP1472TDW





You're reading an excerpt. Click here to read official AEG-ELECTROLUX EWP1472TDW user guide http://vourpdfguides.com/dref/4644160

Manual abstract:

EN WASHING MACHINE USER MANUAL 2 www.
electrolux.com CONTENTS 1. 2. 3. 4.
5. 6. 7. 8. 9. 10. 11. 12. 13. 14.
SAFETY INFORMATION
. 3 SAFETY INSTRUCTIONS
. 5 SAPETI INSTRUCTIONS
•••••
•••••
. 4 PRODUCT DESCRIPTION
5 CONTROL PANEL

CHARMAIG DE CONTRACTO
6 WASHING PROGRAMMES
••••
•••••
6 CONSUMPTION VALUES .
••••
••••
8 OPTIONS
•••••

10 BEFORE FIRST USE		
10 BEFORE FIRST USE		
	10 DEEODE EIDST USE	
II DAILY USE		
	11 DAILY USE	
	11 HELPFUL HINTS AND TIPS	
14 CARE AND CLEANING		
14 CARE AND CLEANING		
15 TROUBLESHOOTING		
	15 TROURI FSHOOTING	
18 TECHNICAL DATA		
	10 IECHNICAL DATA	
20 ENVIRONMENT CONCERNS		
	20 Bittinonimbiti Comobinio	
	••••	
us and stylish, it has been designed with you in mind. @@Welcome to Electrolux		
	ous and stylish, it has been designed with you in mind. @@Welcome to Electrolux.	

....... @ @ @ @ Ingenious and stylish, it has been designed with you in mind. @ @ Welcome to Electrolux.

Visit our website for: Get usage advice, brochures, trouble shooter, service information: www.electrolux.com Register your product for better service:

www.electrolux.com/productregistration Buy Accessories, Consumables and Original spare parts for your appliance: www.

electrolux.com/shop CUSTOMER CARE AND SERVICE We recommend the use of original spare parts. When contacting Service, ensure that you have the following data available. The information can be found on the rating plate. Model, PNC, Serial Number.

Warning / Caution-Safety information General information and tips Environmental information Subject to change without notice. ENGLISH 3 1. SAFETY INFORMATION Before the installation and use of the appliance, carefully read the supplied instructions. The manufacturer is not responsible if an incorrect installation and use causes injuries and damages. Always keep the instructions with the appliance for future reference. 1.1 Children and vulnerable people safety WARNING! Risk of suffocation, injury or permanent disability. • This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. • Do not let children play with the appliance. • Keep all packaging away from children.

- Keep all detergents away from children. Keep children and pets away from the appliance door when it is open. If the appliance has a child safety device, we recommend you activate it. Cleaning and user maintenance shall not be made by children without supervision. 1.2 General Safety Before maintenance, deactivate the appliance and disconnect the mains plug from the mains socket. Do not change the specification of this appliance. Obey the maximum load volume of 7 kg (refer to the "Programme chart" chapter). 4 www.electrolux.
- com 2. SAFETY INSTRUCTIONS 2.1 Installation Remove all the packaging and the transit bolts. Keep the transit bolts. When you move the appliance again you must block the drum.
- Do not install or use a damaged appliance. Do not install or use the appliance where the temperature is less than 0 °C or where it is exposed to the weather. Obey the installation instruction supplied with the appliance. Make sure that the floor where you install the appliance is flat, stable, heat resistant and clean. @@@@Always wear safety gloves.
- @ Adjust the feet to have the necessary space between the appliance and the carpet. Do not pull the mains cable to disconnect the appliance. Always pull the mains plug. Do not touch the mains cable or the mains plug with wet hands. This appliance complies with the E.E.C. Directives. Water connection Make sure not to cause damage to the water hoses. The appliance is to be connected to the water mains using the new supplied hose-sets.

Old hose sets must not be reused. • Before you connect the appliance to new pipes or pipes not used for a long time, let the water flow until it is clean. • The first time you use the appliance, make sure that there is no leakage. 2.2 Use WARNING! Risk of injury, electrical shock, fire, burns or damage to the appliance. • Use this appliance in a household environment. • Do not change the specification of this appliance. • Obey the safety instructions on the detergent packaging. • Do not put flammable products or items that are wet with flammable products in, near or on the appliance. • Do not touch the glass of the door while a programme operates.

The glass can be hot. • Make sure that you remove all metal objects from the laundry. • Do not put a container to collect possible water leakage under the appliance. @@Risk of fire and electrical shock. • The appliance must be earthed.

@ @If not, contact an electrician. • Always use a correctly installed shockproof socket. • Do not use multi-plug adapters and extension cables.

@ @ @ @ @ @ @ @ @ • Do not use water spray and steam to clean the appliance. • Clean the appliance with a moist soft cloth.

Only use neutral detergents. @ • Cut off the mains cable and discard it. • Remove the door catch to prevent children and pets to get closed in the appliance.
2.4 Disposal WARNING! Risk of injury or suffocation. 3. PRODUCT DESCRIPTION 1 2 3 1 Worktop 2 Detergent dispenser 3 Control panel 4 Door handle 5
Rating plate 6 Feet for the appliance level 4 5 6 3.1 Child safety device When you activate this device, you cannot close the door. This prevents children or
pets to be closed in the drum. To activate the device, turn it clockwise, until the groove is horizontal.

To deactivate the device, turn it counter-clockwise, until the groove is vertical. 3.2 Fixing plate kit (405517114) Use this special accessory, when you install the appliance on a plinth. It prevents the movements of the appliance when it operates. Read carefully the instructions supplied with this accessory. You can buy it in all approved Service. 6 www.electrolux.com 4. CONTROL PANEL 1 2 3 4 90° Temp.

5 Shirts Sports Curtains Jeans Spin Drain Rinse Cottons Cottons Eco Synthetics Delicates Spin 60° 20° 1200 40° Delay Start 3h 6h 9h Prewash 30° 1600 400 Delay Start 5 6 7 800 Quick Extra Rinse Wool/Handwash Silk Duvet Start/Pause 9 1 Programme knob 2 Spin reduction touchpad 6 Extra rinse touchpad 8 and 7 functions indicators: No spin indicator Rinse hold indicator 3 Temperature touchpad 4 Prewash touchpad 5 Delay start touchpad Quick touchpad 8 Start/Pause touchpad 9 Programme status indicators: Door locked indicator End cycle indicator Child lock indicator 5.



You're reading an excerpt. Click here to read official AEG-ELECTROLUX EWP1472TDW user guide

http://yourpdfguides.com/dref/4644160

- WASHING PROGRAMMES Programme Temperature range Cottons 90°C Cold (Cottons Eco 1) 60 °C 40 °C Synthetics 60 °C Cold () Type of load and soil Maximum load, Maximum spin White cotton and coloured cotton. Normal soil and light soil. 7 kg, 1000 rpm (EWP 1072TDW), 1400 rpm (EWP 1472TDW), 1600 rpm (EWP 1672TDW) White cotton and colour-fast cotton. Normal soil.
- 7 kg, 1000 rpm (EWP 1072TDW), 1400 rpm (EWP 1472TDW), 1600 rpm (EWP 1672TDW)) Synthetic items or mixed fabric items. Normal soil. 3,5 kg, 1000 rpm (EWP 1072TDW), 1200 rpm (EWP 1472TDW), 1200 rpm (EWP 1672TDW) Delicate fabrics as acrylics, viscose, polyester items. Normal soil. 3,5 kg, 1000 rpm (EWP 1072TDW), 1200 rpm (EWP 1472TDW), 1200 rpm (EWP 1672TDW) Delicates 40 °C Cold () ENGLISH 7 Programme Temperature range Wool/Handwash) 40 °C Cold (Type of load and soil Maximum load, Maximum spin Machine washable wool, hand washable wool and delicate fabrics with «hand washing» care symbol.
- 2 kg, 1000 rpm (EWP 1072TDW), 1200 rpm (EWP 1472TDW), 1200 rpm (EWP 1672TDW) Special programme for silk and mixed synthetic items. 1 kg, 800 rpm Special programme for one synthetic blanket, duvet, bedspread and so on. 2 kg, 800 rpm To rinse and spin the laundry. All fabrics. 7 kg, 1000 rpm (EWP 1072TDW), 1400 rpm (EWP 1472TDW), 1600 rpm (EWP 1672TDW) To drain the water in the drum. All fabrics. 7 kg To spin the laundry and to drain the water in the drum. All fabrics. @@Also for items in dark colors. @@@Light soil or items or items to refresh.
- 3,5 kg, 800 rpm Synthetic and mixed fabric items. Light soil and items to freshen up. For 5 6 shirts. @@@@@@@@@@@@@@@@@@@@@commended load: cotton: 3,5 kg, synthetics and delicates: 2 kg. 6. CONSUMPTION VALUES The data of this table are approximate. @@Close the door. CAUTION! Make sure that no laundry stays between the seal and the door. @@• Measure out the detergent and the fabric conditioner. @@Flap for powder or liquid detergent. Liquid or powder detergent 1. @@• Position B for liquid detergent. @@—Do not put more liquid then the maximum level. —Do not set the prewash phase. @@@@@@@@@@@@@@The indicator of the set delay is on.

The indicator is on. • Press: – The appliance starts the countdown. @@@@the To cancel the delay start: 1. Press to set the appliance to pause. 2. CAUTION! @@Open the appliance door when the delay start operates: 1. Press the to pause the appliance. 2. 3. 4. Wait until the door lock indicator goes off. You can open the door. Close the door and press the again. @@2. 3.

- 4. Press until the indicator of the set delay goes off. @@Wait for some minutes and then open the appliance door. Close the appliance door. @@1. Press.

 The indicator flashes. 2. Change the options. 3.
- Press again. @@•The acoustic signal operates (if it is activated). •The indicator goes off. •The door lock indicator goes off. •The indicator is on.
 •You can open the door. •Remove the laundry from the appliance. Make sure that the drum is empty. •Keep the door ajar, to prevent the mildew and odours.
 •Close the water tap.
- Turn the programme knob to to deactivate the appliance. @@ The door lock indicator is on. The flashes. The door stays indicator locked. You must drain the water to open the door. 9.7 Cancelling a programme 1. 2. Turn the programme knob to to caTo remove rust particles use only special products for washing machine. Do this separately from the laundry wash.
- @@Fully dry all the surfaces. CAUTION! @@Make regularly a maintenance wash. To do this: Remove the laundry from the drum. @@@@2. 3. 4. 11.6 Cleaning the drain filter WARNING! Do not clean the drain filter if the water in the appliance is hot. 1. @@@@Do this procedure also when you want to do the emergency drain.

1. 2. 3. 4. 5.

6. Put the ends of the drain and inlet hose in a container. Let the water flow out of the hoses. @@WARNING! @@@@Close the water tap. Remove the water inlet hose.

Remove the drain hose from the rear support and unhook it from sink or spigot. 12. TROUBLESHOOTING The start of the appliance does not occur or it stops during operation. First try to find a solution to the problem (refer to the table). If not, contact the Service. With some problems, the acoustic signals flashes operate. The red indicator and one of the indicators comes on, to show an alarm code: • - The appliance does not fill with water. • • - The appliance does not drain the water. - The appliance door is open or not closed correctly. Check the door! WARNING! Deactivate the appliance before you do the checks.

ENGLISH 19 Problem The programme does not start. Possible solution Make sure that the mains plug is connected to the mains socket. Make sure that the appliance door is closed. Make sure that there is not a damaged fuse in the fuse box. Make sure that the Start/Pause has been pressed. If the delay start is set, cancel the setting or wait for the end of countdown. Deactivate the Child Lock function if it is on. The appliance does not fill with water. Make sure that the water tap is open. Make sure that the pressure of the water supply is not too low.

For this information, contact your local water authority. Make sure that the water tap is not clogged. Make sure that the filter of the inlet hose and the filter of the valve are not clogged. Refer to "Care and cleaning". Make sure that the inlet hose has no kinks or bends.

@@Make sure that the drain hose has no kinks or bends. Make sure that the drain filter is not clogged. Clean the filter, if necessary. Refer to 'Care and cleaning'. Make sure that the connection of the drain hose is correct.

Set the drain programme if you set a programme without drain phase. @@Clean the filter, if necessary. Refer to 'Care and cleaning'. Adjust manually the items in the tub and start the spin phase again. This problem may be caused by balance problems. There is water on the floor. @@Make sure you use the correct detergent and the correct quantity of it. You cannot open the appliance door. Make sure that the washing programme is finished. Set the drain or the spin programme if there is water in the drum.

The appliance makes an unusual noise. Make sure the levelling of the appliance is correct. Refer to 'Installation Instruction'. Make sure that the packaging and/or the transit bolts are removed. Refer to 'Installation Instruction'. Add more laundry in the drum. The load may be too small. The appliance fills with Make sure that the drain hose is in the correct position. water and drain imme- The hose may be too low, diately.

The washing results are not satisfactory. Increase the detergent quantity or use a different detergent. Use special products to remove the stubborn stains before you wash the laundry. Make sure that you set the correct temperature. Decrease the laundry load.

After the check, activate the appliance. The programme continues from the point of interruption. If the problem occurs again, contact the Service.



You're reading an excerpt. Click here to read official AEG-ELECTROLUX EWP1472TDW user guide

http://yourpdfguides.com/dref/4644160

13. TECHNICAL DATA Dimensions Electrical connection: Width / Height / Depth Total depth Voltage Overall power Fuse Frequency 600 / 850 / 500 mm 542 mm 230-240 V 2100 W 13 A 50 Hz IPX4 Level of protection against ingress of solid particles and moisture ensured by the protective cover, except where the low voltage equipment has no protection against moisture Water supply pressure Minimum Maximum 0,5 bar (0,05 MPa) 8 bar (0,8 MPa) ENGLISH 21 Water supply 1) Maximum load Spin speed Cotton Maximum Cold water 7 kg 1000 rpm (EWP 1072TDW) 1400 rpm (EWP 1472TDW) 1600 rpm (EWP 1672TDW) 1) Connect the water inlet hose to a water tap with a 3/4" thread.

14. ENVIRONMENT CONCERNS Recycle the materials with the symbol. Put the packaging in applicable containers to recycle it. Help protect the environment and human health and to recycle waste of electrical and electronic appliances. Do not dispose appliances marked with the symbol with the household waste. Return the product to your local recycling facility or contact your municipal office. 22 www.electrolux.com ENGLISH 23 www.electrolux.

com/shop 192981210-A-302012 .



You're reading an excerpt. Click here to read official AEG-ELECTROLUX EWP1472TDW user guide

http://yourpdfguides.com/dref/4644160