



# Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for ALPINE CDE-195BT. You'll find the answers to all your questions on the ALPINE CDE-195BT in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

**User manual ALPINE CDE-195BT**  
**User guide ALPINE CDE-195BT**  
**Operating instructions ALPINE CDE-195BT**  
**Instructions for use ALPINE CDE-195BT**  
**Instruction manual ALPINE CDE-195BT**



[You're reading an excerpt. Click here to read official ALPINE CDE-195BT user guide](http://yourpdfguides.com/dref/5796808)  
<http://yourpdfguides.com/dref/5796808>

**Manual abstract:**

(As it is data CD, the CD cannot be used for playing back music and images on the player. ) If required, an ALPINE dealer will readily provide you with a print out of the Owner's Manual contained in the CD-ROM. 41 1 IMPORTANT Please record the serial number of your unit in the space provided below and keep it as a permanent record. Book Page 2 Thursday, September 11, 2014 3:15 PM WARNING This symbol means important instructions. Failure to heed them can result in serious injury or death. **DO NOT OPERATE ANY FUNCTION THAT TAKES YOUR ATTENTION AWAY FROM SAFELY DRIVING YOUR VEHICLE.** Any function that requires your prolonged attention should only be performed after coming to a complete stop. Always stop the vehicle in a safe location before performing these functions. Excessive volume levels that obscure sounds such as emergency vehicle sirens or road warning signals (train crossings, etc. ) can be dangerous and may result in an accident.

Doing so may result in an accident, fire or electric shock. (Check with your dealer if you are not sure. Swallowing them may result in serious injury. Doing so may cause heat to build up inside and may result in fire. Use for other than its designed application may result in fire, electric shock or other injury.

Doing so may result in personal injury or damage to the product. @@Never cut away cable insulation to supply power to other equipment. @@@Failure to take such precautions may result in fire. @@Using such parts could disable control of the vehicle and cause fire etc. Doing so may obstruct forward vision or hamper movement etc.

Book Page 4 Thursday, September 11, 2014 3:15 PM CAUTION This symbol means important instructions. Failure to heed them can result in injury or material property damage. **HALT USE IMMEDIATELY IF A PROBLEM APPEARS.** Failure to do so may cause personal injury or damage to the product.

Return it to your authorized Alpine dealer or the nearest Alpine Service Centre for repairing. The wiring and installation of this unit requires special technical skill and experience. To ensure safety, always contact the dealer where you purchased this product to have the work done. Be sure to use only the specified accessory parts. Use of other than designated parts may damage this unit internally or may not securely install the unit in place. This may cause parts to become loose resulting in hazards or product failure.

Route the cables and wiring away from moving parts (like the seat rails) or sharp or pointed edges. This will prevent crimping and damage to the wiring. If wiring passes through a hole in metal, use a rubber grommet to prevent the wire's insulation from being cut by the metal edge of the hole. Avoid installing the unit in locations with high incidence of moisture or dust. Moisture or dust that penetrates into this unit may result in product failure. Fm Page 5 Thursday, September 11, 2014 4:32 PM Getting Started / Vorbereitungen / Mise en route • CDE-W296BT • CDE-195BT English Turning Demo mode Off This unit will enter a demonstration mode to display its various functions. There are two methods to close this mode. Method 1: "DEMO OFF" will prompt when you install and use this unit for the first time. Press /ENTER within 20 seconds to put the Demo mode into standby state. Fm Page 6 Thursday, September 11, 2014 4:32 PM CDE-W296BT CDE-195BT English Deutsch Français Turning Power On Press any button (except and (CDE-195BT only)) to turn power on.

Press and hold / for at least 2 seconds to turn off the unit. Changing the Source TUNER DISC USB AUDIO/iPod\* BT AUDIO AUXILIARY TUNER \* Displayed only when the iPod/iPhone is connected. Adjusting Volume Einstellen der Lautstärke Réglage du volume Displaying the Text The display will change every time the button is pressed. Book Page 7 Thursday, September 11, 2014 3:15 PM BASS ENGINE SQ Function / BASS ENGINE SQFunktion / Fonction BASS ENGINE SQ English With the BASS ENGINE SQ function on this unit, several parameters affecting Bass performance are adjusted simultaneously. The BASS ENGINE SQ Level adjustment varies these parameters uniformly for optimum Bass effect at different levels.

About Setup when the external power amplifier is connected. In order to optimize the BASS ENGINE SQ, we recommend the following power amplifier setup. After setting up, you can adjust the BASS ENGINE SQ Level according to the music. 3 Set the BASS ENGIN of this unit to "ON", and the BASS ENGINE SQ Level to "+3". 4 Play a song of the genre you frequently listen to, and adjust gain of the power amplifier.

Select the desired level (0 - +6). (Réglage initial : +3) 3 • From Level 0 to Level 6, the effect of BASS ENGINE SQ increases level by level. Book Page 9 Thursday, September 11, 2014 3:15 PM Applying TuneIt / Anwenden von TuneIt / Utilisation de l'application TuneIt • CDE-W296BT • CDE-195BT English This unit's sound tuning is programmable from a connected Smartphone. Through this unit, it is also possible to receive and respond to information from Alpine's Social Network Service (SNS) available through the connected Smartphone. The installed TuneIt App should be launched on the Smartphone before connection to the head unit. Book Page 10 Thursday, September 11, 2014 3:15 PM Adjusting the sound via the Smartphone / Anpassen des Klangs über das Smartphone / Réglage du son via le smartphone English Deutsch Français 1 Make sure the unit is powered on. Launch the TuneIt App on the Smartphone. Adjust the unit's sound accordingly on the Smartphone. 2 • Volume level cannot be adjusted via the Smartphone. □ The setting cannot be done on both the Smartphone and this unit at the same time.

□ Please obey all local traffic laws while using this function. @@@@3 Press and hold for at least 2 seconds. @@@@REPEAT FOLDER: Only files in a folder are repeatedly played back. @@@@REPEAT FOLDER: Only files in a folder are repeatedly played back. @@@@For iPod/iPhone, connect it to this unit via USB port. @@@@3 4 Select the desired name or telephone number. @@@@, via this unit by inputting voice control commands\*. \* Please refer to your Smartphone manual for other voice control commands. Book Page 25 Thursday, September 11, 2014 3:15 PM CDE-W296BT CDE-195BT English • You can perform this operation only when a Voice recognition compatible Smartphone is connected. If the Smartphone is not compatible with the Voice recognition, "NO SUPPORT" is displayed for 2 seconds.

□ The Voice recognition performance depends on the Smartphone and mounting location of the microphone. Please pay attention when the microphone is mounted. □ Voice recognition operation depends on the function of the Smartphone. For details, refer to the Owner's Manual of the Smartphone. □ If a called person that you say is not found, "NO CALL" is displayed for 2 seconds.

□ Please obey all local traffic laws while using this function.



**You're reading an excerpt. Click here to read official ALPINE CDE-195BT user guide**  
<http://yourpdfguides.com/dref/5796808>

Book Page 26 Thursday, September 11, 2014 3:15 PM iPod/iPhone (Optional) / iPod/iPhone (optional) / iPod/iPhone (en option) • CDE-W296BT • CDE-195BT CDE-W296BT CDE-195BT English An iPod/iPhone can be connected to this unit by using the Interface cable for iPod (included with iPod/iPhone). Recalling the iPod Source Select the iPod Source. Book Page 27 Thursday, September 11, 2014 3:15 PM CDE-W296BT CDE-195BT English Deutsch Français Pause and Playback Selecting the desired song Press and release the or to skip to the beginning of the current song or the next song. Press and hold or to fast backward or fast forward through the current song.

) MIX ALBUM (Shuffle Albums): Album shuffle playback plays back all songs in order, then randomly selects the next album. MIX SONG (Shuffle Songs): Song shuffle randomly plays back songs within a selected category (playlist, album, etc. Turn the Rotary encoder to select SHUFFLEALL, and then press /ENTER. SHUFFLEALL : Shuffle ALL plays all songs in the iPod/ iPhone randomly. Any one song does not play back again until all songs have been played back. Repeat Play REPEAT ONE: Only a song is repeatedly played back. Book Page 29 Thursday, September 11, 2014 3:15 PM Searching for a desired Song (iPod/iPhone) / Suche nach einem gewünschten Titel (iPod/iPhone) / Recherche d'un morceau as the appropriate amperage. Failure to do so may result in damage to the unit and/or the vehicle. When in doubt, consult your Alpine dealer. □ The main unit must be mounted within 35 degrees of the horizontal plane, back to front.

□ CDE-W296BT Less than 35° • CDE-W296BT Moins de 35° • CDE-W296BT Weniger als 35° • CDE-195BT Less than 35° • CDE-195BT • CDE-195BT Moins de 35° Weniger als 35° 37 01. Book Page 38 Thursday, September 11, 2014 3:15 PM 1 Remove the mounting sleeve from the main unit. Slide the mounting sleeve into the dashboard and fix it with the metal shackles. □ CDE-W296BT Mounting Sleeve (Included) Dashboard • CDE-W296BT Einbaurahmen (beiliegend) Armaturen Brett • CDE-W296BT Gaine de montage (fournie) Tableau de bord Bracket Rubber Cap (Included) This unit Halterung Gummikappe (beiliegend) Dieses Gerät Support Capuchon de caoutchouc (fourni) Cet appareil Pressure Plates\* Hex Bolt (Included) Druckplatten\* • CDE-195BT Bracket Mounting Sleeve (Included) Rubber Cap (Included) Hex Bolt (Included) Dashboard Einbaurahmen (beiliegend) Pressure Plates\* This unit Halterung Sechskantstiftschraube (beiliegend) Plaques de compression\* Boulon à six pans (fourni) • CDE-195BT Gummikappe (beiliegend) Sechskantstiftschraube (beiliegend) Armaturen Brett • CDE-195BT Support Capuchon de caoutchouc (fourni) Boulon à six pans (fourni) Tableau de bord Gaine de montage (fournie) Plaques de compression\* Cet appareil Druckplatten\* Dieses Gerät \* If the installed mounting sleeve is loose in the dashboard, the pressure plates may be bent slightly to remedy the problem. Book Page 39 Thursday, September 11, 2014 3:15 PM 2 When your vehicle has the Bracket, mount the long hex bolt onto the rear panel of the CDE-W296BT/ CDE-195BT and put the Rubber Cap on the hex bolt. If your vehicle does not have the Mounting Support, reinforce the head unit with the metal mounting strap (not supplied). Book Page 40 Thursday, September 11, 2014 3:15 PM • CDE-195BT Metal Mounting Strap Screw • CDE-195BT Befestigungsstrebe Schraube • CDE-195BT Attache de montage en métal Vis \* Bolt Stud Sechskantmutter (M5) \* Stiftschraube \* Filetage de boulon Hex Nut (M5) Écrou hexagonal (M5) This unit Dieses Gerät Cet appareil • For the screw\*, provide a proper screw to the chassis installing location. 3 Slide the CDE-W296BT/CDE-195BT into the dashboard until it clicks. This ensures that the unit is properly locked and will not accidentally come out from the dashboard. GND ADAPTIVE STEERING REMOTE CONTROL IN1 ADAPTIVE STEERING REMOTE CONTROL IN2 REMOTE TURN-ON To adaptive steering remote control interface box / An Schnittstellenbox für die adaptive Lenkradfernbedienung / Au boîtier d'interface de la télécommande au volant adaptative To amplifier / An den Verstärker / Vers l'amplificateur To the instrument cluster illumination lead / An das Beleuchtungskabel des Instrumentes / Vers le fil d'éclairage du combiné d'instrument To power antenna / An die Motorantenne / Vers l'antenne électrique Ignition Key (Blue/White) / (Blau/Weiß) / (Bleu/Blanc) (Red) / (Rot) / (Rouge) (Black) / (Schwarz) / (Noir) (Blue) / (Blau) / (Bleu) (Orange) / (Orange) / (Orange) (Yellow) / (Gelb) / (Jaune) IGNITION GND POWER ANT DIMMER BATTERY Battery Speakers 2WAY system (Green) / (Grün) / (Vert) Rear high range (L) Front high range (L) Front high range (R) Rear high range (R) 3WAY system Mid range (L) High range (L) High range (R) Mid range (R) (Green/Black) / (Grün/Schwarz) / (Vert/Noir) (White) / (Weiß) / (Blanc) (White/Black) / (Weiß/Schwarz) / (Blanc/Noir) (Grey/Black) / (Grau/Schwarz) / (Gris/Noir) (Grey) / (Grau) / (Gris) (Violet/Black) / (Violett/Schwarz) / (Violet/Noir) (Violet) / (Violett) / (Violet) FUSE 10A Antenna Receptacle Microphone / Mikrophon / Microphone Speakers 2WAY system RCA Extension Cable (Sold Separately) Amplifier Front high range (L) Front high range (R) Rear high range (L) Amplifier Rear high range (R) Subwoofers 3WAY system High range (L) High range (R) Mid range (L) Mid range (R) Subwoofers RCA Extension Cable (Sold Separately) RCA Extension Cable (Sold Separately) Amplifier 41 01.

Om inte dessa anvisningar följs kan det kan leda till allvarliga olyckor som till och med kan få dödlig utgång. Användandet av andra delar än som är avsedda för denna apparat kan leda till att apparaten skadas invändigt eller till ostadig montering på grund av lossnande delar. □ "Made for iPod," y "Made for iPhone," significan que un dispositivo electrónico se ha diseñado pensando específicamente en su conexión a un iPod o iPhone, respectivamente, y que el fabricante garantiza su conformidad con los requisitos de rendimiento de Apple. □ "Made for iPod," e "Made for iPhone," indicano che un accessorio elettronico è stato appositamente studiato per essere collegato rispettivamente all'iPod o all'iPhone ed è certificato dal produttore, che ne ha verificato la rispondenza agli standard prestazionali Apple. □ "Made for iPod," och "Made for iPhone," innebär att ett elektroniskt tillbehör har konstruerats specifikt för anslutning till iPod eller iPhone och har certifierats av utvecklarna att uppfylla prestandakraven från Apple.

□ När du gör anslutningarna till fordonets elsystem måste du ta hänsyn till de komponenter som redan är installerade (t.



[You're reading an excerpt. Click here to read official ALPINE](#)

[CDE-195BT user guide](#)

<http://yourpdfguides.com/dref/5796808>

@@@@@@@ □ Haðnucu "Made for iPod," u "Made for iPhone," o3 □ Urzãdzenia elektroniczne oznaczone symbolami „Made for iPod,” i „Made for iPhone,” zostały opracowane specjalnie z myślã o lãczeniu siã z odtwarzaczem iPod lub telefonem iPhone, a ich producent uzyskał świadectwo wypełniania norm wydajności firm Apple. AJ140072 Declaration of Conformity We, authorized representative in Europe , Alpine Electronics (Europe) GmbH Wilhelm Wagenfeld Strasse 1-3, 80807 Munich, Germany certify and declare under our solo responsibility that the following product(s) Product name Manufacturer Alpine Electronics, Inc. cDE-195BT/CDE-W296BT 14BT60 Model No. Installed module CD Player with Radio Receiver complies with the essential requirements and provisions of the following European Directives, based on the European standards applied: Directives Radio: Applied Harmonized Standards EN 300 328 V1.

2( 2011-09 ) 10400800H-D LVD : EN 60950-1: 2006/Amd11:2009/Amd1:2010/Amd12:2011 10402763H The technical documentation for this product is retained at the above manufacturer's location. Company Address Phone number FAX number Alpine Electronics (Europe) GmbH Wilhelm Wagenfeld Strasse 1-3, 80807 Munich, Germany 49(0)89-324264-240 49(0)89-324264-241 Authorized representative Alpine Electronics, Inc. .



[You're reading an excerpt. Click here to read official ALPINE CDE-195BT user guide](#)  
<http://yourpdfguides.com/dref/5796808>