



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for CANON EOS 650D. You'll find the answers to all your questions on the CANON EOS 650D in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual CANON EOS 650D
User guide CANON EOS 650D
Operating instructions CANON EOS 650D
Instructions for use CANON EOS 650D
Instruction manual CANON EOS 650D



[You're reading an excerpt. Click here to read official CANON EOS 650D user guide](http://yourpdfguides.com/dref/4313312)
<http://yourpdfguides.com/dref/4313312>

@@Selectable Blue/Amber bias or Magenta/ Green bias. Pentamirror Approx. 95% Approx. 0.

85x (4) Approx. @@On strap Touch screen vari angle 7.7cm (3.0") 3:2 Clear View II TFT, approx. 1040K dots Approx.

100% Approx 170° Anti smudge Adjustable to one of seven levels (1) Quick Control Screen (2) Camera settings STORAGE Type SUPPORTED OPERATING SYSTEM PC & Macintosh Windows XP inc SP3 / Vista inc SP1 and SP2 (excl. Starter Edition) / 7 (excl. Starter Edition) OS X v10.6-10.7 (Intel processor required) ImageBrowser EX Digital Photo Professional PhotoStitch, EOS Utility (inc. Remote Capture), Picture Style Editor 1 x Rechargeable Li-ion Battery LP-E8 Approx. 440 (at 23°C, AE 50%, FE 50%) (5) Approx. @@AC Adapter Kit ACK-E8, Battery charger LC-E8, LC-E8E Metering Range AE Lock Drive modes Continuous Shooting SOFTWARE Browsing & Printing Image Processing Other LIVE VIEW MODE Type Coverage Frame Rate Focusing Exposure Compensation AEB ISO Sensitivity (8) POWER SOURCE Batteries Battery life Battery Indicator Power saving Power Supply & Battery Chargers SHUTTER Type Speed Metering Display Options PHYSICAL SPECIFICATIONS Body Materials Operating Environment Dimensions (WxHxD) Weight (body only) Stainless Steel and polycarbonate resin with glass fiber 0 – 40°C, 85% or less humidity 133.1 x 99.8 x 78.

8 mm Approx. 575g (CIPA testing standard, including battery and memory card) Eyecup Ef, E-series Dioptic Adjustment Lens with Rubber Frame Ef, Eyepiece Extender EP-EX15II, Angle Finder C Semi-Hard Case EH22-L Compatible with Eye-Fi cards All EF and EF-S lenses Canon Speedlites (220EX, 270EX, 270EX II, 320EX, 420EX, 430EX, 430EX II, 550EX, 580EX, 580EX II, 600EX, 600EX-RT, Macro-Ring-Lite, MR-14EX, Macro Twin Lite MT-24EX, Speedlite Transmitter ST-E2, Speedlite Transmitter ST-E3-RT) BG-E8 Remote Switch RS-60E3, Remote Controller RC-6 Hand Strap E2 WHITE BALANCE Type Settings FILE TYPE Still Image Type Custom White Balance WB Bracketing RAW+JPEG simultaneous recording Image Size ACCESSORIES Viewfinder Case Wireless File Transmitter Lenses Flash VIEWFINDER Type Coverage (Vertical/ Horizontal) Magnification .



[You're reading an excerpt. Click here to read official CANON EOS 650D user guide](#)

<http://yourpdfguides.com/dref/4313312>