



Your PDF Guides


You can read the recommendations in the user guide, the technical guide or the installation guide for DAEWOO FR-3501. You'll find the answers to all your questions on the DAEWOO FR-3501 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual DAEWOO FR-3501
User guide DAEWOO FR-3501
Operating instructions DAEWOO FR-3501
Instructions for use DAEWOO FR-3501
Instruction manual DAEWOO FR-3501



DAEWOO
REFRIGERATOR
INSTRUCTION MANUAL

MODEL NO.: **FR-3501**
FR-3801



■ Thank you for selecting this refrigerator.
■ Before using the refrigerator, please read this manual carefully.



[You're reading an excerpt. Click here to read official DAEWOO FR-3501 user guide](http://yourpdfguides.com/dref/3408046)
<http://yourpdfguides.com/dref/3408046>

Manual abstract:

FR-3501 FR-3801 s Thank you for selecting this refrigerator. s Before using the refrigerator, please read this manual carefully. FEATURE CHART 1 2 3 4 5 6 7 8 9 0 q w e r y u i l ICE TRAY 2 F SHELF (MOVABLE) 3 FREEZER TEMPERATURE CONTROL KNOB 4 ICE BOX 5 CHILLED CASE DOOR 6 CHILLED CASE 7 REFRIGERATOR TEMPERATURE CONTROL SWITCH 8 R SHELF(MOVABLE) 9 LAMP COVER 0 VEGETABLE CASE COVER q VEGETABLE CASE w FREEZER POCKET(SMALL) e FREEZER POCKET(MIDDLE) r EGG CASE t UTILITY POCKET(SMALL/SMALL) y UTILITY POCKET(SMALL/MIDDLE) u BOTTLE POCKET (LARGE/LARGE) i BOTTLE POCKET (MIDDLE/LARGE) 1 Here are the features of your new refrigerator. Take a moment to know all the features designed for the convenience of the user. s Ice Tray Fill 3/4 of the ice tray with water, as the volume expands when the water is frozen. Place the tray in the freezer compartment. To release ice cubes, twist the ice tray slightly. @@@@To do this, pull the shelves slightly forward. @@Push up the bottom end of lamp cover gently, then pull out. 2. Reverse procedure to join together. s Vegetable case May be used for fruit and vegetable storage. @@Simply slide forward to remove. s Utility Pocket (Top) The Egg Case in this pocket can be turned upside down for the storage of small size goods. CAUTION: 1. Check your voltage before inserting the power supply cord into the socket. 2. Contact the earthing conductor to this unit with an attachment earthing screw. 3. Do not spill liquid on this unit. 4. Do not use flammable spray, such as painting, near this unit. 5. Do not place ignitable material, such as benzine, L.P. gas, alcohol etc., into this unit. 6. Take precautions against leakage of any gas equipment near this unit. 7.

Keep children from hanging on the door of this unit. 8. Do not reinsert the power supply cord within 5 minutes after releasing it from the socket. If not, there may be problems with the compressor. s For lock installed refrigerators only. ! CAUTION When you put or take out food from the refrigerator, be careful not to hit your head on the lock as there is a protrusion on the door of your refrigerator. 3 METHODS OF SAFE INSTALLATION 1. SAFE INSTALLATION PLACE FOR YOUR REFRIGERATOR · Place the refrigerator on a strong and level floor. Unstable installation can produce noise and vibration. · Place your refrigerator where there is no heat source nearby.

High atmosphere temperature will lower cooling efficiency and increase your electricity bill. · Place the refrigerator in an area where the humidity level is low. Splashing water on the refrigerator or installing the unit in a humid area may cause short circuit and rust. · Avoid places that are exposed to coal gas or smoke, or discoloring may occur on the refrigerator. · For good ventilation, keep enough space between the sidewalls and your refrigerator. This helps to cool efficiently and lowers the electricity bill. · Putting the refrigerator on the carpet may cause temperature rise and result in the discoloring of the carpet due to the compressor heat. In such a case, place a hard wooden board or a rubber mat between the carpet and the unit. m 30c ast Atle Carpet Atl ea st 6 cm m 6c st ea Atl Wooden Board, Rubber Mat 4 2. INSTALLATION STEPS · Select a safe place to install your refrigerator. · Level the refrigerator by using the adjustable feet. @@@@To clean, use a soft piece of cloth. Wash with warm, soapy water, rinse and dry. @@@@The refrigerator is not designed for recessed installation. s Select a strong and level floor. @@There are two leveling feet at each front corner. Turn to the left to raise a corner, to the right to lower it. Use shims under the rear corners, if necessary. @@@@CONTROL MIN MED MAX WINTER MAX MED TEMP. CONTROL MIN The control has four settings form MIN to WINTER.

@@@Clean the refrigerator thoroughly. Wipe the outside with a dry cloth, and the inside with a damp cloth. 2. Set the temperature control knob at normal position. 3. @@s The temperature and humidity of the surrounding environment. s The opening frequency of the doors and the amount of warm food placed in the refrigerator. s The combination of food and containers stored in the refrigerator. For these reasons, you may want to adjust the control to suit the season and your needs. 9 s Turn the temperature control in the refrigerator and freezer compartments toward WINTER for colder temperature and toward MIN for warmer temperature.

s Allow approximately 12 hours or overnight for the temperature to stabilize. Then check to see if further adjustments are necessary. To turn off the refrigerator Disconnect the power supply cord. Remove icing case and food. Leave doors ajar for ventilation and dehumidification of both compartments. 2. DEFROSTING THE REFRIGERATOR You will never have to defrost your refrigerator as it is designed to defrost itself completely and automatically. ! CAUTION To avoid the risk of electric shock or death, unplug the power cord before replacing a burned out light bulb or cleaning the inner parts. 3. RADIANT HEAT With the Refrigerating System in operation, it is likely that the cabinet will feel warm at the front edges and sides. This does not indicate trouble. It is due to the hot-line used in this type of Refrigerating System which consists of piping hot gas from the (motor-driven) compressor along the front edges, the sides of the cabinet and the center partition to prevent dewing. This has nothing to do with the storage temperature inside. (The thick line indicates the hot-line) NOTE: During spells of hot, humid weather and in rainy season, moisture may develop on the cabinet, just as water condenses around a cold glass of water. It is not an abnormal condition ; wipe off the moisture with a dry cloth. This can also happen when the refrigerator is not installed in an appropriate place. 10 WHAT TO DO... When not operating for a long time s Remove the power supply cord.

s Dry your refrigerator by opening the door for 2-3 days. When you get ready to move s Securely fasten movable interior parts (or remove and pack them separately) s DO NOT lay down your refrigerator horizontally, or the compressor may be damaged. Before you call for service, please check the following points first. If the refrigerator is not operating : s Is the power supply cord unplugged? s Is the home fuse or circuit out of order? @@@@s Are there any foreign objects behind the refrigerator? s Are dishes on refrigerator shelves vibrating? ! CAUTION Improper use of the grounding plug can result in electric shock. If a grounding adapter is used, make sure the receptacle box is fully grounded. ? POWER CORD REPLACEMENT If the power cord of the refrigerator is damaged, have it replaced by a repair shop appointed by the manufacturer's local sales branch or company. 11 .



[You're reading an excerpt. Click here to read official DAEWOO FR-3501 user guide](http://yourpdfguides.com/dref/3408046)
<http://yourpdfguides.com/dref/3408046>