



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for DAEWOO FR-4502K. You'll find the answers to all your questions on the DAEWOO FR-4502K in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual DAEWOO FR-4502K
User guide DAEWOO FR-4502K
Operating instructions DAEWOO FR-4502K
Instructions for use DAEWOO FR-4502K
Instruction manual DAEWOO FR-4502K

1. Installation Instructions

Suitable Installation Place

Where the floor is solid and level	Where ventilation is good	Where there is little or no heat, moisture
<ul style="list-style-type: none"> Unstable installation causes vibration and noise of refrigerator. Wooden floor or carpet can be discolored under the refrigerator. Doors look hung down due to the twist of refrigerator unless it is leveled. 	<ul style="list-style-type: none"> More than 6 or 10 cm from 3 sides (left, right and back) is good enough for ventilation. Insufficient space causes the noise of vibration, weakening of refrigerating power and the waste of electricity. 	<ul style="list-style-type: none"> Direct sun rays, side heat of stove and gas range can weaken the refrigerating power. Avoid location by a sink or where moisture and water can cause rust and corrosion. Avoid location where moisture can cause electrical problems. Use hard board or plank on the concrete/cement floor.

Grounding

Grounding terminal is the yellow/green one connected to the power cord in the back of refrigerator.

Grounding is necessary where	water can splash easily ; bathroom etc.	there is much moisture ; basement etc.	any wet and/or watery places
Grounding by using grounding wire	Bury copper plate to which grounding wire is connected 25 cm deep in the ground.		
Grounding by using short-circuit breaker	Short-circuit breaker is a must where the floor is always wet, for example, fish shop, restaurant kitchen etc.		
Grounding is not necessary	in case of using side-grounded outlet.		
You should not connect the ground wire to	water pipe, gas pipe, telephone line, lightning-rod. There can be explosion or fire.		

Correct usage of Refrigerator

Plug in the refrigerator right after installation.	* See page 2 for details.
Set the fresh food compartment temperature to "7" to perform preparatory run for 2 or 3 hours. When the inside is cold enough, put the foods in.	* When the surrounding temperature is hot in midsummer, do not open and shut the doors too often after installation.

1



[You're reading an excerpt. Click here to read official DAEWOO FR-4502K user guide](http://yourpdfguides.com/dref/3408023)
<http://yourpdfguides.com/dref/3408023>

3. Fasten the Door Handle with screws. (First bottom 2 screw then left 1 screw.) 4. Place the screw covers on each screw (groove).
Something smells. s Air ducts blocked with foods ? s Is strong odoring food stored unwrapped ? Check the food storage state. * The vegetable cases are closed, so deodorizing is almost impossible. 6 7 5. Name of Each Part & Function FR-4502K FREEZER COMPARTMENT SHELF ¥ Provided to make ice or store frozen food.

TEMPERATURE REGULATION LEVER OF FREEZER COMPARTMENT ¥ Used when you want to regulate temperature of freezer compartment.

@@@SMALL POCKET ¥ Storing short bottled food, packed drinks and spice containers, etc. JUMBO POCKET FRESH FOOD COMPARTMENT SHELF ¥ Provided to store day to day food. HIGH HUMIDITY VEGETALBLE CASE ¥ It keeps vegetables fresh at optimal humidity. ¥ Storing big bottled drinks, juice, etc.

BOTTLE POCKET ¥ Storing beer bottles, little bottled drinks, etc. FRONT COVER ¥ Don't let the children step on it for it can be broken. 8 9 6. Freezer/Refrigerator department Temperature regulation of freezer/fresh food compartment FR-4502K s FOR ORDINARY USE. F: SET Ò MIDÓ R: SET DIAL AT Ò 4 Ó 8. Helpful Hints When you replace the light bulbs Light bulb of fresh food compartment 1. Unplug the refrigerator. 2. Pull out the shelf. 3.

P-RELAY PINK W/BBLUE 1 2 P-RELAY ORANGE M S/C 3 4 YELLOW THERMOSTAT BLUE R-THERMO HEATER CM FM GN/YW R-LAMP PLUG M CM R/C FM GN/YW R-LAMP PLUG 3 4 YELLOW THERMOSTAT YELLOW BROWN YELLOW BROWN BLUE WHITE WHITE R-THERMO HEATER Made in Korea 12 Made in Korea 13 = 3D COOLING SYSTEM REFRIGERATOR FR-4502K CONTENTS 1. Installation Instructions.....

.....
.....
..... 1 Suitable Installation Place.

.....
.....
.....
..... 1 Grounding ...

.....
.....
.....
.....
.....
.....
..... 1 Correct usage of Refrigerator .

.....
.....
..... 1 Installation Process....

.....
.....
.....
.....
..... 1 2.

Safety Instructions

.....
.....
.....
..... 2 3. Looks Out of Order, But, Not ..

.....
.....
..... 6 4. Installation of Grip Handle...

.....
.....
..... 7 5. Name of Each Part & Function..

.....
.....
..... 8 6. Freezer/Refrigerator Department.....
..... 10 7. Care & Cleaning..

.....
.....
.....
.....
.....

.. 10 8. *Helpful Hints*

.....
.....
.....
.....

..... 11 9. *Efficient Storage of Foods* ..

.....
.....

..... 11 *Code: 372-3* ..



[You're reading an excerpt. Click here to read official DAEWOO](#)

[FR-4502K user guide](#)

<http://yourpdfguides.com/dref/3408023>