



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for DAEWOO RF-450-12. You'll find the answers to all your questions on the DAEWOO RF-450-12 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual DAEWOO RF-450-12
User guide DAEWOO RF-450-12
Operating instructions DAEWOO RF-450-12
Instructions for use DAEWOO RF-450-12
Instruction manual DAEWOO RF-450-12

1. Installation Instructions

Suitable Installation Place

Where the floor is solid and level	Where ventilation is good	Where there is little or no heat, moisture
<ul style="list-style-type: none"> • Unstable installation causes vibration and noise of refrigerator. • Wooden floor or carpet can be discolored under the refrigerator. • Doors look hanged down due to the wast of refrigerant unless it is leveled. 	<ul style="list-style-type: none"> • More than 6 or 10 cm from 3 sides (left, right and back) is good enough for ventilation. • Insufficient space causes the noise of vibration, weakening of refrigerating power and the waste of electricity. 	<ul style="list-style-type: none"> • Direct sun rays, side heat of stove and gas range can weaken the refrigerating power. • Avoid location by a sink or where moisture and water can cause rust and corrosion. • Avoid location where moisture can cause electrical problems. • Use hard board or plank on the concrete/cement floor.

Grounding

■ Grounding terminal is the yellow/green one connected to the power cord in the back of refrigerator.

Grounding is necessary where	water can splash easily ; bathroom etc.	there is much moisture ; basement etc.	any wet and/or watery places.
Grounding by using grounding wire	Bury copper plate to which grounding wire is connected 25 cm deep in the ground.		
Grounding by using short-circuit breaker	Short-circuit breaker is a mat where the floor is always wet, for example, fish shop, restaurant kitchen etc.		
Grounding is not necessary	in case of using side-grounded outlet.		
You should not connect the ground wire to	water pipe, gas pipe, telephone line, lightning-rod. There can be explosion or fire.		



Correct usage of Refrigerator

Plug in the refrigerator right after installation.	* See page 2 for details.
Set the fresh food compartment temperature to "7" to perform preparatory run for 2 or 3 hours. When the inside is cold enough, put the foods in.	* When the surrounding temperature is hot in midsummer, do not open and shut the doors too often after installation.

1



[You're reading an excerpt. Click here to read official DAEWOO RF-450-12 user guide](http://yourpdfguides.com/dref/3407677)
<http://yourpdfguides.com/dref/3407677>

3. Fasten the Door Handle with screws. (First bottom 2 screw then left 1 screw.) 4. Place the screw covers on each screw (groove).
Something smells. s Air ducts blocked with foods ? s Is strong odoring food stored unwrapped ? Check the food storage state. * The vegetable cases are closed, so deodorizing is almost impossible. 6 7 5. @@@@ In case the wire shelves are installed, they does not include the Fresh case.
FRESH FOOD COMPARTMENT POCKETS DAIRY POCKET · Storing eggs, cheese, etc. SMALL POCKET · Storing short bottled food, packed drinks and spice containers, etc. JUMBO POCKET FRESH FOOD COMPARTMENT SHELF · Provided to store day to day food. HIGH HUMIDITY VEGETALBLE CASE · It keeps vegetables fresh at optimal humidity. · Storing big bottled drinks, juice, etc.
BOTTLE POCKET · Storing beer bottles, little bottled drinks, etc. FRONT COVER · Don't let the children step on it for it can be broken. 8 9 6.
Freezer/Refrigerator department Temperature regulation of freezer/fresh food compartment FR-4502K s FOR ORDINARY USE. F: SET "MID" R:SET DIAL AT "4" 8..



[You're reading an excerpt. Click here to read official DAEWOO RF-450-12 user guide](http://yourpdfguides.com/dref/3407677)
<http://yourpdfguides.com/dref/3407677>