




Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for DENON MCS 160. You'll find the answers to all your questions on the DENON MCS 160 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual DENON MCS 160
User guide DENON MCS 160
Operating instructions DENON MCS 160
Instructions for use DENON MCS 160
Instruction manual DENON MCS 160



[You're reading an excerpt. Click here to read official DENON MCS 160 user guide](http://yourpdfguides.com/dref/516323)
<http://yourpdfguides.com/dref/516323>

Manual abstract:

This symbol found on the apparatus indicates the user should read all safety statements found in the user manual. This symbol found on the apparatus indicates double insulation. **WARNING!** To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture. This symbol found on the apparatus indicates that the apparatus must be placed in a separate collection facility for electronic waste and not disposed of with household waste. Do not use this apparatus near water. Clean only with dry cloth. Do not block any ventilation openings. install in accordance with the manufacturer's instructions. Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat. Do not defeat the safety purpose of the polarized or grounding-type plug.

A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet. Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus. Only use attachments/accessories specified by the manufacturer. Unplug this apparatus during lightning storms or when unused for long periods of time. refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power supply cord or plug is damaged, liquid has been 14. @@@@No naked flame sources, such as lighted candles, should be placed on the apparatus.

The apparatus shall not be exposed to dripping or splashing. No objects filled with liquids, such as vases, shall be placed on the apparatus. @@@@The mains plug of the power supply cord shall remain readily operable. These speakers incorporate high-quality components that produce the famous Boston sound. The system is ideally suited for use as a 5. 1 channel solution in a high-quality home theater or music system. The system is complete with everything you need for the typical speaker system including speaker wire, satellite speakers, a center channel speaker, and a subwoofer. please check out Bostonacoustics. Com/placement for information on placing your speakers. The MCS 160 speaker system delivers exceptionally articulate on-screen dialog, music, effects, and room filling bass from a small, sleek package.

Compact driver placement and quality, system specific crossovers assure a wide uniform dispersion for complete coverage of a listening room. Unpacking the System Carefully unpack the system. If there is any sign of damage from transit, report it immediately to your dealer and/or delivery service. Keep the shipping carton and packing materials for future use. Open the package and verify the following contents: (4) Satellite speakers (1) Center Channel speaker (1) Subwoofer (2) 40' (12m) speaker wires (3) 20' (6m) speaker wires (1) 15' (4. 6m) subwoofer cable (8) Rubber bumpers (used for wall mounting) (4) Satellite speakers Subwoofer (1) Center Channel speaker 3 Placement Options The MCS 160 satellites and center channel are designed to easily mount on the wall using the keyhole slot(s) on the back of the speaker. When mounting the speakers to the wall use the supplied rubber bumpers. @@@@ it is advisable to connect the speaker wire prior to wall-mounting. @@@@Keep in mind the weight of the speaker. Speaker Connections After your speakers are properly placed, you are ready to wire your system.

First, turn off all system power. Use the speaker wire included with the system to make your connections. For longer distances, #16 or #18 gauge wire available from your dealer should be used. Please see the illustration for guidance connecting the wires to the MCS 160 satellites and center channel. For connection to your receiver please refer to its owner's manual.

12V TRIGGER OUT Important! @@@@Connect the – (black) terminals in the same way. @@@@Do not use the outlets on the back of the receiver. Set the power switch to the desired setting. OFF – The subwoofer is off and will not produce any sound. @ oN – The subwoofer is always on. @@@@The subwoofer will then power ON instantly when a signal is detected. @@@@Set this switch to provide the fullest, most dynamic bass. @@@@When using the system in a Dolby Pro Logic® home theater system, make sure the receiver's center channel mode is set to "Normal. □ Some

Dolby Digital equipped receivers/processors offer different setup options for each source or surround mode (e. In each case, follow your equipment's instructions to ensure that the subwoofer output is turned on and that the speakers are set to "Small" in each mode. If your receiver has adjustable crossover settings, we recommend the subwoofer crossover be set at 150Hz. Refer to the owner's manual for your AV receiver for any additional recommendations on system operation. @@@@In the event that your MCS 160 ever needs service, contact your local Boston Acoustics dealer or visit www.bostona.com for a list of dealers in your area.

If your subwoofer does not play, check that all the connectors on the cables are making proper contact and that the AC plug is connected to a "live" receptacle. Limited Warranty Boston Acoustics warrants to the original purchaser of our MCS 160 system that it will be free of defects in materials and workmanship in its mechanical parts for a period of 5 years from the date of purchase. The warranty period for the electrical components of MCS 160 is 1 year. Your responsibilities are to install and use them according to the instructions supplied, to provide safe and secure transportation to an authorized Boston Acoustics service representative, and to present proof of purchase in the form of your sales slip when requesting service. Excluded from this warranty is damage that results from abuse, misuse, improper installation, accidents, shipping, or repairs/ modifications by anyone other than an authorized Boston Acoustics service representative. This warranty is limited to the Boston Acoustics product and does not cover damage to any associated equipment. This warranty does not cover the cost of removal or reinstallation. @@@@If Service Seems Necessary First, contact the dealer from whom you purchased the product. If that is not possible, write to: Boston Acoustics, Inc. 100 Corporate Drive Mahwah , NJ 07430 USA Or contact us via e-mail at: support@bostona.com

Com We will promptly advise you of what action to take. @@@@Instead, it may be placed in a separate collection facility for electronic waste or returned to a retailer when purchasing similar product. The producer paid to recycle this product. Doing this contributes to reuse and recycling, minimizes adverse effects on the environment and human health and avoids any fines for incorrect disposal.



[You're reading an excerpt. Click here to read official DENON MCS](http://yourpdfguides.com/dref/5163323)

[160 user guide](http://yourpdfguides.com/dref/5163323)

<http://yourpdfguides.com/dref/5163323>

boston Acoustics continually strives to update and improve its products.

The specifications and construction details are subject to change without notice. Boston, Boston Acoustics, BassTrac, the B/A ellipse symbol, and MagnaGuard are registered trademarks of Boston Acoustics, Inc. Specifications are subject to change without notice. .



[You're reading an excerpt. Click here to read official DENON MCS
160 user guide](http://yourpdfguides.com/dref/5163323)

<http://yourpdfguides.com/dref/5163323>