



# Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for DENON UD-M30. You'll find the answers to all your questions on the DENON UD-M30 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual DENON UD-M30  
User guide DENON UD-M30  
Operating instructions DENON UD-M30  
Instructions for use DENON UD-M30  
Instruction manual DENON UD-M30

**DENON** NEW MODEL INFORMATION

**D-M30S** CD Receiver  
**UD-M30** Compact Loudspeaker  
**MS-50** CD-R/CD-RW Receiver  
**CDR-M30** CDR-R/CD-RW Receiver  
**DRR-M30** Cassette Deck

**Micro Systems Designed For The Way You Live**

Components in the D-M30S series are only 210 mm wide, yet they are endowed with circuitry for superior quality sound and sport an attractive design that blends easily with any interior. The front panels are made of silver aluminum, and a built-in mirror has been added to the display window to enhance the appearance. The UD-M30 includes the high-end Source Direct function, and the audio and power circuits in all components of the series feature highly-acclaimed DENON technology to ensure that the sound you hear is perfectly smooth and transparent. The UD-M30 CD receiver can be connected to the optional CDR-M30 CD-R recorder or DRR-M30 cassette deck if desired. The remote controller that comes with the UD-M30 can also be used to operate the basic functions of these optional units.

**UD-M30** CD Receiver

**MS-50** Compact Loudspeaker

**AM/FM Stereo Receiver with CD Player**

**Amplifier Section**

- Power Output: 20 W + 20 W (8 Ω/16 Ω)
- S.D.B. (Super Dynamic Bass)
- Total Controls (Bass, Treble)
- Source Direct Function
- 2 Audio Inputs and 2 Audio Outputs
- 2-ch. PRE Outputs (Mono/Stereo)
- Easy-to-Use Remote Control
- Headphone Jack

**Compact Disc Section**

- A wealth of Playback/Recording Functions
- Optical Digital Output Jack for Direct Transmission of Digital Signals
- Auto Eject Function

**Tuner Section**

- AM/FM to Station Preset Memory Tuning
- Everyday/Once/Sleep Timer
- Auto Clock

**General**

- Power Supply: 100 V AC Hz 50 W
- Dimensions: 210 (W) x 95 (H) x 255 (D) mm
- Weight: 3.8 kg, 8.4 lbs.

**General**

- Enclosure: 2-Way Flatline
- Impedance: 8 Ω/16 Ω
- Recommended amplifier power: 25-50 W (each channel)
- Frequency response: 20 Hz - 20 kHz (±1 dB)
- Dimensions: 140 (W) x 45 (H) x 100 (D) mm
- Weight: 1.9 kg, 4.2 lbs.



[You're reading an excerpt. Click here to read official DENON UD-M30 user guide](http://yourpdfguides.com/dref/347672)  
<http://yourpdfguides.com/dref/347672>

**Manual abstract:**

The UD-M30 CD receiver can be connected to the optional CDR-M30 CD-R recorder or DRR-M30 cassette deck if desired. The remote controller that comes with the UD-M30 can also be used to operate the basic functions of these optional units. UD-M30/CDR-M30/DRR-M30/MS-50 MS-50 s s s s Compact Loudspeaker s General New Tweeter (25 mm Soft Dome) 110 mm Profiles Bass Unit New Front Baffle Mounting and Finish Newly Tuned Crossover to Match D-M30/M50 Anti-magnetic Design Half mirror display window Enclosure.....

.....  
.....  
.....

.... 2-Way Reflex Impedance.....

.....  
.....  
.....

.... 6 ohms Recommended amplifier power.. 20 - 50 W (watts/channel) Frequency response....

.....  
.....

. 75 Hz - 20 kHz (3 dB) Dimensions .....

.....  
.....  
.....

. 140 (W) x 240 (H) x 200 (D) mm 5.5" (W) x 9.4" (H) x 7.9" (D) Weight.....

.....  
.....  
.....

..... 2.4 kg, 5.3 lbs UD-M30 CD Receiver AM/FM Stereo Receiver with CD Player The UD-M30 is a super micro component that gives you a CD player and a FM/AM tuner in a single unit.

With high-power output of 20 watts for each stereo channel (total 40 watts) and highly-acclaimed DENON Hi-Fi technology in the audio circuitry, the rich, high-quality sound from a unit as compact as the UD-M30 is a marvel to behold. The D-M30S system is supplied with a pair of Mission MS-50 loudspeakers. s Amplifier Section s Tuner Section Power Output.....

.....  
.....

..... 20 W + 20 W (6 ohms) · S.D.B. @@120 V 60 Hz, 50 W Dimensions .

.....  
.....  
.....

..... @@@@ @@@@ @@@@ @@@@ @120 V 60 Hz, 15 W Dimensions .....

.....  
.....  
.....

... @@@@ @@@@ When connected to the UD-M30, the DRR-M30's CD-SRS function lets you start recording CDs onto tape at the single touch of a button.

The DRR-M30 also provides a wealth of editing and playback functions, including OneTouch Auto Reverse and Music Search, to make this deck a truly versatile member of this system. · Horizontal Loading Mechanism for Smooth, Stable Tape Travel · Dolby B Noise Reduction System · CD-SRS for One-Touch Recording from CD · A Wealth of Editing and Playback Functions · One-Touch Auto Reverse Operation · Music Search · Auto Tape Selector s General Power Supply .....

.....  
.....

..... 120 V 60 Hz, 10 W Dimensions ..

.....  
.....  
.....

..... @3.0 kg, 6.6 lbs \*Design and specifications are subject to change without notice. \*DOLBY" and the double-D symbol are registered trademarks of Dolby Laboratories Licensing Corporation.

DENON ELECTRONICS DIVISION OF DENON CORPORATION (USA) 19 CHAPIN ROAD, P.O. @@.

[You're reading an excerpt. Click here to read official DENON UD-M30 user guide](#)



<http://yourpdfguides.com/dref/347672>