



# Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for FUJITSU SIEMENS ESPRIMO E7936 0-WATT. You'll find the answers to all your questions on the FUJITSU SIEMENS ESPRIMO E7936 0-WATT in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

**User manual FUJITSU SIEMENS ESPRIMO E7936 0-WATT**  
**User guide FUJITSU SIEMENS ESPRIMO E7936 0-WATT**  
**Operating instructions FUJITSU SIEMENS ESPRIMO E7936 0-WATT**  
**Instructions for use FUJITSU SIEMENS ESPRIMO E7936 0-WATT**  
**Instruction manual FUJITSU SIEMENS ESPRIMO E7936 0-WATT**

**DATASHEET** FUJITSU ESPRIMO E7936 0-WATT DESKTOP PC

**Windows®. Life without Walls™. Fujitsu recommends Windows 7.**

**FUJITSU**

**DATASHEET**  
FUJITSU ESPRIMO E7936 0-WATT DESKTOP PC

THE INNOVATIVE 0-WATT PC

**ESPRIMO E7936 0-WATT**  
The 0 Watt PC, the ESPRIMO E7936, equipped with innovative technology from Fujitsu and Intel®, is a power-saving miracle meeting all business and space requirements. With a volume of less than 13 litres it can be positioned vertically or horizontally - ideal for every desk. Made of specially selected material and, in addition to the 0 Watt function, equipped with further power-save systems, such as a switched monitor outlet and power management, the ESPRIMO small form factor PC already meets today the legal requirements of tomorrow. Furthermore, this desktop PC, equipped with a power supply with an efficiency degree of up to 89% meets ENERGY STAR® 5.0 certification requirements. Don't make any compromises!

**0-WATT PC**  
Cool savings by completely reducing off-mode losses  
 ■ Patented function for 0 Watt power consumption in off/hibernating mode with simultaneous management in a time slot that can be optionally set.

**ENVIRONMENTALLY COMPATIBLE PRODUCT**  
Your contribution to environmental protection for the continued existence of our planet  
 ■ Halogen-free hardware, sophisticated product concept for the entire lifecycle

**SILENT OPERATION**  
Innovative hardware design, optimized cooling concept  
 ■ Pleasant working environment due to an extremely quiet system

**SYSTEM MANAGEMENT**  
Easy system administration for complex IT infrastructure  
 ■ Intel® vPro™ technology

**ENERGY STAR® 5.0**  
Low power consumption and low costs, without any loss in performance  
 ■ Power supply with up to 89% efficiency and enhanced power management settings




















Page 1 / 2 http://fu.fujitsu.com/ESPRIMO



[You're reading an excerpt. Click here to read official FUJITSU SIEMENS ESPRIMO E7936 0-WATT user guide](http://yourpdfguides.com/dref/2700744)  
<http://yourpdfguides.com/dref/2700744>

**Manual abstract:**

Life without Walls™. @@ With a volume of less than 13 litres it can be positioned vertically or horizontally - ideal for every desk. Made of specially selected material and, in addition to the 0 Watt function, equipped with further power-save options, such as a switched monitor outlet and power management, the EsPRiMO small form factor PC already meets today the legal requirements of tomorrow. Furthermore, this desktop PC, equipped with a power supply with an efficiency degree of up to 89% meets EnERGY staR® 5.0 certification requirements. Don't make any compromises! 0-Watt PC Cost savings by completely reducing off-mode losses Patented function for 0 Watt power consumption in off/hibernating mode with simultaneous management in a time slot that can be optionally set envIROnMentaLLy COMPAtIbLe PRODUcT Your contribution to environmental protection for the continued existence of our planet halogen-free mainboard, sophisticated product concept for the entire lifecycle sILent OPeRatIOn innovative hardware design, optimized cooling concept Pleasant working environment due to an extremely quiet system systeM ManageMent Easy system administration for complex it infrastructure intel® vPro™ technology eneRgy staR® 5.0 Low power consumption and low costs, without any loss in performance Power supply with up to 89% efficiency and enhanced power management settings R DI C ECOLA BE NO L Page 1 / 8 <http://ts.fujitsu.com/esPRIMO Datasheet Fujitsu EsPRIMO E7936 0-Watt DESkTOP PC Windows®. Life without Walls™>.

Fujitsu recommends Windows 7. COMPONents PROCessOR intel® Core™2 Quad processor Q9650 (4 Cores / 4 threads, 3.0 Ghz, 12 MB, 1333 Mhz) intel® Core™2 Quad processor Q9550 (4 Cores / 4 threads, 2.83 Ghz, 12 MB, 1333 Mhz) intel® Core™2 Quad processor Q9505 (4 Cores / 4 threads, 2.83 Ghz, 6 MB, 1333 Mhz) intel® Core™2 Quad processor Q9400 (4 Cores / 4 threads, 2.

66 Ghz, 6 MB, 1333 Mhz) intel® Core™2 Quad processor Q8300 (4 Cores / 4 threads, 2.5 Ghz, 4 MB, 1333 Mhz) intel® Core™2 Duo processor E8600 (2 Cores / 2 threads, 3.33 Ghz, 6 MB, 1333 Mhz) intel® Core™2 Duo processor E8500 (2 Cores / 2 threads, 3.16 Ghz, 6 MB, 1333 Mhz) intel® Core™2 Duo processor E8400 (2 Cores / 2 threads, 3.0 Ghz, 6 MB, 1333 Mhz) intel® Core™2 Duo processor E7600 (2 Cores / 2 threads, 3.

06 Ghz, 3 MB, 1066 Mhz) intel® Core™2 Duo processor E7500 (2 Cores / 2 threads, 2.93 Ghz, 3 MB, 1066 Mhz) intel® Pentium® processor E6300 (2 Cores / 2 threads, 2.8 Ghz, 2 MB, 1066 Mhz) intel® Pentium® processor E5500 (2 Cores / 2 threads, 2.8 Ghz, 2 MB, 1066 Mhz) intel® Pentium® processor E5400 (2 Cores / 2 threads, 2.7 Ghz, 2 MB, 800 Mhz) intel® Celeron® processor E3200 (2 Cores / 2 threads, 2.4 Ghz, 1 MB, 800 Mhz) OPeRatIng systeM Operating system optional preinstalled Microsoft® Windows® 7 home Premium Microsoft® Windows® 7 Professional twinLoad Microsoft® Windows® XP Professional (DvD) Operating system compatible Linux Microsoft® Windows® XP Professional x64 Edition Microsoft® Windows® vista® Operating system notes all Windows® 7 versions are Office 2007 ready. Please be aware that your Microsoft support for Windows XP is limited due to the fact that the end of the Extended support Phase has been reached. @@@@sata ii, 7200 rpm, 500 GB, 3.5-inch, s.M.

a.R.t. business critical sata ii, 7200 rpm, 500 GB, 3.5-inch, s.M.a.R.t. sata ii, 7200 rpm, 320 GB, 3.5-inch, s.M.a.R.t.

sata ii, 7200 rpm, 250 GB, 3.5-inch, s.M.a.R.t.

t. sata ii, 7200 rpm, 160 GB, 3.5-inch, s.M.a.R.t. sata ii, 7200 rpm, 160 GB, 2.5-inch, s.M.

a.R.t. @Life without Walls™. @@@@Life without Walls™. @@@@Life without Walls™. Fujitsu recommends Windows 7. eLeCtRiCaL vaLues Operating line frequency range Max. output of single power supply Power factor correction/active power Monitor outlet POWer CONsuMPtIOn Power consumption note Link to energy White Paper heat DIssIPatIOn heat dissipation notes 47 - 63 hz 250 W active switched see white paper Energy Consumption 0-Watt mode automatically <http://docs.ts.fujitsu.com/dl.aspx?id=0d9f7cd5-ec9-4491-98b5-00d60db1104f> see white paper Energy Consumption nOIsE FOR stanDaRD CONFIguRatIOn (hDD, ODD, FDD) noise emission according to isO9296 Related Processors for noise intel® Core™2 Duo E8600 noise Operation mode 1: ODD load 4.5 B / 30 dB(a) (blue angel requirement) noise Operation mode 2: hDD load 3.5 B / 20 dB(a) (blue angel requirement) noise Operation mode 3: CPU 90% load 3.6 B / 20 dB(a) (blue angel requirement) noise Operation mode 4: high load 3.8 B / 20 dB(a) Noise Operation mode 5: Office 3.6 B / 20 dB(a) applications Idle mode (blue angel requirement) 3.4 B / 20 dB(a) noise notes / description a weighted sound power level Lwad (in B) / workplace related a-weighted sound pressure level Lpam (in dB(a)), Bystander position DIMensIOns / WeIght / envIROnMentaL Dimensions (W x D x h) 340 x 380 x 100 mm Operating position vertical / horizontal (no feet needed) Weight approx. 10 kg Weight notes Actual weight may vary depending on configuration Operating ambient temperature 10 - 35°C COMPLIanCe Product Model germany europe usa/Canada global EsPRiMO E7936 Dt7-3028 Blauer Engel / Blue angel Gs optional CE nordic swan FCC Class B cCsaus Rohs (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating systems (hCt / hCL entry / WhQL) EnERGY staR® 5.

0 EPEar® silver <https://sp.ts.fujitsu.com/sites/certificates/default.aspx> nero Essentials s (burning software) Recovery DvD for Windows® Drivers & utilities DvD (DuDvD) CyberLink PowerDvD BD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive) thermal management Compliance link aDDItIOnaL sOFtWaRe additional software (preinstalled) additional software (optional) MIsCeLLaneOus Page 5 / 8 [http://ts.fujitsu.com/esPRIMO Datasheet Fujitsu EsPRIMO E7936 0-Watt DESkTOP PC Windows®. Life without Walls™. Fujitsu recommends Windows 7. COMPAtIbILty \(ReFeRenCes\) DMi 2.](http://ts.fujitsu.com/esPRIMO Datasheet Fujitsu EsPRIMO E7936 0-Watt DESkTOP PC Windows®. Life without Walls™. Fujitsu recommends Windows 7. COMPAtIbILty (ReFeRenCes) DMi 2.)

0 PC 2001 WMi 1.5 usB 2.0 ManageaBILty Manageability features asF 2.0 (alert standard Format) Deskupdate Driver management PXE 2.1 Boot code BootP Boot Code including Bootmanage administrator software (tested) Wake up from s5 (off mode) intrusion switch (optional) iaMt 5.0 DeskView 10.x client management including: On/Offline remote client management Detailed system inventory management and reports BiOs Management Remote power management System notifications advanced alerts (asF implementation) security Remote Control Deskview helpdesk integration WoL (Wake on Lan) <http://ts.fujitsu.com/manageability> <http://www.altiris.com/fujitsu> kensington Lock support Eye for padlock Optional: Integrated cabinet lock Boot sector virus protection Write protect option for the Flash EPROM Embedded security (tPM 1.2) Control of all usB interfaces External usB ports can be disabled separately Boot protection for floppy disk / CD drive and write protection for floppy disk drive Control of external interfaces user and supervisor BiOs password systemLock 2 BiOs smartCard security hard disk password Optional: Access protection via external SmartCard reader Optional: Access protection via internal SmartCard reader Flexyslot EasyFix EasyChange for hDD EasyChange for optical drives PaCkagIng InFORMatIOn Packaging dimension Max.

com/fujitsu kensington Lock support Eye for padlock Optional: Integrated cabinet lock Boot sector virus protection Write protect option for the Flash EPROM Embedded security (tPM 1.2) Control of all usB interfaces External usB ports can be disabled separately Boot protection for floppy disk / CD drive and write protection for floppy disk drive Control of external interfaces user and supervisor BiOs password systemLock 2 BiOs smartCard security hard disk password Optional: Access protection via external SmartCard reader Optional: Access protection via internal SmartCard reader Flexyslot EasyFix EasyChange for hDD EasyChange for optical drives PaCkagIng InFORMatIOn Packaging dimension Max.

com/fujitsu kensington Lock support Eye for padlock Optional: Integrated cabinet lock Boot sector virus protection Write protect option for the Flash EPROM Embedded security (tPM 1.2) Control of all usB interfaces External usB ports can be disabled separately Boot protection for floppy disk / CD drive and write protection for floppy disk drive Control of external interfaces user and supervisor BiOs password systemLock 2 BiOs smartCard security hard disk password Optional: Access protection via external SmartCard reader Optional: Access protection via internal SmartCard reader Flexyslot EasyFix EasyChange for hDD EasyChange for optical drives PaCkagIng InFORMatIOn Packaging dimension Max.



**[You're reading an excerpt. Click here to read official FUJITSU SIEMENS ESPRIMO E7936 0-WATT user guide](http://yourpdfguides.com/dref/2700744)**  
<http://yourpdfguides.com/dref/2700744>

*@ @60 g printed user documentation is bleached in chlorine free process Manageability type Deskview features Manageability link seCuRItY Physical security system security user security seRvICeabILItY WaRRAnty standard Warranty 3 years service level Bring-in.*



[You're reading an excerpt. Click here to read official FUJITSU  
SIEMENS ESPRIMO E7936 0-WATT user guide  
http://yourpdfguides.com/dref/2700744](http://yourpdfguides.com/dref/2700744)