



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for FUJITSU SIEMENS ESPRIMO P9900 0-WATT. You'll find the answers to all your questions on the FUJITSU SIEMENS ESPRIMO P9900 0-WATT in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual FUJITSU SIEMENS ESPRIMO P9900 0-WATT
User guide FUJITSU SIEMENS ESPRIMO P9900 0-WATT
Operating instructions FUJITSU SIEMENS ESPRIMO P9900 0-WATT
Instructions for use FUJITSU SIEMENS ESPRIMO P9900 0-WATT
Instruction manual FUJITSU SIEMENS ESPRIMO P9900 0-WATT

DATASHEET FUJITSU ESPRIMO P9900 0-WATT DESKTOP PC

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

DATASHEET
FUJITSU ESPRIMO P9900 0-WATT DESKTOP PC

THE INNOVATIVE 0-WATT PC

ESPRIMO P9900 0-WATT
As an 0-Watt PC, the ESPRIMO P9900, equipped with innovative technology from Fujitsu and Intel®, is a power-saving miracle and the ideal companion for all highly demanding business applications - all in one. Made of specially selected material and, in addition to the 0-Watt function, equipped with further power-saving options, such as a switched monitor outlet and power save management, this ESPRIMO microtower PC already meets today the legal requirements of tomorrow. Furthermore, this microtower, equipped with a highly efficient power supply of up to 89%, meets the criteria of ENERGY STAR® 5.0. Top performance and energy savings for all requirements.

0-WATT PC
Cost savings by completely reducing off-mode losses

- Patented function for 0-Watt power consumption in off and hibernating mode with simultaneous management in a time slot that can be optionally set.

ENVIRONMENTALLY CONSCIOUS PRODUCT WITH ENERGY STAR 5.0 CERTIFICATION
Your contribution to environmental protection for the continuous existence of our planet

- Halogen-free materials, sophisticated product concept for the entire lifecycle

HIGHEST ENERGY EFFICIENCY COUPLED WITH INTELLIGENT PERFORMANCE
The best-in-class regarding power consumption combined with new levels of performance

- State-of-the-art Intel® Core™ processors with Turbo Boost and hyperthreading technology and a power supply with up to 89% efficiency

SYSTEM MANAGEMENT
Easy system administration for complex IT infrastructure

- Intel® vPro™ technology

SILENT OPERATION
Pleasant working environment due to an extremely quiet system

- Innovative hardware design, optimized fan concept

















Page 1 / 7 <http://fu.fujitsu.com/ESPRIMO>



[You're reading an excerpt. Click here to read official FUJITSU SIEMENS ESPRIMO P9900 0-WATT user guide](http://yourpdfguides.com/dref/2700747)
<http://yourpdfguides.com/dref/2700747>

Manual abstract:

Life without Walls™. @@@@Made of specially selected material and, in addition to the 0 Watt function, equipped with further powersave options, such as a switched monitor outlet and power save management, this EsPRiMO microtower PC already meets today the legal requirements of tomorrow. Furthermore, this microtower, equipped with a highly efficient power supply of up to 89%, meets the criteria of ENERGY STAR® 5.0. top performance and energy savings for all requirements. 0-Watt PC Cost savings by completely reducing off-mode losses Patented function for 0-Watt power consumption in off and hibernating mode with simultaneous management in a time slot that can be optionally set envIROnMentaLLy COnsCIOus PRODuCt WItH eneRGy staR 5.0

CeRtIFICatIOn Your contribution to environmental protection for the continued existence of our planet halogen-free mainboard, sophisticated product concept for the entire lifecycle hIGhest eneRGy eFFICienCy COuPLeD WItH InteLLIGent PeRFORManCe the best-in-class regarding power consumption combined with new levels of performance state-of-the-art intel® Core™ processors with turbo Boost and hyperthreading technology and a power supply with up to 87% efficiency systeM ManaGeMent Easy system administration for complex IT infrastructure intel® vPro™ technology sILent OPeRatIOn Pleasant working environment due to an extremely quiet system innovative hardware design, optimized fan concept Page 1 / 7 <http://ts.fujitsu.com/esPRIMO>

Datasheet Fujitsu EsPRiMO P9900 0-Watt DEskTOP PC Windows®. Life without Walls™.

Fujitsu recommends Windows 7. COMPOneNts PROCeSSOR intel® Core™ i7 processor i7-860 (4 Cores / 8 Threads, 2.80 GHz, 8 MB) intel® Core™ i5 processor i5-750 (4 Cores / 4 Threads, 2.66 GHz, 8 MB) intel® Core™ i5 processor i5-670 (2 Cores / 4 Threads, 3.46 GHz, 4 MB, Intel® HD Graphics) intel® Core™ i5 processor i5-660 (2 Cores / 4 Threads, 3.

33 GHz, 4 MB, Intel® HD Graphics) intel® Core™ i5 processor i5-650 (2 Cores / 4 Threads, 3.20 GHz, 4 MB, Intel® HD Graphics) intel® Core™ i3 processor i3-540 (2 Cores / 4 Threads, 3.06 GHz, 4 MB, Intel® HD Graphics) intel® Core™ i3 processor i3-530 (2 Cores / 4 Threads, 2.93 GHz, 4 MB, Intel® HD Graphics) intel® Pentium® processor G6950 (2 Cores / 2 Threads, 2.80 GHz, 3 MB, Intel® HD Graphics) OPeRatInG systeM Operating system optional preinstalled Microsoft® Windows® 7 home Premium Microsoft® Windows® 7 Professional twinLoad Microsoft® Windows® XP Professional (DVD) Operating system compatible Linux Microsoft® Windows® XP Professional x64 Edition Microsoft® Windows® vista® Operating system notes all Windows® 7 versions are Office 2007 ready.

Please be aware that your Microsoft support for Windows XP is limited due to the fact that the end of the Extended Support Phase has been reached.

@@@SATA II, 7200 rpm, 500 GB, 3.5-inch, S.M.A.R.T. business critical SATA II, 7200 rpm, 500 GB, 3.5-inch, S.M.

A.R.T. SATA II, 7200 rpm, 320 GB, 3.5-inch, S.M.A.R.T. SATA II, 7200 rpm, 250 GB, 3.

5-inch, S.M.A.R.T.

SATA II, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.

T. @@@@Life without Walls™. @@For dual channel performance, 2 memory modules have to be ordered. Capacity per channel has to be the same.

@@Life without Walls™. Fujitsu recommends Windows 7. sLOts PCI-express 2.0 x4 (mech. @@For quad-core processors graphics card is mandatory.

@@output of single power supply 250 W Power factor correction/active power active Monitor outlet switched POWer CONsuMPtIOn Power consumption note Link to energy White Paper heat DIssIPatIOn heat dissipation notes see white paper Energy Consumption 0-Watt mode automatically <http://docs>.

ts.fujitsu.com/dl.aspx?id=1c12084a-5b8b-4839-84b5-2c269e4aa4e0 see white paper Energy Consumption nOise FOR stanDaRD COnFIGuRatIOn (hDD, ODD, FDD) noise emission According to ISO9296 Page 4 / 7 <http://ts.fujitsu.com/esPRIMO> Datasheet Fujitsu EsPRiMO P9900 0-Watt DEskTOP PC Windows®. Life without Walls™. Fujitsu recommends Windows 7. nOise FOR stanDaRD COnFIGuRatIOn (hDD, ODD, FDD) Related Processors for noise intel® Core™ i5-670 ; Intel® Core™ i7-860 including NVIDIA® Geforce® 9500GS noise Operation mode 1: ODD load 4.4 B / 29 dB(A) ; 4.4 B / 29 dB(A) (Blue angel requirement) noise Operation mode 2: hDD load 3.7 B / 21 dB(A) ; 3.6 B / 21 dB(A) (Blue angel requirement) noise Operation mode 3: CPu 90% load 3.9 B / 24 dB(A) ; 3.9 B / 24 dB(A) (Blue angel requirement) noise Operation mode 4: high load 3.9 B / 23 dB(A) ; 3.9 B / 24 dB(A) Noise Operation mode 5: Office 3.8 B / 22 dB(A) ; 3.6 B / 20 dB(A) applications Idle mode (Blue angel requirement) 3.7 B / 20 dB(A) ; 3.

6 B / 20 dB(A) noise notes / description A weighted sound power level Lwad (in B) / workplace related A-weighted sound pressure level LpAm (in dB(A)), Bystander position DIMensIOns / WeIGht / envIROnMentaL Dimensions (W x D x h) 203 x 390 x 392 mm Operating position vertical Weight approx. 12 kg Weight notes Actual weight may vary depending on configuration Operating ambient temperature 10 - 35°C COMPLlanCe Product Model Germany europe usa/Canada Global EsPRiMO P9900 MI3W-D2912 Blauer Engel / Blue angel in progress GS optional CE nordic swan in progress FCC Class B cCsAus RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electrical equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 5.0 in progress EPEat® in progress <https://sp.ts.fujitsu.com/sites/certificates/default.aspx> Nero Essentials S (burning software) Recovery DVD for Windows® Drivers & Utilities DVD (DUDVD) CyberLink PowerDVD BD (playback software for Blu-ray Disc™, only with Blu-ray Disc™ drive) thermal management COMPatIBILItY (ReFeRenCes) DMI 2.0 PC 2001 WMI 1.5 USB 2.0 ManaGeBILItY Manageability features ASF 2.

0 (Alert Standard Format) Deskupdate Driver management PXE 2.1 Boot code BootP Boot Code including Bootmanage Administrator Software (tested) Wake up from S5 (off mode) Intrusion switch (optional) iAMT 6.0 DeskView 10.x client management including: Compliance link aDDItIOnaL sOFtWaRe additional software (preinstalled) additional software (optional) MIsCeLLaneOus Manageability type Page 5 / 7 <http://ts.fujitsu.com/esPRIMO> Datasheet Fujitsu EsPRiMO P9900 0-Watt DEskTOP PC Windows®. Life without Walls™. Fujitsu recommends Windows 7. ManaGeBILItY Deskview features On/Offline remote client management Detailed system inventory management and reports BiOs Management Remote power management System notifications Advanced alerts (ASF implementation) security Remote Control Deskview helpdesk integration WoL (Wake on LAN) kensington Lock support Eye for padlock Optional: Integrated cabinet lock Boot sector virus protection Write protect option for the Flash EPROM Embedded security (TPM 1.2) Control of all USB interfaces External USB ports can be disabled separately Control of external interfaces user and supervisor BiOs password systemLock 2 BiOs smartCard security hard disk password Optional: Access protection via external SmartCard reader Optional: Access protection via internal SmartCard reader FlexySlot EasyFix EasyChange for hDD EasyChange for optical drives seCuRiTy Physical security system security user security seRvICeaBILItY PaCkaGInG InFORMatIOn Packaging dimension Max.



[You're reading an excerpt. Click here to read official FUJITSU SIEMENS ESPRIMO P9900 0-WATT user guide](http://yourpdfguides.com/dref/2700747)
<http://yourpdfguides.com/dref/2700747>

@@60 g printed user documentation is bleached in chlorine free process WaRRanty standard Warranty 3 years service level Bring-In / On-Site Service (depending on country) MaIntenanCe anD suPPORt seRvICes - the PeRFeCt extensIO n Recommended service 5x9, Response Time: Next Business Day spare Parts availability 5 years service Weblink <http://ts.fujitsu.com/Supportservice> Page 6 / 7 <http://ts.fujitsu.com/esPRIMO> Datasheet Fujitsu EsPRiMO P9900 0-Watt DEsktOP PC Windows®.



[You're reading an excerpt. Click here to read official FUJITSU
SIEMENS ESPRIMO P9900 0-WATT user guide
<http://yourpdfguides.com/dref/2700747>](http://yourpdfguides.com/dref/2700747)