



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID. You'll find the answers to all your questions on the HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID
User guide HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID
Operating instructions HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID
Instructions for use HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID
Instruction manual HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID



[You're reading an excerpt. Click here to read official HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID user guide](http://yourpdfguides.com/dref/1196715)
<http://yourpdfguides.com/dref/1196715>

Manual abstract:

.....

 Page 2 flssembly and Batteries .

Page 3-4 Begin Operation

.....
 .. Page 5 Getting Started.. .

..... Page 8 Detailed Description

.....
 Page 7-8 Companion mode .

..... Page 7-8 Game Play uth R2.. ...

Page 3 lavigating R2.

..... Page 10-11 R9 On His Own.

..... Page 12 Trwbleshooting ...

.... Page 12 Using R2-D2's Utility I r m .

.... Page 13 Tech Specs..

Page 14 ' 4 Congratulations! You are a proud owner of R2-02, an R2-series astromech utility droid from Industrial flutomaton, the galaay's finest maker of service automatons, and distributed here on Earth by Hasbro. This droid is ready to obey certain commands, play games, and assist you on your ledi missions. This particular R2 unit comes from the peaceful world of laboo, where he and a team of astromechs served Oueen flmidala aboard her Royal Starship. R2-02 has seen and taken part in many amazing adventures. He fought valiantly alongside both Rnakin and Luke Skywalker, aided the Old Republic during the clone luars, and was instrumental to the Rebellion against the Empire during the Galactic Civil War.

R2-02 [or, alternately, flrtoo Detoo] has been newly programmed at our state-of-the-art factory to be your devoted helper and friend: to obey your commands, to act as your room sentry and guard, and to play fun games with you and your friends! R2's vocabulary of electronic beeps and whistles doesn't stop this droid from trying to communicate luith human masters; he understands certain commands, and usually manages to get his points across, too! To get started, simply follotu the instructions of this manual. Please be aluare that R2 is an especially feisty astromech; luhen not treated luell, he tuill let you know about it! But if you treat R2-02 with the same loyalty and dedication that he will give to you, this little droid may help you to follow in the footsteps of the illustrious ledi masters! INS1llllnQ NTEE: BCTRS 1 1 Use a Phillips screwdriver to loosen the huo 1 captive screws that secure the battery door in back, and remove the door. 2.) Open the compartment door. Insert four "flfl" batteries into the compartment. Close the compartment door, then insert four "0" batteries on top as shown. (Re-chargeable batteries, such as niCd or nimH, will work well for the "0" cells, but are not necessary for the "Ill"batteries.] 3.1 Replace the battery door, and securely fasten the screws. 1.

@ @ @ @ @ @ @ Ahvaya follow the Instructions carefully. Use only batterlea specMed and be wm to insert them conectly by matching the + and polarity markings. 2. Do not mix old battcvtes and new or stendad (cabm-zinc) wlth alkaline bandea 3.Remove~orW~fmmthe product 4. Remove batterkw If product Is not to be played wRh for a long tlme. 5. DO not m - c h o u n the wpp& tennlnats. 8. Should this product cause,w be affected by, i d ekbi& l n t e r l m , move It away fmm other electrical equipment Reset (switching of and back on again or m i n g and re-lnaertlng batteties) il necessary.

7. @ @ Always remove fmm the pmduct before recharging. Recharge batteth under aduh wpawilson. @ @ @ @ Ulhea in this setting, the button h saw M n again tr r l the the s m brlfoa baWiftHnk;aPl' & d uriUliqY~pradtai&toWlths tub-& Nag. RPWS cts~fngkg raa nrrigate rom jad mod wphg. lbevb~, rr ad g~ lasJ2-9it MUMS l Y 1 112-b2 IW shin, u n h tbc otain an protected. a@ b 6 s% mh t th E-lt2 h ma& to W*1 u & gate sk and Y h m sa 3heam (uylif not (roteded. t a lmgfidiPaS bk Uiw @ & on kaobMap~istbs~~bdrWrg~---tallSmbBlelldheh-if~t & M . Y o u s a t ~ lieq 118 ettw a pwSpbarrimin his path lilrrsbssbdcardboard. u r W@p onL o l s BtLoagrUieto~a~rolil~batWof~tbw&biswm~--t~it.

68UW SflMED 1 akn'a . . fun m a y win o1 , k the -'b W is pomered up and ready I*d o n ! & & I f (80 Ml\$lbeyo 1 with U-92right u(, hem are a feu rimpie c l u ~ o - ~ started! o* u el a * ~ f i m d thal U in bf all d (lour Iroid's command phrases. @ @ @ @ @ @ @ @ @ @ @ @ @ @ @ hfw lo@, p aiU k familiar enough uitB E-IBE habih and responsas to IWUI u w net! lllwpsPlljtlllfUW2k responding Bdore giving hisiwthsr command - he cannot hear you o ~ b e q @hog. i R2 .also nothar ym~ bi motorid wheals a n in notion or his head is tuning; he can onb hear Prhes you W n & e Q W n l r p . FM I@ n a ni c l r to keep background noise as blu as possible, and spulr to R2 in cprceb c g ia m , t htry spwcb recognilion or a n o d Men@ bed @ & sbwtb~ \$peal@ latrdly doea not [and it's bet not to haw p s r of faad in (~wr lusen you s'pei& ta im!]. wuta using anQafL -command phrases" listed ie tbi manual, he mill go into to p ~ in Y l n B dlanguae of bwps and mbies. Rt-02 is a gnat u t a b and a gat ligte~ref~!\$o La tonme raRb (loo! IBYII 82 lleees not like to be piiied up vlhile he's moving. I yeu do so, he may shy kis lnotors and complain! f ~ ~ ' 3 ' 5" R2-02 has three m a w fundion modes: 1.

1 commmn ODE [Pages 7-81 ' 2.) 6AIE IIBDE [Page 3) 3.1 COMIIIIIO mo# [Pages 10 - n] Within each of Use ds e are many functions to ertplore. This manual will tako you through c, n t h almost all of P-Be's actions and responses, but yuu'U discover more as you become more familiar with this droid; for as Long as y w own bim, your droid will continue to surprise you with uhat he has to say! Remember to w e this m a r u l Cor as long as you have your R2 unit! The sepaate "Command Card" is also invaluable as a reminder d this many commands and phrases that help you interact with R2-02. This card can be kpl.in R2's dorage compartment. In tfii Beginning mode, Re-82 is hi usual friendly and playful self. He loves Veur companionship, and lwes to respond to certain commands you give him. Stand or sit directly in front of R2 [ideally hom about 2 feet and no more than 8 feet, a-uay),and speak clearly toward the speech sensor on the hont of hi body. fl2 will indicate that he is listening to you by blinking his red and blue Ells together.

) c3 Say: "Hey, At!" R2-02 will turn h head towards yoa and whistle to indicate he is ready for the nent command! @@@@R2 loill beep if he finds somame and wait ftr a command! @@@@h, . @@..?" D ..

, flnd then udit hr M II acknwtbdge (our wq\$iiA . a - h Thq a& him a m ly of tthese famooas friends [or eoemies!: .. Luke Skylrialker? .. flnakin? ...C-3PO? .. Darth Ilader? ..

.Princess leia? ...Obi-Ulan? ...Han Solo? ...

Pahd ...Cherbaeca? @@Be slrre to qeak s l o u and clearly and p a w b your wmmnds. @@@@Then say "Hey Rt!" lo end the game.

@@@Q. @@@@an dam. Then he tuiU go into standby mode and start guarding the room. @@@@mt If no new cornmaul ta @en, R2 tuiU ge b into !a sentry made. @@Depending on hi mood, he ma! @@@@If R2 shuts off during play, or right after you turn him on, replace the "RR" batteries.

Bright light, or temperatures above 77 F or below 65 F may disorient R2; under these conditions, , he may have trouble seeing and finding people as usual. If you place an object in R2-02's utility arm that is too large or too heavy, he rillnot be able to move properly; simply remove the item, and he will return to normal function.



[You're reading an excerpt. Click here to read official HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID user guide](http://yourpdfguides.com/dref/1196715)
<http://yourpdfguides.com/dref/1196715>

If any of R2's parts [for instance, his steering legs] come off during play or when he is dropped, simply follow the assembly instructions in this manual to re-assemble the part[s]. If you need help, please call 1-800-327-8264, or visit www.stanars.hasbro.com M R2-D2's Intergalactic Beverage Holder Utility Arm 1 6 1.) Open handle. 2.1 Light utility arm.

5.1 DP(R clamp and place beverage container [not included] in clamp. p----- 8 Cut along-dotted line. Keep this card in R2's cargo hold . . . quick . . .

.....
.....

..... for . . . reference. C M I R O R E T E C H S P E C S Industrial Botomahn has adjusted your R2 unit with many new features and functions for use on Earth. 1.

~FLYING MOUNTAIN SENSORS [WITH SOUND PROCESSING MICROPHONES AND SONAR]; THESE HELP R2 "SEE" AND LOCATE OBJECTS 2. INFRARED LOCATOR SENSORS [FOR DETECTING LIFEFORMS] 3. @ @ CARGO HOLD 5. STORAGE BAY [KEEP YOUR "COIN-FLO CORD" IN HERE!] 6. @ @ @ SLEEW ROTATING TURN ELMOS 1 360 DEGREES!] DOME 8. CENTER LEG 10. LIGHT UMBRELLA 11. INTERGALACTIC BEVERAGE HOLDER UTILITY ARM [DESIGNED TO HOLD 12-OUNCES BEVERAGE CAN] 12. IDENTIFIABLE DROID HOOD STYLUS INDICATOR [RED AND BLUE LEDS INDICATE R2'S HOOD] 13. STEERING LEGS 14.

REFLECTOR CONTROL MANUALLY-OFF SWITCH; RZ NSO FEMURES TORNICLE "STAY DRY" MODE TO CONSERVE BATTERY LIFE -14- Important note: The treads on R2-02's steering legs can navigate floors and most carpeting. However, we strongly recommend you use R2-D2 indoors only. never use 1242 near stairs, unless the stairs are protected. R2-02 is unable to detect or navigate stairs and may fall down stairs and become damaged if not protected. Use on tabletops only in the wheel-lock setting.

R2-02 may fall from table and become damaged if wheels are not locked. You can keep R2 out of trouble by placing simple barriers in his path like sheets of cardboard. As long as it is something solid and is as tall or taller than R2, his sonar will usually detect it. FCC STATEMENT: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment reserved. © and/or TM & Q 2006 Hasbro. All Rights Reserved. Product and colors may vary. TM 03 denote U.S. Trademarks. .



[You're reading an excerpt. Click here to read official HASBRO STAR WARS R2 D2 INTERACTIVE ASTROMECH DROID user guide](http://yourpdfguides.com/dref/1196715)
<http://yourpdfguides.com/dref/1196715>