

You can read the recommendations in the user guide, the technical guide or the installation guide for HOTPOINT LS 248 T. You'll find the answers to all your questions on the HOTPOINT LS 248 T in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual HOTPOINT LS 248 T
User guide HOTPOINT LS 248 T
Operating instructions HOTPOINT LS 248 T
Instructions for use HOTPOINT LS 248 T
Instruction manual HOTPOINT LS 248 T





You're reading an excerpt. Click here to read official HOTPOINT LS 248 T user guide

http://yourpdfguides.com/dref/4689766

## Manual abstract:

That the electricity system is in accordance with norms; 2. That the water inlet and outlet hoses are connected correctly; 3. That the dishwasher is level on the ground. @@13) Learn to get to know the parts which make up your dishwasher, you will use it better for it. This is where you will find the description of the controls and the internal parts. 3. How to load your dishes (p. 14) This page includes useful tips to help you load your dishwasher correctly and make the most of all the available space. 4. How to start your dishwasher (p.

- 15) After loading the dishes, you need to select the right wash cycle and measure out the correct dose of detergent and rinse aid. Reading these pages will help you through all the wash phases. 8. Safety for you and your family (p. 20) Read this chapter carefully, as it will provide you with useful information on installation, use and maintenance safety.
- 18) Using the right salt and in the right quantity will help you maintain your dishwasher in top condition, to wash better and to avoid possible damage caused by limescale. 21) Once in a while, once a month, spend a little time on the filter assembly and the sprayer arms. This is where you can learn how. 6. Advice and suggestions to help you make savings as well (p.
- 13) All your appliance's technical data, in accordance with norms and regulations as always. ariston is still with you after purchase (p. 22) Ariston supports its products by means of after-sales services and assistance, offering you special guarantees, professional assistance as well as quality spare parts and accessories. To find out more, call the Ariston Freefone Number. This is where you will find small tips on how to wash your dishes better Respect the few rules you will find here, and the result will be an enduring and to help make savings by selecting a wash cycle which best suits the top-shape dishwasher. 20) Before calling the technician, have a look here: a lot of problems can have an immediate solution. If you can't manage to solve it yourself, then call the Ariston helpline and any problem will be solved as quickly as possible. 12 ARISTON DISHWASHER Instructions for installation and use Let's open up your dishwasher together Learn to get to know the parts which make up your dishwasher, you will use it better for it. ON-OFF Button Press this button to switch the appliance on. b.

ON-OFF Indicator light This light informs you that the dishwasher is on. c. Door opening handle Use this handle to open the dishwasher door. d. Cycle selection knob Turn it to select the desired wash cycle E. Extra drying button Press this button for greater drying F. @@ g. @@ s. @@ t. @@ETBGF extra AUTO AUTO SACD Technical Characteristics Technical characteristics Width Depth Height Capacity Mains water pressure Power voltage Total absorber power Fuse cm.

ARISTON DISHWASHER - Instructions for installation and use 13 D ISHWASHER How to load your dishes First of all. Before placing the dishes in the racks, remove the largest scraps of food left over on your plates, you will thus avoid blocking the filter, which would reduce the efficacy of the wash. If the saucepans and frying pans are very dirty, allow them to soak before being washed. To make it easier to load your dishes, pull the racks out. What goes into the lower rack? We recommend you place the most difficult dishes to wash into the lower rack: saucepans, lids, soup dishes and plates (a load example is shown in the photo).

Before washing, a few small steps can help you get a better wash and keep your dishwasher for longer. Remove the largest scraps of food left over on your plates, soak saucepans and frying pans with tough incrustations. After loading your dishes, make sure the blades on the sprayer arm turn well It is best if you place longer utensils horizontally at the front of the upper rack. After loading the dishes, remember to check that the blades on the sprayer arms can turn freely without hitting against any dishes. What goes into the upper rack? Place delicate and lightweight dishes in the upper rack: glasses, tea cups and coffee cups, saucers but plates too - shallow salad bowls, slightly dirty frying pans and shallow pans.

Position lightweight dishes in such as way as to avoid their being moved by the spray of water. How to adjust the top rack. The upper rack can be set in high or low position to enable you to organise your dishes effortlessly. Load examples upper rack upper rack  $\hat{A} \square$  Serving dishes and large lids: place them on the sides of the rack.  $\hat{A} \square$  Saucepans, salad bowls: must always be placed upside down  $\hat{A} \square$  Very deep dishes: place them obliquely, thus allowing water to run down them and cleaning them better The lower rack has tip-up sectors (see figure B), so you can place even more saucepans and frying pans or make room for the larger ones. @@@@ fig. @@It takes just one minute to learn how You've left out a dish? first of all. Turn on the water tap completely Well, it happens to everyone. @@@@The cycle will start up from where you interrupted grammed. To select a wash cycle, turn knob Finished? @@@@ clear all settings.

@@Turn off the water tap. Make any changes at this point. @@If you wait a little while, they dry you. Your dishwasher is fitted with indi- better thanks to the steam. Cator lights (G) that come on to Empty the lower rack first. Show you at which point the wash cycle is at. @@The right: pre-wash, wash, rinses, drying. There's been a power failure? Have you opened the dishwasher door? @@ everything is under control! You decide when it starts. When you have loaded the dishes, you can choose when to start your dishwasher before setting the wash cycle desired. Press button "F" to delay the start of the wash cycle by 12, 9, 6 or 3 hours.

Each time you press it, you will hear a short beep and the indicator light "G" corresponding to the selected delay will come on. Now you can select the desired wash cycle and, after you hear the beep, the countdown to the delayed start will begin. ready, steady, go! Starting the dishwasher D ISHWASHER At all times, your dishwasher tells you where it is at. modifying a wash cycle in progress. But if you have chosen the wrong cycle, not to worry! You can modify the wash cycle in progress, if it has only just started.

Turn the knob anti-clockwise and set it to Reset, after a few seconds you will hear 4 beeps and indicator light "G" will go out: this means all the settings have been cancelled. You are now free to re-set the correct wash cycle. You can cancel the wash cycle in progress, if it has only just started. The wash cycle, the 12 hour indicator light will flash followed by the others in sequence until the set time delay is up. A quick look at the indicator lights will keep you informed of the countdown progress at all times.

Dual function of indicator lights "G" cancel the delay set and you want the cycle to start immediately, press button "F" repeatedly until the cycle starts and indicator light "G" corresponding to the cycle start phase comes on.



You're reading an excerpt. Click here to read official HOTPOINT LS 248 T user guide

http://yourpdfguides.com/dref/4689766

do you want extra drying? Press button "E" before you start the selected wash cycle. A short beep will tell you that you have selected extra drying and the wash cycle will last longer in order to provide you with drier dishes. 1) flashing to indicate a delayed start: to remind you that you have set a delayed start; 2) on and not flashing beneath the cycle phase symbol: meaning the cycle has started and is in the phase indicated by the symbol. Have you changed your mind? If you change your mind, you can set a shorter time delay: press button "F" to select it. You need not reset the wash cycle. If you have set a 12 hour delay, for example, once you have selected If on the other hand you want to If opening the door soon after the end of the programme, or during it, stand away from the Dishwasher, to avoid possible injury from hot steam. ARISTON DISHWASHER - Instructions for installation and use 15 D ISHWASHER Detergent and rinse aid Only use specific dishwasher detergents. Pour the detergent into the dispenser on the inside of the door, before the wash cycle starts! The detergent Loading the detergent To open lid A, press button B.

The detergent should be poured into the two containers C and D up to the rim. Now you can close the lid: press it down until you hear it click. If you prefer to use the detergent in tablets, place one of these in container "D". Now you can close the lid: press it down until you hear it click. B C D Useful tips Â□ Use the right amount of detergent: if you use too much, you will not get cleaner dishes, but just more environmental pollution. Â□ Keep your dishwasher detergent and rinse aid in a cool, dry place and away from children. @@It is due to this residue that the lid won't close. Get rid of it and you'll see that it closes. a The rinse aid. This product makes dishes sparkle more as it improves their drying.

@@@@d F C Loading the rinse aid. To open the dispenser, turn cap C anticlockwise. Take care when you pour in the rinse aid to avoid it overflowing.

@@Proper dosage of the rinse aid improves drying. @@@@You can choose from six different positions.

it is normally set to 2. @@If the water in your area is hard or very 17. s Almost all silverware can be cleaned in a dishwasher. @@@@@@@@@@@@@@Choose where you want to install Hot water connection. @@@@@@@@effective.

@@@@Make sure that it is not inclined more than 2 degrees. If the appliance is level, it will help ensure its correct operation. cold water connection.

@@@@@@@@@@@@@@@@@@@@@@@e earth: indispensable safety. @@ power supply wire. @@If the power socket to which the appliance is connected is not compatible with the plug, replace it with a suitable plug rather than using adapters or multiple plugs as these could cause overheatingeep detergents out of their reach. 7. @@ 8. @@ 9. @@ 10.

@@@@If you cannot resolve the problem, then call the service centre. 11. @@I only want an authorised specialised technician with original Ariston guaranteed spare parts 20 ARISTON DISHWASHER - Instructions for installation and use Cleaning and special maintenance The filter assembly If you want consistent good results from your dishwasher, you need to clean the filter assembly. The food particles are removed from the wash water, allowing it to be recirculated during the cycle, filtered perfectly. For this reason, it is a good idea to remove the larger food particles trapped inside the cup Â□CÂ□ and the semi-circular filter A after each wash; pull the cup handle upwards to remove them. Just rinse them under running water. The entire filter assembly should be cleaned thoroughly once a month: cup C + semi-circular filter A + cylindrical filter B. rotate filter Â□BÂ□ anticlockwise to remove it. For cleaning, use a non metallic brush. Reassemble the filter parts (as shown in the figure) and reinsert the whole assembly into the dishwasher.

position it into its housing and press downwards. The dishwasher is not to be used without filters. @@ cleaning the sprayer arms. @@@@  $\hat{a}$   $\Box$ ). @@1 B 2 A C Keep your dishwasher in shape Respecting these few rules ensures you will always have a reliable work companion by your side.

after every wash. When the wash cycle has ended, always remember to turn off the water supply tap and to leave the appliance door ajar. This way, moisture and bad odours will not be trapped inside. unplug the appliance. Before carrying out any cleaning or maintenance on the dishwasher, always remove the plug from the electricity socket.

When you go away for an extended period of time, we recommend you do the following: Â $\square$  run a cycle with the dishwasher empty Â $\square$  turn off the water inlet tap. Â $\square$  leave the appliance door ajar This will help the seals last longer and prevent unpleasant odours from forming inside the appliance. moving the appliance. Should the appliance have to be moved, try to keep it in a vertical position. If absolutely necessary, it can be positioned on its back. the seals. One of the factors that cause unpleasant odours to form inside the dishwasher is food that remains trapped in the seals. @@@@Use a cloth dampened with lukewarm soapy water only. @@Your dishwasher is not a waste disintegrator! @@Empty out all glasses and cups. ARISTON DISHWASHER - Instructions for installation and use 21 D ISHWASHER Stay in touch THANK YOU for choosing an Ariston appliance.

We are confident you have made a good choice and that your new appliance will give many years of excellent service. And we're there when you need us. This will confirm your entitlement to free spare parts for five years, and you could also be lucky enough to recover the cost of your purchase in our quarterly prize draw. Simply complete and return the Registration Form supplied with the appliance documents, using the FREEPOST envelope supplied. or call the Registration Hotline on 0870 010 4305. Enjoy complete peace of mind. By registering now, you automatically qualify for a full year's guarantee on parts and labour PLUS free functional parts cover for a further 4 years, provided they are genuine Ariston spare parts fitted by an Ariston Service Engineer. Register your purchase now We're as close to you as your telephone For direct access to Genuine Ariston Spare Parts and Accessories, call 0870 558 5850 and speak to our skilled staff who can help you to identify and purchase the item you require. For a Rapid Response to a problem with your appliance, call 0870 607 0805. We're open from Monday to Saturday (8am - 5.

30pm weekdays, 9am - 5pm Saturday). We have our own department of highly trained Ariston service staff. For most calls, our Service Engineer can fix the problem on the first visit. 30pm weekdays, 9am - 5pm Saturday). These numbers can be found on the appliance and on the portion of the Registration Card which you retain.



You're reading an excerpt. Click here to read official HOTPOINT LS 248 T user guide

http://yourpdfguides.com/dref/4689766