



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for JBL SUB 125. You'll find the answers to all your questions on the JBL SUB 125 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual JBL SUB 125
User guide JBL SUB 125
Operating instructions JBL SUB 125
Instructions for use JBL SUB 125
Instruction manual JBL SUB 125



SCS125
simple
setup guide

thank you for choosing JBL. For more than 50 years, JBL has been involved in every aspect of music and film recording and reproduction, from live performances to monitoring the recordings you play in your home, car or office.

We're confident that the JBL system you have chosen will provide every note of enjoyment that you expected – and that when you think about purchasing additional audio equipment for your home, car or office, you will once again choose JBL.

Please take a moment to complete the enclosed profile card. It enables us to keep you posted on our latest advancements, and helps us to better understand our customers and build products that meet their needs and expectations.

JBL Consumer Products



[You're reading an excerpt. Click here to read official JBL SUB 125 user guide](http://yourpdfguides.com/dref/3930155)
<http://yourpdfguides.com/dref/3930155>

Manual abstract:

For more than 50 years, JBL has been involved in every aspect of music and film recording and reproduction, from live performances to monitoring the recordings you play in your home, car or office. We're confident that the JBL system you have chosen will provide every note of enjoyment that you expected and that when you think about purchasing additional audio equipment for your home, car or office, you will once again choose JBL. Please take a moment to complete the enclosed profile card. It enables us to keep you posted on our latest advancements, and helps us to better understand our customers and build products that meet their needs and expectations. JBL Consumer Products read first! Important Safety Precautions! CAUTION RISK OF ELECTRIC SHOCK DO NOT OPEN CAUTION: To prevent electric shock, do not remove the grounding plug on the power cord, or use any plug or extension cord that does not have a grounding plug provided. Make certain that the AC outlet is properly grounded. Do not use an adapter plug with this product. The lightning flash with arrowhead symbol, within an equilateral triangle, is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons. @@Read Instructions. @@2.

Retain Instructions. The safety and operating instructions should be retained for future reference. 3. Heed Warnings. All warnings on the product and in the operating instructions should be adhered to.

4. Follow Instructions. All operating and use instructions should be followed. 5. Cleaning.

Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning. 6. Attachments. Do not use attachments not recommended by the product manufacturer, as they may cause hazards. 7. Water and Moisture. @@8. Accessories.

@@@@Use only with a cart, stand, tripod, bracket or table recommended by the manufacturer, or sold with the product. Any mounting of the product should follow the manufacturer's instructions, and should use a mounting accessory recommended by the manufacturer. 9. A Product and Cart Combination Should Be Moved with Care. Quick stops, excessive force and uneven surfaces may Example of Antenna Grounding as per National Electrical Code ANSI/NFPA 70 cause the product and cart combination to overturn. 10. Ventilation. Slots and openings in the cabinet are provided for ventilation and to ensure reliable operation of the product and to protect it from overheating, and these openings must not be blocked or covered. The openings should never be blocked by placing the product on a bed, sofa, rug or other similar surface.

@@11. Power Sources. @@@@12. Grounding or Polarization. @@This plug will fit into the power outlet only one way.

This is a safety feature. @@If the plug should still fail to fit, contact your electrician to replace your obsolete outlet. Do not defeat the safety purpose of the polarized plug. 13. Power-Cord Protection.

Power-supply cords should be routed so that they are not likely to be walked on or pinched by items placed upon or against them, paying particular attention to cords at plugs, convenience receptacles and the point where they exit from the product. 14. Nonuse Periods. The power cord of the product should be unplugged from the outlet when left unused for long periods of time. 15. Outdoor Antenna Grounding. If an outside antenna or a cable system is connected to the product, be sure the antenna or cable system is grounded so as to provide some protection against voltage surges and buildup static charges. Article 810 of the National Electrical Code, ANSI/NFPA 70, provides information with regard to proper grounding of the mast and supporting structure, grounding of the lead-in wire to an antenna discharge unit, size of grounding conductors, location of antenna-discharge unit, connection to grounding electrodes and requirements for the grounding electrode. See Figure 1. 16.

Lightning. For added protection for this product during a lightning storm, or when it is left unattended and unused for long periods of time, unplug it from the wall outlet and disconnect the antenna or cable system. This will prevent damage to the product due to lightning and power-line surges. 17. Power Lines.

@@@@18. Overloading. @@19. Object and Liquid Entry. @@Never spill liquid of any kind on the product.

20. Servicing. @@Refer all servicing to qualified service personnel. 21. Damage Requiring Service.

@@The power-supply cord or the plug has been damaged; or b. @@The product has been exposed to rain or water; or d. @@@@The product has been dropped or damaged in any way; or f. @@22. Replacement Parts.

@@@@23. Safety Check. @@24. Wall or Ceiling Mounting. @@25. Heat. The product should be situated away from heat sources such as radiators, heat registers, stoves or other products (including amplifiers) that produce heat. Antenna Lead-In Wire Ground Clamp Antenna Discharge Unit (NEC Section 810-20) Grounding Conductors (NEC Section 810-21) Electric Service Equipment Ground Clamps Power Service Grounding Electrode System (NEC Art 250, Part H) Part No. JBLULB 6/96 included Five satellites for left, right, center and surrounds. With wall-mount brackets.

Powered subwoofer. Three 20' speaker cables for connection from receiver to subwoofer. @@@@@Wall brackets included. On optional stands. FS300. Wall Mounting Attach plate to wall. @@@@@The (+) lead of the speaker wire is noted with a stripe. It is important to connect both speakers identically: (+) on the speaker to (+) on the amplifier and () on the speaker to () on the amplifier. Wiring "out of phase" results in thin sound, weak bass and a poor stereo image. Speaker Level Left Front Center Right Front Subwoofer Speaker-Level Input L C R Speaker-Level Output L C R Speaker's Connection + Receiver Left Front Center Right Front + + + Left Surround Right Surround + + Left Surround Right Surround Line Level Left Front Center Right Front Speaker's Connection Subwoofer LineLevel Input L R Receiver Front Left Subwoofer Out Front Right + R L + Rear Left Center Rear Right + + + Left Surround Right Surround three.

Operation Mode Off On Standby Procedure Receiver/amplifier off Receiver/amplifier on and playing program material Simply turn off your receiver/amplifier. The subwoofer will turn off after approximately twenty minutes. The subwoofer will turn on when your receiver/amplifier begins playing again. LED Status Off Green Red Volume Subwoofer Level Subwoofer Level min max min max Troubleshooting If there is no sound from any of the speakers, check the following: · Receiver/amplifier is on and a source is playing. · Powered subwoofer is plugged in and is either in the "On" or "Auto" position.



[You're reading an excerpt. Click here to read official JBL SUB 125 user guide](http://yourpdfguides.com/dref/3930155)

<http://yourpdfguides.com/dref/3930155>

@@Make sure all wires are connected. Make sure none of the speaker wires are frayed, cut or punctured. · Review proper operation of your receiver/amplifier. If there is no sound coming from one speaker, check the following: · Check the "Balance" control on your receiver/amplifier. @@Make sure all wires are connected.

Make sure none of the speaker wires are frayed, cut or punctured. @@Make sure all wires are connected. Make sure none of the speaker wires are frayed, cut or punctured. @@@@ · Make sure that the subwoofer is plugged into an active electrical outlet. · Powered subwoofer is plugged in and is either in the "On" or "Auto" position. If there is no sound from the surround speakers, check the following: @@Make sure all wires are connected. Make sure none of the speaker wires are frayed, cut or punctured. · Review proper operation of your receiver/amplifier and its surround sound features. · Make sure the.



[You're reading an excerpt. Click here to read official JBL SUB 125 user guide](#)

<http://yourpdfguides.com/dref/3930155>