



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for KONICA MINOLTA BIZHUB 363. You'll find the answers to all your questions on the KONICA MINOLTA BIZHUB 363 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual KONICA MINOLTA BIZHUB 363
User guide KONICA MINOLTA BIZHUB 363
Operating instructions KONICA MINOLTA BIZHUB 363
Instructions for use KONICA MINOLTA BIZHUB 363
Instruction manual KONICA MINOLTA BIZHUB 363



The essentials of imaging



bizhub 223/283/363/423

The workflow professionals

Office systems bizhub 223/283/363/423



[You're reading an excerpt. Click here to read official KONICA MINOLTA BIZHUB 363 user guide](http://yourpdfguides.com/dref/2702249)
<http://yourpdfguides.com/dref/2702249>

At the same time, Simitri® HD polymerised toner is partially plantbased, its use of biomass as well as its production process answering the demands of the modern, CO2-conscious society. @@@Incoming faxes do not restart the machine but are stored in a secure memory until the device is reactivated by another process. Minimised ecological impact In ations bizhub 223/283/363/423 n Copier specifications Copying process Toner system Copy/print speed A4 (mono) Electrostatic laser copy; Tandem; indirect Simitri® HD - polymerised toner Up to 22 cpm (bizhub 223) Up to 28 cpm (bizhub 283) Up to 36 cpm (bizhub 363) Up to 42 cpm (bizhub 423) Up to 14 cpm (bizhub 223) Up to 16 cpm (bizhub 283) Up to 20 cpm (bizhub 363) Up to 21 cpm (bizhub 423) Up to 22 cpm (bizhub 223) Up to 28 cpm (bizhub 283) Up to 36 cpm (bizhub 363) Up to 42 cpm (bizhub 423) 4.2 sec. (bizhub 223/283) 3.

6 sec. (bizhub 363/423) Approx. 25 sec.* (bizhub 223/283 without HDD) Approx. @user boxes 1,000 Max.

@@Secure Print), Animated Guidance, i-Option, PSES, Mobile Printing, OpenAPI Copy functions: Program Job, Overlay Print functions: Secure print Scan functions: Scan Annotation FAX functions: I-FAX, IP Address Fax Authentication functions: PageScope Authentication Manager USB direct print: Encrypted PDF 10/100/1,000 Base-T Ethernet USB 2.0 TCP/IP (IPv4/IPv6) IPX/SPX NetBEUI AppleTalk (EtherTalk) SMB; LPD; IPP; SNMP; HTTP Ethernet 802.2 Ethernet 802.3 Ethernet II Ethernet SNAP Up to 100 originals A6A3 35128 gsm simplex 50128 gsm duplex A6A3 Customised paper sizes (90297 x 139.7 431.8 mm) 60210 gsm Standard: 1,150 sheets Max.: 3,650 sheets 500 sheets A5A3 6090 gsm 500 sheets A5A3 6090 gsm n Printer specifications Print resolution Controller CPU Page description language Equivalent to 1,800 x 600 dpi MPC8533E @ 667 MHz PCL 6 PCL 5e/c (XL3.0) PostScript 3 (CPSI 3016) XPS Windows 2000/XPx32/XPx64 Windows VISTA x32/x64 Windows 7 x32/x64 Windows Server 2000/2003/2003x64/2008/2008x64 Windows DPWS support Macintosh 9.2/10.2/10.

4 Unix/Linux/Citrix 80x PCL Latin 137x PostScript 3 Emulation Latin Direct print of PCL, PS, TIFF, JPEG, XPS, PDF and Encrypted PDF files Mixmedia and Mixplex Job programming "Easy Set" Overlay, Watermark, Copy Protection Operating systems Interface Network protocols Printer fonts Print functions Frame types n Scanner specifications Scan speed Scan resolution Scan modes Colour/Mono up to 70 opm (300 dpi via DF) Colour/Mono up to 42 opm (600 dpi via DF) Max.: 600 x 600 dpi Network TWAIN scan Scan-to-eMail (Scan-to-Me) Scan-to-FTP Scan-to-SMB (Scan-to-Home) Scan-to-Box (HDD required) Scan-to-WebDAV Scan-to-DPWS Scan-to-USB Automatic document feeder (optional for bizhub 223/283, standard for bizhub 363/423) Printable paper size Printable paper weight Paper input capacity Tray 1 Tray 2 * Warm up time may vary depending on the operating environment and usage Tray 3 (optional) Tray 3 + 4 (optional) Large capacity cassette Manual bypass Automatic duplexing Finishing modes (optional) Output capacity (w. finisher) Output capacity (w/o finisher) Stapling Stapling output capacity Booklet Booklet output capacity Copy/print volume (monthly) 500 sheets A5A3 6090 gsm 2x 500 sheets A5A3 6090 gsm 2,500 sheets A4 6090 gsm 150 sheets A6A3 60210 gsm A5A3 6090 gsm Offset; Group; Sort; Staple; Punch; Centre-fold; Booklet Max.: 3,200 sheets Max.: 250 sheets 50 sheets or 48 sheets + 2 cover sheets (up to 209 gsm) Max.: 1,000 sheets 15 sheets or 14 sheets + 1 cover sheet (up to 209 gsm) 75 sheets (tray) Recommended/Max.: 2,900/19,000 (bizhub 223) Recommended/Max.: 4,800/28,000 (bizhub 283) Recommended/Max.: 7,900/48,000 (bizhub 363) Recommended/Max.: 10,700/60,000 (bizhub 423) Toner lifetime Up to 17,500 (bizhub 223/283) Up to 25,000 (bizhub 363/423) Drum/Developer lifetime Up to 80,000 (bizhub 223) Up to 100,000 (bizhub 283) Up to 110,000 (bizhub 363) Up to 120,000 (bizhub 423) Power consumption 220-240 V / 50/60Hz Less than 1.

5 KW System dimensions 623 x 794 x 700 (bizhub 223/283) (W x D x H, mm) 623 x 799 x 816 (bizhub 363/423) System weight Approx. 66 kg (bizhub 223/283) Approx. 78 kg (bizhub 363/423) n System features Security ISO15408 EAL3 (in evaluation) IP filtering and port blocking SSL2, SSL3 and TLS1.0 network communication IPsec support IEEE 802.1x support User authentication, authentication log Secure Print (HDD required) Hard disc overwrite (8 standard types) Hard disc data encryption (AES 256) Memory data auto deletion Confidential fax receiving Print user data encryption Copy Guard and Password Copy Up to 1,000 user accounts (100 accounts without HDD) Active Directory support (user name + password + email + smb folder) User function access definition Biometric Authentication (finger vein) optional IC-Card authentication (IC-Card reader) optional PageScope Net Care Device Manager PageScope Data Administrator PageScope Box Operator PageScope Direct Print Print Status Notifier Driver Packaging Utility Log Management Utility Accounting Software All specifications relating to paper capacity refer to A4-size paper of 80 gsm quality All specifications relating to scanning, copying or printing speeds refer to A4-size paper that is scanned, copied or printed crosswise in multipage, simplex mode.

The support and availability of the listed specifications and functionalities varies depending on operating systems, applications, network protocols as well as network and system configurations n The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5 % coverage of A4). The actual consumables life will vary depending on the use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity n Some of the product illustrations contain optional accessories n Specifications and accessories are based on the information available at the time of printing and are subject to change without notice n Konica Minolta does not warrant that any prices or specifications mentioned will be error-free n Microsoft, Windows and the Windows logo are trademarks, or registered trademarks, of Microsoft Corporation in the United States and/or other countries n SAP and all SAP logos are trademarks or registered trademarks of SAP AG in Germany and in several other countries n All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged n n n Your Konica Minolta Business Solutions Partner: Konica Minolta Business Solutions Europe GmbH Europaallee 17 30855 Langenhagen · Germany Tel.: +49 (0) 511 74 04-0 Fax: +49 (0) 511 74 10 50 www.konicaminolta.eu 04/2010 .



[You're reading an excerpt. Click here to read official KONICA MINOLTA BIZHUB 363 user guide](http://yourpdfguides.com/dref/2702249)
<http://yourpdfguides.com/dref/2702249>