



# Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for KYOCERA TASKALFA 205C. You'll find the answers to all your questions on the KYOCERA TASKALFA 205C in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

**User manual KYOCERA TASKALFA 205C**  
**User guide KYOCERA TASKALFA 205C**  
**Operating instructions KYOCERA TASKALFA 205C**  
**Instructions for use KYOCERA TASKALFA 205C**  
**Instruction manual KYOCERA TASKALFA 205C**

 **KYOCERA**

205c/255c

OPERATION GUIDE



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

**Manual abstract:**

We recommend the use of our own brand supplies. @@@@Refer to them as necessary. Quick Installation Guide Safety Guide Safety Guide (205c/255c) Describes the procedures for installation of the machine, frequently-used operations, routine maintenance, and troubleshooting action. Provides safety and cautionary information for the installation and use of the machine. Be sure to read this guide before using the machine. Describes the machine installation space, cautionary space, and other information. Be sure to read this guide before using the machine. CD-ROM (Product Library) Operation Guide (This Guide) FAX Operation Guide Card Authentication Kit (B) Operation Guide KYOCERA COMMAND CENTER Operation Guide Printer Driver Operation Guide Network FAX Driver Operation Guide KM-NET for Direct Printing Operation Guide KMnet Viewer User Guide PRESCRIBE Commands Technical Reference PRESCRIBE Commands Command Reference Describes how to load paper, basic copy, print and scan operations, and troubleshooting. Describes fax functionality. Describes how to authenticate to the machine using the ID card.

Describes how to access the machine from a computer via a Web browser to check and change settings. Describes how to install the printer driver and use printer functionality. Describes how to install and use the network fax driver in order to use network fax functionality. Describes how to use functionality for printing PDF files without launching Adobe Acrobat or Reader. Describes how to monitor the network printing system with KMnet Viewer.

Describes the native printer language (PRESCRIBE commands). Describes PRESCRIBE command functionality and control for each type of emulation.

Contents 1 Preface ...

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-1 Notice ..

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-2 Safety Conventions in This Guide .

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-2 Environment ...

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*... 1-3 Precautions for Use ..*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*..... 1-3 Legal Restriction on Copying/Scanning ..*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*..... 1-8 Legal and Safety Information ...*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....

*.. 1-9 Legal Information ...*

.....  
.....

.....  
.....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 1-9 Energy Saving Control Function .....

.....  
.....  
.....

.....  
.....  
.....

..... 1-12 Automatic 2-Sided Copy Function ..

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 1-12 Paper Recycling .

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 1-12 Energy Star (ENERGY STAR®) Program ...

.....  
.....

.....  
.....  
.....

.....  
.....

..... 1-12 About this Operation Guide .....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*.. 1-13 Conventions in This Guide .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.... 1-13 Originals and Paper Sizes .*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.. 1-15 2 Preparation before Use ...*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*..2-1 Part Names .....*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....

.....  
.....  
.....

.....  
.....  
.....  
.....

.... 2-2 Machine .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.. 2-2 Operation Panel .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

.. 2-6 Touch Panel ...

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 2-7 Determining the Connection Method and Preparing Cables ..

.....  
.....

.....  
.....  
.....  
.....  
.....  
..... 2-8 Connection Example .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

... 2-8 Preparing Necessary Cables .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

..... 2-9 Connecting Cables .

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

... 2-10 Connecting LAN Cable ..

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
*. 2-10 Connecting USB Cable .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*... 2-11 Connecting the Power Cable .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*. 2-11 Power On/Off ....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*.... 2-12 Power On .*

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....



.....  
.....

..... 2-12 Power Off ...

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

2-12 Installing Software .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

2-14 Installing Printer Driver .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

... 2-14 Setting TWAIN Driver .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....  
..... 2-18 Setting WIA Driver ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 2-19 Energy Saver function ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.. 2-20 Low Power Mode and Auto Low Power Mode .....

.....  
.....  
.....

.....  
.....

.... 2-20 Sleep and Auto Sleep .

.....  
.....

.....  
.....

.....  
.....

.....  
.....

... 2-21 Machine Setup Wizard .....

.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 2-22 COMMAND CENTER (Settings for E-mail) ....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

... 2-23 Sending E-mail ..

.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

... 2-24 3 Common Operations .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..3-1 Loading Paper .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*3-2 Before Loading Paper .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*..... 3-2 Loading Paper in the Cassettes ....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*.. 3-3 Loading Paper in the Multi Purpose Tray ...*

.....  
.....  
.....  
.....

.....  
.....  
.....

*.... 3-5 Loading Originals .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.. 3-7 Placing Originals on the Platen ...  
.....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

..... 3-7 Loading Originals in the Document Processor .

.....  
.....  
.....  
.....  
.....  
.....

..... 3-8 Checking the Equipment's Serial Number ..

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

.. 3-10 Checking the Counter .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

..... 3-11 Login/Logout ...

.....  
.....  
.....  
.....  
.....  
.....  
.....

.....  
.....

.....  
.....  
.....  
.....

..... 3-12 Login .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 3-12 i Logout .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 3-13 Favorites .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....



.....  
.....  
... 3-22 Registering Shortcuts .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 3-22 Editing and Deleting Shortcuts ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.... 3-24 Using Shortcuts .

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

... 3-25 Quick Setup Wizard .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....



. 3-26 Help Screen .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

. 3-28 Canceling Jobs .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

. 3-29 Using Various Functions ....

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

..... 3-30 Common Functionality ....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
..... 3-31 Original Size .

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
..... 3-32 Original Orientation ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 3-34 Mixed Size Originals ....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.. 3-35 2-sided/Book Original .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

.....  
.....

..... 3-37 Continuous Scan ...

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

.... 3-39 Paper Selection .

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

... 3-41 Paper Output .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

. 3-42 Collate/Offset .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....

..... 3-43 Margin ..

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 3-45 Staple ....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 3-48 Density .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.. 3-50 Scan Resolution .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*3-51 Original Image .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*. 3-52 Sharpness .....*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*... 3-53 Background Density Adjust .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.... 3-54 Prevent Bleed-through .*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.. 3-55 Zoom .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.. 3-56 File Format .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

... 3-57 Color Selection ..

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....  
.....  
.....

. 6-17 Entering a New E-mail Address .....

.....  
.....  
.....

.....  
.....  
.....

6-18 Specifying a New PC Folder .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.... 6-19 Checking and Editing Destinations .....

.....  
.....  
.....

.....  
.....  
.....

... 6-22 Sending to Different Types of Destinations (Multi Sending) ..

.....

.....  
.....  
.....

..... 6-23 Registering Destinations in the Address Book .....

.....  
.....  
.....

.....  
.....  
.....

.. 6-24 Adding a Contact .....

.....  
.....  
.....

.....  
.....

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
..... *6-24 Adding a Group .*

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... *6-28 Editing and Deleting Address Book Entries ..*

.....  
.....  
.....

.....  
.....

..... *6-31 Adding a Destination on One Touch Key .*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
..... *6-33 Adding a Destination .*

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*6-33 Editing and Deleting One Touch Key .....*



.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

. 6-35 Sending Functions .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

. 6-36 Sending Size .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

..... 6-37 File Separation .

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

.... 6-39 E-mail Subject/Body .....

.....







.....  
.....  
*7-13 Storing Size .....*

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*7-14 8 Status / Job Cancel .....*

.....  
.....  
.....  
.....  
.....  
.....  
.....

*.8-1 Checking Job Status ....*

.....  
.....  
.....  
.....  
.....  
.....  
.....

*..... 8-2 Details of the Status Screens .*

.....  
.....  
.....  
.....  
.....  
.....

*... 8-3 Checking Job History .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
*. 8-6 Sending the Log History ....*

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*.... 8-7 Setting the Destination .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*..... 8-8 Automatic Log History Transmission .*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*... 8-9 Manual Log History Transmission ..*

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....

*. 8-9 Setting E-mail Subject .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*..... 8-10 Check of Device Status .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

*.. 8-11 Checking the Remaining Amount of Toner and Paper ...*

.....

.....  
.....  
.....

.....

*.. 8-13 9 Setup, Registration, and User Management ...*

.....  
.....

.....  
.....  
.....

*...9-1 System Menu .....*

.....  
.....  
.....

.....  
.....  
.....

.....

.....

.....

.....

.....

.....

.....

.....

*.. 9-2 Operation Method .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*.... 9-2 System Menu Settings .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*..... 9-3 iii Language .*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*.... 9-5 Report .....*

.....

.....

.....



.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.... 9-5 User Property .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

... 9-7 Cassette/MP Tray Settings .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

. 9-8 Common Settings .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.... 9-9 Copy .....

.....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... *9-15 Send* .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... *9-15 Printer* .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... *9-16 System* .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....  
.....  
.....  
.....

*.. 9-18 Date/Timer .....*

.....  
.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*... 9-23 Adjustment/Maintenance .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*... 9-25 Color Registration Procedure .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*. 9-27 User Login Administration .....*

.....

.....  
.....  
.....  
.....

.....

.....  
.....  
.....

.... 9-33 First User Login Administration .....

.....  
.....  
.....  
.....  
.....  
.....  
.....

.... 9-33 User Login Settings .

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.. 9-34 Enabling/Disabling User Login Administration .....

.....  
.....  
.....

.....  
.....

.... 9-35 Adding a User .

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 9-37 Local User Authorization .....

.....  
.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... *9-41 My Panel* .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... *9-42 Editing and Deleting Users* .

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... *9-43 Simple Login* .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... *9-46 Group Authorization* .

.....

.....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

. 9-52 Obtain Network User Property .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.. 9-56 Job Accounting ...

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 9-58 First Job Accounting Setup ...

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

... 9-58 Job Accounting Settings .....

.....  
.....  
.....

.....  
.....

.....  
.....

.....  
.....  
.....  
.....

.... 9-60 Enabling/Disabling Job Accounting .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

... 9-61 Login/Logout ..

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 9-62 Adding an Account ....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

9-63 Editing and Deleting Accounts .....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 9-65 Restricting the Use of the Machine ....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

9-67 Counting the Number of Pages Printed .....

.....  
.....  
.....

.....  
.....  
.....

..... 9-69 Printing an Accounting Report ...

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

... 9-71 Job Accounting Default Setting ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 9-73 Unknown Login User Name Job ..

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 9-75 10 Troubleshooting ....

.....



.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*10-1 Toner Container Replacement .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*10-2 Waste Toner Box Replacement .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*10-5 Replacing Staples .....*

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*10-6 Cleaning .....*

.....  
.....

.....  
.....  
.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*10-7 Glass Platen .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*.... 10-7 Document Processor .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*10-7 Solving Malfunctions .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*..... 10-9 Responding to Error Messages .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

.... *10-14 Clearing Paper Jams* .....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... *10-24 Jam Location Indicators* ..

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... *10-24 Multi Purpose Tray* ...

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.... *10-25 Inside the Right Cover I* .

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

.....  
.....  
.....  
.....

.....  
*... 10-25 Cassette 1 ..*

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*... 10-26 Inside the Right Cover 3 .....*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*.. 10-26 Cassette 2 or 3 .....*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*10-27 Optional Document Finisher .....*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 10-27 *Optional Document Finisher Staple Jam* ..

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.. 10-28 *Bridge Unit* ...

.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

. 10-28 *Document Processor* .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 10-29 *iv 11 Appendix* .....

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....

*.11-1 Optional Equipment ....*

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*..... 11-2 Overview of Optional Equipment .*

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*.. 11-2 Paper Feeder (single cassette) ...*

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*..... 11-3 Paper Feeder (double cassette) ...*

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

*..... 11-3 Document Finisher .*



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>



.....  
.. 11-4 Gigabit Ethernet Board ...

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

11-5 Optional Function .....

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 11-5 Character Entry Method .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

..... 11-7 Entry Screens ...

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....



.....  
... 11-7 Entering Characters .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

. 11-9 Paper .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

..... 11-10 Basic Paper Specifications .

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

... 11-11 Choosing the Appropriate Paper .....

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

11-11 Special Paper .....

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....

..... *11-14 Specifications* .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*11-18 Machine* .....

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

.... *11-18 Printer* .....

.....  
.....  
.....

.....  
.....  
.....

.....

.....  
.....  
.....

*. 11-19 Scanner .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*11-20 Document Processor .....*

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.... 11-20 Paper Feeder (single cassette) (option) .*

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....

*..... 11-21 Paper Feeder (double cassette) (option) .....*

.....  
.....  
.....  
.....

.....  
.....  
.....

*..... 11-21 Document Finisher (option) ...*

.....  
.....  
.....

.....

.....

.....

.....

.....

.....

.....

.....

*. 11-21 Environmental Specifications .....*

.....

.....

.....

.....

.....

.....

.....

.....

*.. 11-22 Glossary ...*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

*11-23 Index .....*

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

file directly from USB memory. Administrator tasks Printing Documents Stored in Removable USB Memory What you want to do Copying with specific settings Print via a network Print over the USB connection Connecting Cables Network Setup (LAN Cable Connection) Setup Connect the USB cable Install the printer driver on your computer..

.2-14 Loading Paper...3-2 Loading Originals...3-7 Operation Copying...

4-2 Printing Documents Stored in Removable USB Memory...7-2 Printing from Applications..

.5-2 vii To send documents It sends. You can send scanned images via a network. Or, you can also store scanned images in USB memory. Administrator tasks What you want to do Send as E-mail Send to Folder (SMB) Saving Documents to USB Memory Connecting Cables Network Setup (LAN Cable Connection) Create a shared folder on the destination computer.

..6-7 Editing Destination (Address Book/Adding One Touch Keys)\*...6-15 Plug the USB memory Setup Loading Originals...3-7 Operation Sending..

.6-2 Saving Documents to USB Memory (Scan to USB)...7-5 \* If the destination is not stored in the address book, you can send by entering the address directly. viii To send a FAX It faxes. As well as sending a FAX via the telephone lines, you can also send a FAX via a network. NOTE For more information on setting up and sending a FAX, refer to the FAX Operation Guide. Administrator tasks What you want to do Send a FAX FAX directly from a computer Connect the modular cord for the telephone line to this machine. Selection of Telephone Line (Inch version only) Network Setup (LAN Cable Connection) Setup Install the Network FAX Driver on your computer\* Editing Destination (Address Book/Adding One Touch Keys)\*\* Loading Paper.

..3-2 Operation FAX Operation Network FAX Operation \* \*\* For more information, refer to the Network FAX Driver Operation Guide. If the destination is not stored in the address book, you can send the FAX by entering the address directly. ix Menu Map Copies (page 4-3) Paper Selection (page 3-41) Zoom (page 4-5) Density (page 3-50) Duplex (page 4-8) Combine (page 4-12) Collate/Offset (page 3-43) Functions Original Size (page 3-32) Original Orientation (page 3-34) Mixed Size Originals (page 3-35) Paper Output (page 3-42) Staple (page 3-48) Color Selection (page 3-59) Original Image (page 3-52) EcoPrint (page 3-52) Hue Adjustment (page 4-16) Color Balance (page 4-17) Sharpness (page 3-53) Background Density Adj.

(page 3-54) Prevent Bleed-through (page 3-55) Saturation (page 4-18) Margin (page 3-45) Continuous Scan (page 3-39) Auto Image Rotation (page 4-19) Job Finish Notice (page 3-60) File Name Entry (page 3-62) Priority Override (page 3-63) Add/Edit Shortcut (page 3-22) x One Touch Key (page 6-17)

Address Book (page 6-15) Ext. Address Book (refer to KYOCERA COMMAND CENTER Operation Guide) E-mail (page 6-18) Folder (page 6-19) FAX (refer to Fax Operation Guide) WSD Scan (page 6-42) Functions File Format (page 3-57) Original Size (page 3-32) Original Orientation (page 3-34) Mixed Size Originals (page 3-35) 2-sided/Book Original (page 3-37) Sending Size (page 6-37) File Separation (page 6-39) Scan Resolution (page 3-51) Density (page 3-50) Color Selection (page 3-59) Original Image (page 3-52) Sharpness (page 3-53) Background Density Adj. (page 3-54) Prevent Bleed-through (page 3-55) FAX TX Resolution (refer to Fax Operation Guide) Zoom (page 3-56) Continuous Scan (page 3-39) File Name Entry (page 3-62) E-mail Subject/Body (page 6-40) Job Finish Notice (page 3-60) FTP Encrypted TX (page 6-41) FAX Delayed Transmission (refer to Fax Operation Guide) FAX Direct Transmission (refer to Fax Operation Guide) FAX Polling RX (refer to Fax Operation Guide) Add/Edit Shortcut (page 3-22) xi Job Box (page 5-6)

Removable Memory Menu Store File File Format (page 3-57) 2-sided/Book Original (page 3-37) Scan Resolution (page 3-51) Density (page 3-50) File Name Entry (page 3-62) Functions Original Size (page 3-32) Original Orientation (page 3-34) Mixed Size Originals (page 3-35) Storing Size (page 7-14) Color Selection (page 3-59) Original Image (page 3-52) Sharpness (page 3-53) Background Density Adj. (page 3-54) Prevent Bleed-through (page 3-55) Zoom (page 3-56) Continuous Scan (page 3-39) Job Finish Notice (page 3-60) Add/Edit Shortcut (page 3-22) Print Copies (page 7-3) Paper Selection (page 3-41) Collate/Offset (page 3-43) Duplex (page 7-10) Functions Paper Output (page 3-42) Staple (page 3-48) Color Selection (page 3-59) Margin (page 3-45) Job Finish Notice (page 3-60) Priority Override (page 3-63) Encrypted PDF Password (page 7-11) JPEG/TIFF Print (page 7-12) XPS Fit to Page (page 7-13) Add/Edit Shortcut (page 3-22) Sub Address Box (refer to Fax Operation Guide) Polling Box (refer to Fax Operation Guide) xii Print Job Status (page 8-3) Send Job Status (page 8-4) Store Job Status (page 8-5) Scheduled Job (page 8-5) Print Job Log (page 8-6) Send Job Log (page 8-6) Store Job Log (page 8-6)

Scanner (page 8-11) Printer (page 8-12) FAX (page 8-12) Removable Memory (page 8-12) Toner Status (page 8-13) Paper Status (page 8-13) Staple (page 8-14) xiii Quick Setup Wizard (page 3-26) FAX Setup (page 3-26) Paper Setup (page 3-26) Energy Saver Setup (page 3-26) Language (page 9-5) Report (page 9-5) Report Print (page 9-5) Status Page (page 9-5) Font List (page 9-5) Network Status (page 9-5) Service Status (page 9-6) Accounting Report (page 9-6) Sub Address Box List (refer to Fax Operation Guide) FAX List (Index) (refer to Fax Operation Guide) FAX List (No.) (refer to Fax Operation Guide) Outgoing FAX Report (refer to Fax Operation Guide) Incoming FAX Report (refer to Fax Operation Guide) Admin Report Settings (refer to Fax Operation Guide) Result Report Setting (page 9-6) Send Result Report (page 9-6) RX Result Report (refer to Fax Operation Guide) Job Finish Notice Setting (page 9-6) Send Log History (page 8-7) Manual Log History Transmission (page 8-9) Auto Sending (page 8-9) Destination (page 8-8) Job Log Subject (page 8-10) Counter Printed Pages (page 3-11) Scanned Pages (page 3-11) User Property (page 97) User Name (page 9-7) Login User Name (page 9-7) Login Password (page 9-7) Access Level (page 9-7) Account Name (page 9-7) E-mail Address (page 9-7) Simple Login (page 9-7) My Panel (page 9-7) Group Name (page 9-7) Group ID (page 9-7) xiv Cassette/MP Tray Settings (page 9-8) Cassette 1 (to 3) (page 9-8) Multi Purpose Tray (page 9-8) Paper Size (page 9-8) Media Type (page 9-8) Paper Size (page 9-8) Media Type (page 9-8) Common Settings (page 9-9) Default Screen (page 9-9) Sound (page 9-9) Buzzer (page 9-9) Volume (page 9-9) Key Confirmation (page 9-9) Job Finish (page 9-9) Ready (page 9-9) Warning (page 9-9) Key Confirmation (USB Keyboard) (page 9-9) FAX Speaker Volume (refer to Fax Operation Guide) FAX Monitor Volume (refer to Fax Operation Guide) Original Settings (page 9-9) Paper Settings (page 910) Custom Original Size (page 9-9) Original Auto Detect (page 9-10) Custom Paper Size (page 9-10) Media Type Settings (page 9-10) Default Paper Source (page 9-10) Paper Selection (page 9-10) Media for Auto (Color) (page 9-10) Media for Auto (B & W) (page 9-10) Special Paper Action (page 9-11) xv Function Defaults (page 9-12) File Format (page 9-12) Original Orientation (page 9-12) Collate/Offset (page 9-12) File Separation (page 9-12) Scan Resolution (page 9-12) Color Selection (Copy) (page 9-12) Color Select.



You're reading an excerpt. Click here to read official KYOCERA  
[TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

(Send/Store) (page 9-12) Original Image (page 9-12) Background Density Adj. (page 9-12) EcoPrint (page 9-12) Prevent Bleed-through (page 9-12) FAX TX Resolution (refer to Fax Operation Guide) Zoom (page 9-12) Margin (page 9-12) Continuous Scan (page 9-12) Auto Image Rotation (page 9-12) File Name Entry (page 9-13) E-mail Subject/Body (page 9-13) FTP Encrypted TX (page 9-13) JPEG/TIFF Print (page 9-13) XPS Fit to Page (page 9-13) Detail Settings (page 9-13) Image Quality (page 9-13) PDF/A (page 9-13) Paper Output (page 9-13) Copy/Document Box (page 9-13) Printer (page 9-13) FAX (refer to Fax Operation Guide) Preset Limit (page 9-13) Error Handling (page 9-14) Duplexing Error (page 9-14) Finishing Error (page 9-14) No Staple Error (page 9-14) Stapling Limit Error (page 9-14) Paper Mismatch Error (page 9-14) Inserted Paper Mismatch (page 9-14) Color Toner Empty Action (page 9-14) Measurement (page 9-14) Keyboard Layout (page 9-15) USB Keyboard Type (page 9-15) xvi Copy (page 9-15) Auto Paper Selection (page 9-15) Auto % Priority (page 9-15) Reserve Next Priority (page 9-15) Send (page 9-15) Dest. Check before Send (page 9-15) Entry Check for New Dest. (page 9-15) Send and Forward (page 9-16) Forward (page 9-16) Destination (page 9-16) Color TIFF Compression (page 9-16) Default Screen (page 9-16) Document Box Sub Address Box (refer to Fax Operation Guide) Job Box (page 5-6) Quick Copy Job Retention (page 5-8) Deletion of Job Retention (page 5-11) Polling Box (refer to Fax Operation Guide) FAX (refer to Fax Operation Guide) Address Book/One Touch Address Book (page 6-24) One Touch Key (page 6-33) Address Book Defaults Sort Print List (refer to Fax Operation Guide) xvii User Login/Job Accounting User Login Settings (page 9-33) User Login (page 9-35) Local User List (page 9-37) Simple login settings (page 9-46) Simple Login (page 9-46) Simple Login Setup (page 9-46) Local User Authorization (page 9-41) Group Authorization Set. (page 9-52) Group Authorization (page 9-52) Group List (page 9-52) Obtain NW User Property (page 9-56) Job Accounting Settings (page 9-58) Job Accounting (page 9-61) Print Accounting Report (page 9-71) Total Job Accounting (page 9-69) Printed Pages (page 9-69) Scanned Pages (page 9-69) FAX TX Pages (page 9-69) FAX TX Time (page 9-69) Counter Reset (page 9-69) Each Job Accounting (page 9-69) Accounting List (page 9-63) Default Setting (page 973) Apply Limit (page 9-73) Copier/Printer Count (page 9-73) Default Counter Limit (page 9-73) Count by Paper Size (page 9-74) Unknown ID Job (page 9-75) Printer (page 9-16) Emulation (page 9-16) Color Setting (page 9-16) EcoPrint (page 9-16) Override A4/Letter (page 9-16) Duplex (page 9-16) Copies (page 9-16) Orientation (page 9-16) Wide A4 (page 9-17) Form Feed TimeOut (page 9-17) LF Action (page 9-17) CR Action (page 9-17) Paper Feed Mode (page 9-17) Gloss Mode Level (page 9-17) xviii System (page 9-18) Network (page 9-18) Host Name (page 9-18) TCP/IP (page 9-18) TCP/IP (page 9-18) IPv4 Settings (page 9-18) IPv6 Settings (page 9-19) Protocol Detail (page 9-20) Netware (page 9-21) AppleTalk (page 9-21) WSD Scan (page 9-21) WSD Print (page 9-21) Enhanced WSD (page 9-21) Enhanced WSD (SSL) (page 9-21) IPSec (page 9-22) Secure Protocol (page 9-22) SSL (page 9-22) IPP Security (page 9-22) HTTP Security (page 9-22) LDAP Security (Ext. Address Book) (page 9-22) LDAP Security (User Property) (page 9-22) LAN Interface (page 9-22) Interface Block Setting (page 9-22) USB Host (page 9-22) USB Device (page 9-22) Optional Interface 1 (page 9-22) Optional Interface 2 (page 9-22) Security Level (page 9-4) Restart (page 9-4) RAM Disk Setting (page 9-23) Optional Memory (page 9-23) Optional Function (page 11-5) xix Date/Timer (page 9-23) Date/Time (page 9-23) Date Format (page 9-23) Time Zone (page 9-23) Auto Panel Reset (page 9-23) Auto Sleep (page 9-23) Sleep Level (page 9-24) Auto Error Clear (page 9-24) Low Power Timer (page 9-24) Panel Reset Timer (page 9-24) Sleep Timer (page 9-24) Interrupt Clear Timer (page 9-24) Error Clear Timer (page 9-24) Unusable Time (refer to Fax Operation Guide) Adjustment/ Maintenance (page 925) Density Adjustment (page 9-25) Background Density Adj. (page 9-25) Toner Save Level (EcoPrint) (page 9-25) Copy (page 9-25) Send/Box (page 9-25) Copy (Auto) (page 9-25) Send/Box (Auto) (page 9-25) Copy (page 9-25) Printer (page 9-25) Auto Color Correction (page 9-25) Correcting Black Line (page 9-25) Display Brightness (page 9-25) Color Registration (page 9-25) Tone Curve Adjustment (page 9-26) Drum Refresh (page 9-26) Calibration (page 9-26) Laser Scanner Cleaning (page 9-26) DP Adjustment (page 9-26) xx 1 Preface Notice ....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-2 Safety Conventions in This Guide ...

.....

.....

.....

.....

.....

.....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....  
*.... 1-2 Environment .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*1-3 Precautions for Use .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*.... 1-3 Legal and Safety Information .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

..... *1-9 Legal Information* .

.....  
.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
..... *.. 1-9 Energy Saving Control Function* ...

.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

*1-12 Automatic 2-Sided Copy Function* .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....

*1-12 Paper Recycling* .....



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-12 Energy Star (ENERGY STAR®) Program ..

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.. 1-12 About this Operation Guide .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 1-13 Conventions in This Guide ..

.....

.....

.....

.....

.....

.....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

..... 1-13 Originals and Paper Sizes .....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....

.....  
.....  
.....  
.....

.. 1-15 This chapter explains the following topics: 1-1 Preface > Notice Notice Safety Conventions in This Guide The sections of this guide and parts of the machine marked with symbols are safety warnings meant to protect the user, other individuals and surrounding objects, and ensure correct and safe usage of the machine. The symbols and their meanings are indicated below. **WARNING:** Indicates that serious injury or even death may result from insufficient attention to or incorrect compliance with the related points. **CAUTION:** Indicates that personal injury or mechanical damage may result from insufficient attention to or incorrect compliance with the related points. Symbols The symbol indicates that the related section includes safety warnings. Specific points of attention are indicated inside the symbol. ..

. [General warning] ... [Warning of high temperature] The symbol indicates that the related section includes information on prohibited actions. Specifics of the prohibited action are indicated inside the symbol. ... [Warning of prohibited action] .

.. [Disassembly prohibited] The symbol indicates that the related section includes information on actions which must be performed. Specifics of the required action are indicated inside the symbol. ... [Alert of required action] ...

[Remove the power plug from the outlet] ... [Always connect the machine to an outlet with a ground connection] Please contact your service representative to order a replacement if the safety warnings in this Operation Guide are illegible or if the guide itself is missing (fee required). **NOTE** An original which resembles a bank note closely may not be copied properly in some rare cases because this machine is equipped with a counterfeiting prevention function. 1-2 Preface > Notice Environment The service environmental conditions are as follows: · · Temperature: 50 to 90.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

5 °F (10 to 32.5 °C) Humidity: 15 to 80 % However, adverse environmental conditions may affect the image quality. It is recommended to use the machine at a temperature: around 60.8 to 80.

6 °F or less (16 to 27 °C), humidity: around 36 to 65%. In addition, Avoid the following locations when selecting a site for the machine. . . . . Avoid locations near a window or with exposure to direct sunlight. Avoid locations with vibrations. Avoid locations with drastic temperature fluctuations.

Avoid locations with direct exposure to hot or cold air. Avoid poorly ventilated locations. If the floor is delicate against casters, when this machine is moved after installation, the floor material may be damaged. During copying, some ozone is released, but the amount does not cause any ill effect to one's health. If, however, the machine is used over a long period of time in a poorly ventilated room or when making an extremely large number of copies, the smell may become unpleasant.

To maintain the appropriate environment for copy work, it is suggested that the room be properly ventilated. Precautions for Use Cautions when handling consumables CAUTION Do not attempt to incinerate the toner container or the waste toner box. Dangerous sparks may cause burns. Keep the toner container and the waste toner box out of the reach of children. If toner happens to spill from the toner container or the waste toner box, avoid inhalation and ingestion, as well as contact with your eyes and skin. . . . . If you do happen to inhale toner, move to a place with fresh air and gargle thoroughly with a large amount of water. If coughing develops, contact a physician. If you do happen to ingest toner, rinse your mouth with water and drink 1 or 2 cups of water to dilute the contents of your stomach. If necessary, contact a physician. If you do happen to get toner in your eyes, flush them thoroughly with water.

If there is any remaining tenderness, contact a physician. If toner does happen to get on your skin, wash with soap and water. Do not attempt to force open or destroy the toner container or the waste toner box. Other precautions Return the exhausted toner container and waste toner box to your dealer or service representative. The collected toner container and waste toner box will be recycled or disposed in accordance with the relevant regulations. Store the machine while avoiding exposure to direct sunlight. Store the machine in a place where the temperature stays below 40 °C while avoiding sharp changes of temperature and humidity. If the machine will not be used for an extended period of time, remove the paper from the cassette and the Multi Purpose (MP) Tray, return it to its original package and reseal it. 1-3 Preface > Notice Laser Safety (Europe) Laser radiation could be hazardous to the human body. For this reason, laser radiation emitted inside this machine is hermetically sealed within the protective housing and external cover.

In the normal operation of the product by user, no radiation can leak from the machine. This machine is classified as Class 1 laser product under IEC/EN 60825-1:2007. Caution: Performance of procedures other than those specified in this manual may result in hazardous radiation exposure. These labels are attached to the laser scanner unit inside the machine and are not in a user access area. The label shown below is attached on the right side of the machine. 1-4 Preface > Notice SAFETY OF LASER BEAM (USA) 1. Safety of laser beam This machine has been certified by the manufacturer to Class 1 level under the radiation performance standards established by the U.S.DHHS (Department of Health and Human Services) in 1968. This indicates that the product is safe to use during normal operation and maintenance.

The laser optical system, enclosed in a protective housing and sealed within the external covers, never permits the laser beam to escape. 2. The CDRH Act A laser-product-related act was implemented on Aug. 2, 1976, by the Center for Devices and Radiological Health (CDRH) of the U.S. Food and Drug Administration (FDA). This act prohibits the sale of laser products in the U.S. without certification, and applies to laser products manufactured after Aug. 1, 1976.

The label shown below indicates compliance with the CDRH regulations and must be attached to laser products marketed in the United States. On this machine, the label is on the right. 205c 255c 3. Optical unit When checking the optical unit, avoid direct exposure to the laser beam, which is invisible. Shown at below is the label located on the cover of the optical unit. 4. Maintenance For safety of the service personnel, follow the maintenance instructions in the other section of this manual. 5. Safety switch The power to the laser unit is cut off when the front cover is opened. 1-5 Preface > Notice Safety Instructions Regarding the Disconnection of Power Caution: The power plug is the main isolation device! Other switches on the equipment are only functional switches and are not suitable for isolating the equipment from the power source.

Attention: Le débranchement de la fiche secteur est le seul moyen de mettre l'appareil hors tension. Les interrupteurs sur l'appareil ne sont que des interrupteurs de fonctionnement: ils ne mettent pas l'appareil hors tension. WARNING This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 and Part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: . . . . . Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver. Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV technician for help. The use of a non-shielded interface cable with the referenced device is prohibited. CAUTION -- The changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This device contains the module (FCC ID: E522K0A0540, IC: I059B-2K0A0540), which complies with Part 15 of FCC Rules and RSS-Gen of IC Rules. Operation is subject to the following two conditions; (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

Radio Tag Technology In some countries the radio tag technology used in this equipment to identify the toner container may be subject to authorization and the use of this equipment may consequently be restricted. Other precautions (for users in California, the United States) This product contains a CR Coin Lithium Battery which contains Perchlorate Material - special handling may apply. See [www.dtsc.ca.gov/hazardouswaste/perchlorate](http://www.dtsc.ca.gov/hazardouswaste/perchlorate).

1-6 Preface > Notice Warranty (the United States) 205c/255c MULTIFUNCTIONAL PRODUCT LIMITED WARRANTY Kyocera Mita America, Inc. and Kyocera Mita Canada, Ltd. (both referred to as "Kyocera") warrant the Customer's new Multifunctional Product (referred to as "MFP"), and the new accessories installed with the initial installation of the MFP, against any defects in material and workmanship for a period of one (1) year, or 200,000 copies/prints from date of installation, whichever first occurs. In the event the MFP or an accessory is found to be defective within the warranty period, Kyocera's only obligation and the Customer's exclusive remedy shall be replacement of any defective parts. Kyocera shall have no obligation to furnish labor.

This warranty covers Maintenance Kits and the components of Maintenance Kits included with the original MFP for a period of one year or 200,000 copies/prints, whichever first occurs. Maintenance Kits consist of the developing unit, the drum unit, the transfer belt, and the fixing unit. Replacement Maintenance Kits have a 90 day Limited Warranty. This warranty is valid only for the original retail purchaser (referred to as the "Customer") of a new Kyocera MFP in the United States of America or Canada, based upon the country of purchase. In order to obtain performance of this warranty, the Customer must immediately notify the Authorized Kyocera Dealer from whom the product was purchased.

If the Kyocera Dealer is not able to provide service, write to Kyocera at the address below for the name and address of the Authorized Kyocera Dealer in your area, or check Kyocera's website at <http://www.kyoceramita.com>. This warranty does not cover MFPs or accessories which: (a) have become damaged due to operator negligence, misuse, accidents, improper storage or unusual physical or electrical stress, (b) have used parts or supplies which are not genuine Kyocera brand parts or supplies, (c) have been installed or serviced by a technician not employed by Kyocera or an Authorized Kyocera Dealer, or (d) have had the serial number modified, altered, or removed. This warranty gives the Customer specific legal rights.

The Customer may also have other rights, which vary from state to state, or province to province. Neither the seller, nor any other person, is authorized to extend the time period or expand this warranty on behalf of Kyocera. THIS WARRANTY IS MADE IN LIEU OF ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, AND KYOCERA SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THIS WARRANTY SHALL NOT EXTEND TO, AND KYOCERA SHALL NOT BE LIABLE FOR, ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE OUT OF THE USE OF, OR INABILITY TO USE, THE MFP. 1-7

Preface > Notice Legal Restriction on Copying/Scanning It may be prohibited to copy/scan copyrighted material without permission of the copyright owner. Copying/Scanning the following items is prohibited and may be penalized by law. It may not be limited to these items. Do not knowingly copy/scan the items that are not to be copied/scanned. . . . . Paper money Bank note Securities Stamp Passport Certificate Local laws and regulations may prohibit or restrict copying/scanning of other items not mentioned above. 1-8 Preface > Legal and Safety Information Legal and Safety Information Legal Information Copying or other reproduction of all or part of this guide without the prior written consent of Kyocera Mita Corporation is prohibited. Regarding Trade Names . . . . . PRESCRIBE and ECOSYS are trademarks of Kyocera Corporation. KPDLE is a trademark of Kyocera Corporation. Microsoft, MS-DOS and Windows are registered trademarks of Microsoft Corporation in the U.S.A.

and/or other countries. PCL is a trademark of Hewlett-Packard Company. Adobe Acrobat, Adobe Reader and PostScript are trademarks of Adobe Systems, Incorporated. Ethernet is a registered trademark of Xerox Corporation. Novell and NetWare are registered trademarks of Novell, Inc. IBM and IBM PC/AT are trademarks of International Business Machines Corporation. Power PC is a trademark of IBM in the U.S.A. and/or other countries. AppleTalk, Bonjour, Macintosh, and Mac OS are trademarks of Apple Inc., registered in the U.S. and other countries. All European language fonts installed in this machine are used under licensing agreement with Monotype Imaging Inc.

Helvetica, Palatino and Times are registered trademarks of Linotype GmbH. ITC Avant Garde Gothic, ITC Bookman, ITC ZapfChancery and ITC ZapfDingbats are registered trademarks of International Typeface Corporation. UFSTTM MicroType® fonts by Monotype Imaging Inc. are installed in this machine. This machine contains the NF module developed by ACCESS Co. , Ltd. This machine contains the software having modules developed by Independent JPEG Group. ThinPrint is a trademark of ThinPrint GmbH in Germany and other countries. All other brands and product names are registered trademarks or trademarks designations TM and ® will not be used in this Operation Guide. GPL/LGPL This product contains GPL (<http://www.gnu.org/licenses/gpl.html>) and/or LGPL (<http://www.gnu.org/licenses/lgpl.html>) software as part of its firmware. You can get the source code, and you are permitted to copy, redistribute and modify it under the terms of GPL/LGPL.

For further information including availability of the source code, visit <http://www.kyoceramita.com/gpl/>. Open SSL License Copyright (c) 1998-2006 The OpenSSL Project. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 1-9 Preface > Legal and Safety Information 3. All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)" 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

For written permission, please contact [openssl-core@openssl.org](mailto:openssl-core@openssl.org). 5.

Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project. 6. Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)" THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. Original SSLeay License Copyright (C) 1995-1998 Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)) All rights reserved. This package is an SSL implementation written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)).

The implementation was written so as to conform with Netscapes SSL. This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com)). Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1.

Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. 3. All advertising materials mentioning features or use of this software must display the following acknowledgement: "This product includes cryptographic software written by Eric Young ([ey@cryptsoft.com](mailto:ey@cryptsoft.com)). The word 'cryptographic' can be left out if the routines from the library being used are not cryptographic related :-). 4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: "This product includes software written by Tim Hudson ([tjh@cryptsoft.com](mailto:tjh@cryptsoft.com))" THIS SOFTWARE IS PROVIDED BY ERIC YOUNG "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1-10 Preface > Legal and Safety Information The licence and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution licence [including the GNU Public Licence.] Monotype Imaging License Agreement 1 Software shall mean the digitally encoded, machine readable, scalable outline data as encoded in a special format as well as the UFST Software. 2 You agree to accept a non-exclusive license to use the Software to reproduce and display weights, styles and versions of letters, numerals, characters and symbols (Typefaces) solely for your own customary business or personal purposes at the address stated on the registration card you return to Monotype Imaging. Under the terms of this License Agreement, you have the right to use the Fonts on up to three printers. If you need to have access to the fonts on more than three printers, you need to acquire a multiuser license agreement which can be obtained from Monotype Imaging. Monotype Imaging retains all rights, title and interest to the Software and Typefaces and no rights are granted to you other than a License to use the Software on the terms expressly set forth in this Agreement. 3 To protect proprietary rights of Monotype Imaging, you agree to maintain the Software and other proprietary information concerning the Typefaces in strict confidence and to establish reasonable procedures regulating access to and use of the Software and Typefaces.

4 You agree not to duplicate or copy the Software or Typefaces, except that you may make one backup copy. You agree that any such copy shall contain the same proprietary notices as those appearing on the original. 5 This License shall continue until the last use of the Software and Typefaces, unless sooner terminated. This License may be terminated by Monotype Imaging if you fail to comply with the terms of this License and such failure is not remedied within thirty (30) days after notice from Monotype Imaging. When this License expires or is terminated, you shall either return to Monotype Imaging or destroy all copies of the Software and Typefaces and documentation as requested. 6 You agree that you will not modify, alter, disassemble, decrypt, reverse engineer or decompile the Software. 7 Monotype Imaging warrants that for ninety (90) days after delivery, the Software will perform in accordance with Monotype Imaging-published specifications, and the diskette will be free from defects in material and workmanship. Monotype Imaging does not warrant that the Software is free from all bugs, errors and omissions. The parties agree that all other warranties, expressed or implied, including warranties of fitness for a particular purpose and merchantability, are excluded. 8 Your exclusive remedy and the sole liability of Monotype Imaging in connection with the Software and Typefaces is repair or replacement of defective parts, upon their return to Monotype Imaging.

In no event will Monotype Imaging be liable for lost profits, lost data, or any other incidental or consequential damages, or any damages caused by abuse or misapplication of the Software and Typefaces.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>



9 Massachusetts U.S.A. law governs this Agreement.

10 You shall not sublicense, sell, lease, or otherwise transfer the Software and/or Typefaces without the prior written consent of Monotype Imaging. 11 Use, duplication or disclosure by the Government is subject to restrictions as set forth in the Rights in Technical Data and Computer Software clause at FAR 252-227-7013, subdivision (b)(3)(ii) or subparagraph (c)(1)(ii), as appropriate. Further use, duplication or disclosure is subject to restrictions applicable to restricted rights software as set forth in FAR 52.227-19 (c)(2). 12 You acknowledge that you have read this Agreement, understand it, and agree to be bound by its terms and conditions.

Neither party shall be bound by any statement or representation not contained in this Agreement. No change in this Agreement is effective unless written and signed by properly authorized representatives of each party. By opening this diskette package, you agree to accept the terms and conditions of this Agreement.

1-11 Preface > Legal and Safety Information Energy Saving Control Function The device comes equipped with a Low Power Mode where energy consumption is reduced after a certain amount of time elapses since the device was last used, as well as a Sleep where printer and fax functions remain in a waiting state but power consumption is still reduced to a minimum when there is no activity with the device within a set amount of time. Sleep The device automatically enters Sleep when 30 minutes have passed since the device was last used. The amount of time of no activity that must pass before Sleep is activated may be lengthened. For more information refer to Sleep and Auto Sleep on page 2-21. Low Power Mode The device automatically enters Low Power Mode when 3 minutes have passed since the device was last used. The amount of time of no activity that must pass before Low Power Mode is activated may be lengthened. For more information refer to Low Power Mode and Auto Low Power Mode on page 2-20.

Automatic 2-Sided Copy Function This device includes 2-sided copying as a standard function. For example, by copying two 1-sided originals onto a single sheet of paper as a 2-sided copy, it is possible to lower the amount of paper used. For more information refer to Duplex on page 4-8. Paper Recycling This device supports the recycled paper which reduces the load on the environment. Your sales or service representative can provide information about recommended paper types. Energy Star (ENERGY STAR®) Program We have determined as a company participating in ENERGY STAR that this product has earned the ENERGY STAR. 1-12 Preface > About this Operation Guide About this Operation Guide This Operation Guide contains the following chapters. Chapter 1 2 3 4 5 6 7 8 Preface Preparation before Use Common Operations Copying Printing Sending Document Box Status / Job Cancel Contents Includes information about operating precautions, trademarks, and this manual. Provides information about part names, connecting cables, and setting up and configuring the machine. Explains overall machine operation, including loading paper and originals and logging in and out.

Describes the functions you can use when copying. Provides information about functionality that is available when using the machine as a printer. Describes the functions you can use when sending originals. Provides a basic guide to using document boxes. Explains how to check the job status and job history and how to cancel jobs being printed or waiting to print.

Also explains how to check the remaining paper and device status and how to cancel fax transmission. Explains system menu functionality related to overall machine operation, job accounting, and user management. Explains how to respond to error indications such as when the machine runs out of toner and problems such as paper jams. Explains how to enter characters, and lists the machine specifications. Introduces the convenient optional equipment available for this machine.

Provides information on media types and paper sizes. Also includes a glossary of terms. 9 10 11 Setup, Registration, and User Management Troubleshooting Appendix Conventions in This Guide The following conventions are used depending on the nature of the description. Convention Bold [Regular] Italic Description Indicates the operation panel keys or a computer screen. Indicates the touch panel keys. Indicates a message displayed on the touch panel. Used to emphasize a key word, phrase or references to additional information. Example Press the Start key. Press [OK]. Ready to copy is displayed.

For more information refer to Sleep and Auto Sleep on page 2-21. NOTE Indicates supplemental information or operations for reference. NOTE IMPORTANT Indicates items that are required or prohibited so as to avoid problems. IMPORTANT Caution Indicates what must be observed to prevent injury or machine breakdown and how to deal with it. Caution 1-13 Preface > About this Operation Guide Job types for which each function can be set are shown with icons. Icon Copy Description This function can be set while copying a document. Ready to copy. (Full Color) Copy Paper Selection Auto 100% Zoom Normal 0 10:10 Copies Density Icon Print from USB Description This function can be set while printing from USB memory. Ready to print from Box. Print Paper Selection A4 Collate Collate/ Offset 1-sided 10:10 Copies Duplex Duplex 1-sided>>1-sided Functions Off Combine Collate Collate/ Offset GB0001\_01 GB0097\_00 Favorites Functions Cancel Copy Screen This function can be set while sending a document.

Ready to send. Send Recall 10:10 Dest. : Check Print Screen This function can be set while saving a file to USB memory. Ready to store in Box. Store File File Format PDF 1-sided 2-sided/ Book 10:10 Send Scan to USB Scan Resolution 300x300dpi One Touch Key Address Book Ext Address Book 1/2 Density GB0055\_00 File Name Entry GB0096\_00 E-mail Functions Folder FAX Favorites Normal 0 Functions doc Cancel Send Screen Store File Screen In this guide, steps where touch panel keys are used are outlined in red.

E.g.) Select [Zoom]. Ready to copy. (Full Color) Copy Paper Selection Auto 100% Zoom Normal 0 10:10 Copies Density Duplex 1-sided>>1-sided Functions Off Combine Collate Collate/ Offset GB0001\_01 Favorites Procedures consisting of a series of operation panel and/or touch panel operations are numbered as follows: E.

g.) Select [Functions] and then [EcoPrint]. Ready to copy. (Full Color) Copy Paper Selection Auto 100% Zoom Normal 0 10:10 Copies Density Original Image EcoPrint Ready to copy. (Full Color) Functions Color Selection Full Color 10:10 2 Text+Photo 2/5 Off GB0001\_01 Functions Favorites Close Add/Edit Shortcut Use [ ] or [ ] to scroll up and down. 1-14 GB0002\_01 1-sided>>1-sided 1 Duplex Off Combine Collate Collate/ Offset Hue Adjustment 0 Preface > About this Operation Guide Originals and Paper Sizes This section explains the notation used in this guide when referring to sizes of originals or paper sizes.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

As with A4, B5 and Letter, which may be used either in the horizontal or vertical direction, horizontal direction is indicated by an additional letter R in order to indicate the orientation of the original/paper. Placement direction Vertical direction Indicated size\* A4, B5, A5, Letter, Statement Original Paper For the originals/paper, dimension A is longer than B. Horizontal direction A4-R, B5-R, A5-R, Letter-R, Statement-R Original Paper For the originals/paper, dimension A is shorter than B. \* The size of the original/paper that can be used depends on the function and source tray.

For further details, refer to the page detailing that function or source tray. Icons on the Touch Panel The following icons are used to indicate originals and paper placement directions on the touch panel. Placement direction Vertical direction Originals Paper Horizontal direction 1-15 Preface > About this Operation Guide 1-16 2 Preparation before Use Part Names .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.... 2-2 Machine .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

. 2-2 Operation Panel .....

.....

.....

.....

.....

.....

.....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*. 2-6 Touch Panel ....*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*..... 2-7 Determining the Connection Method and Preparing Cables ...*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*..... 2-8 Connection Example .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....



.....  
.....

*... 2-8 Preparing Necessary Cables .....*

.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*..... 2-9 Connecting Cables ..*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.. 2-10 Connecting LAN Cable ...*

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.... 2-10 Connecting USB Cable .*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*.. 2-11 Connecting the Power Cable .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*. 2-11 Power On/Off ....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

*... 2-12 Power On ..*

.....  
.....  
.....  
.....



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.. 2-14 Setting TWAIN Driver .....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 2-18 Setting WIA Driver ...

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... 2-19 Energy Saver function ....

.....

.....

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*2-20 Low Power Mode and Auto Low Power Mode .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

*.. 2-20 Sleep and Auto Sleep ...*

.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....  
.....

*. 2-21 Machine Setup Wizard .....*

.....  
.....  
.....  
.....

.....  
.....  
.....  
.....

.....  
.....

.....  
.....  
.....  
.....  
.....

.... 2-22 COMMAND CENTER (Settings for E-mail) .....

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....  
.....

. 2-23 Sending E-mail ....

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....  
.....

.....  
.....  
.....  
.....  
.....

2-24 This chapter explains the following topics: 2-1 Preparation before Use > Part Names Part Names Machine 1 3 4 5 6 7 8 2 9 10 11 12 1 Document Processor 2 Platen 3 Original Size Indicator Plates 4 Slit Glass 5 Operation Panel 6 Inner Tray 7 Front Cover 8 Cassette 1 9 USB Memory Slot (A1) 10 Right Cover 1 11 Handles 12 Job Separator Tray 2-2 Preparation before Use > Part Names 13 16 17 18 19 20 21 14 15 13 Original Width Guides 14 Original Table 15 Cleaning Cloth Compartment 16 Original Loaded Indicator 17 Toner Container (Black) 18 Toner Container (Magenta) 19 Toner Container (Cyan) 20 Toner Container (Yellow) 21 Waste Toner Box 22 25 24 23 22 Paper Width Guide 23 Paper Length Guide 24 Multi Purpose Tray 25 Paper Width Guide 2-3 Preparation before Use > Part Names 31 26 27 29 33 32 28 30 34 33 26 Option Interface Slot 2 27 Network Interface Connector 28 USB Interface Connector (A2) 29 USB Port (B1) 30 Option Interface Slot 1 31 Scanner Lock 32 Main Power Switch 33 Handles 34 Cassette Heater Switch 2-4 Preparation before Use > Part Names 36 37 35 40 38 39 35 Top Cover 36 Tray Extension 37 Document Finisher Tray 38 Staple Cover 39 Staple Cartridge Holder 40 Bridge Unit Cover 2-5 Preparation before Use > Part Names Operation Panel Displays the System Menu/Counter screen. Displays the Status/Job Cancel screen. Displays the Favorites screen. Displays the Document Box screen. Select the color mode. Auto Color: Automatically recognizes whether a document is color or black & white and then scans the document. Full Color: Scans all documents in full color. Black & White: Scans all documents in black & white. Displays the Copy screen. Displays the Interrupt Copy screen. Ends operation (logs out) on the Administration screen. Puts the machine into Low Power Mode. Puts the machine into Sleep Mode. Recovers from Sleep if in Sleep Mode. Lit when the machine's main power is on. Displays the screen for sending. Displays the FAX screen. Ready to copy. (Full Color) Copy Paper Selection Auto 100% Zoom Normal 0 10:10 Copies Density Duplex 1-sided>>1-sided Functions Off Combine Collate Collate/ Offset Favorites Lights when there is paper in the job separator tray. Touch panel. Displays buttons for configuring machine settings. Processing: Blinks while printing or sending. Memory: Blinks while the machine is accessing the fax memory or USB memory (generalpurpose item). Attention: Lights or blinks when an error occurs and a job is stopped. Numeric keys. Enter numbers and symbols. Clears entered numbers and characters. Returns settings to their default states. Specifies registered information such as address numbers and user

*IDs by number. Finalizes numeric key entry, and finalizes screen during setting of functions.*

*Operates linked with the on-screen [OK]. Cancels or pauses the printing job in progress. Starts copying and scanning operations and processing for setting operations. 2-6 Preparation before Use > Part Names Touch Panel Displays the status of the equipment as well as necessary operation messages. Displays available functions. Ready to copy. (Full Color) Copy Paper Selection Auto 100% Zoom Normal 0 GB0001\_04 10:10 Copies Density Displays the time and number of copies. Duplex 1-sided>>1-sided Off Shortcut 1 Combine Collate Shortcut 2 Collate/ Offset Configures more advanced function settings.*

*Functions Favorites Displays Favorites. Displays shortcuts.*

*Displays the status of the equipment as well as necessary operation messages. Displays available functions and settings. Return to the previous screen. Ready to copy. (Full Color) Functions Original Size Auto Original Orientation Top Edge on Top 10:10 1/5 Mixed Size Originals Off Paper Output Inner tray Close Add/Edit Shortcut Scrolls up and down when the list of values cannot be displayed in its entirety on a single screen.*

*Registers functions as shortcuts. 2-7 GB0002\_00 Preparation before Use > Determining the Connection Method and Preparing Cables Determining the Connection Method and Preparing Cables Check the method to connect the equipment to a PC or network, and prepare the necessary cables for your environment. Connection Example Determine the method to connect the equipment to a PC or network by referring to the illustration below. Connecting a scanner to your PC network with a network cable (1000BASE-T, 100BASE-TX or 10BASE-T) COMMAND CENTER Network settings, Scanner default settings, User and destination registration Network Send E-mail Sends the image data of scanned originals to the desired recipient as a file attached to an E-mail message. 6-18 Administrator's PC MFP Printing USB Network Send SMB Saves the scanned image as a data file on your PC.*

*Network 6-19 Network FAX (Option) Network Network Send FTP Sends the scanned image as a data file on the FTP. 6-19 FAX (Option) Network FAX Network WIA Scanning TWAIN and WIA are standardized interface for communication between software applications and image acquisition devices. TWAIN Scanning 2-8 Preparation before Use > Determining the Connection Method and Preparing Cables Preparing Necessary Cables Prepare the necessary cables according to the interface you use.*



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>

Connection Environment Connect a LAN cable to the machine. Connect a USB cable to the machine. Function Printer/Scanner/Scanner (TWAIN/WIA) Printer Necessary Cable LAN (10Base-T, 100Base-TX, or 1000BASE-T Shielded) USB2.0 compatible cable (Hi-Speed USB compliant, Max. 5.0 m, Shielded) 2-9 Preparation before Use > Connecting Cables Connecting Cables Connecting LAN Cable The equipment can be connected with a network cable and used as a network printer or network scanner. 1 Power Off.

Check that the indicators are off. 2 Connect the machine. 1 Connect the LAN cable to the network interface located on left side of the body. 2 Connect the other end of the cable to the hub. 3 Set up the machine. Configure the network settings. For details, refer to Machine Setup Wizard on page 2-22. 2-10 Preparation before Use > Connecting Cables Connecting USB Cable The equipment can be connected with a USB cable and used as a printer or scanner in an environment where there is no network. 1 Power Off. Check that the indicators are off.

2 Connect the machine. 1 Connect the USB cable to the appropriate interface located on the left side of the body. 2 Connect the other end of the cable to the PC. Connecting the Power Cable Connect one end of the supplied power cable to the machine and the other end to a power outlet. IMPORTANT Only use the power cable that comes with the machine.

2-11 Preparation before Use > Power On/Off Power On/Off Power On When the main power indicator is lit... (Recovery from sleep) Main Power indicator Press the Power key. When the main power indicator is off.

.. Turn the main power switch on. IMPORTANT When turning off the main power switch, do not turn on the main power switch again immediately. Wait more than 5 seconds, and then turn on the main power switch. Power Off When not turning off the main power switch (sleep) Main Power indicator Press the Power key. The Power key light will go out, and the Main Power indicator will light up. 2-12 Preparation before Use > Power On/Off When turning off the main power switch Note that when the main power switch is turned off, the machine will be unable to automatically receive print data from computers or faxes. 1 Press the Power key. Main Power indicator Check that the indicators are off.

Verify that the Power key light has gone out and that the Main Power indicator is lit up. 2 Turn the main power switch off. NOTE When the Processing indicator or Memory indicator is lit up, the machine is operating. Turning off the main power switch while the machine is operating may cause it to malfunction. In case of not using the machine for an extended period of time CAUTION If this machine will be left unused for an extended period (e.g. overnight), turn it off at the main power switch. If the machine will not be used for an even longer period of time (e.g. vacation), remove the power plug from the outlet as a safety precaution.

If the optional Fax kit is installed, note that turning the machine off at the main power switch disables fax transmission and reception. IMPORTANT Remove paper from the cassettes and seal it in the paper storage bag to protect it from humidity. 2-13 Preparation before Use > Installing Software Installing Software Install appropriate software on your PC from the included Product Library CD-ROM (Product Library) if you want to use the printer function of this machine or perform TWAIN / WIA transmission or Network FAX transmission from your PC. NOTE Installation on Windows must be done by a user logged on with administrator privileges. Plug and Play is disabled on this device when in Sleep.

Wake the device from Low Power Mode or Sleep before continuing. Refer to Low Power Mode and Auto Low Power Mode on page 2-20 and Sleep and Auto Sleep on page 221. The optional Fax Kit is required in order to make use of fax functionality. WIA driver cannot be installed on Windows XP. Installing Printer Driver Ensure the machine is plugged in and connected to the PC before installing the printer driver from the CD-ROM.

Installing Printer Driver in Windows If you are connecting this machine to a Windows PC, follow the next steps to install the printer driver. The example shows you how to connect your machine to a Windows 7 PC. NOTE If the Welcome to the Found New Hardware Wizard dialog box displays, select Cancel. If the autorun screen is displayed, click Run Setup.exe. If the user account management window appears, click Allow. You can use either Express Mode or Custom Mode to install the software. Express Mode automatically detects connected machines and installs the required software. Use Custom Mode if you want to specify the printer port and select the software to be installed. For details, refer to Custom Installation in the Printer Driver Operation Guide on the CD-ROM.

1 Insert the CD-ROM. 2 Display the screen. 1 2 3 Click View License Agreement and read the License Agreement. 2-14 Preparation before Use > Installing Software 3 Install using Express Mode. 1 Select the print system to be installed. 1 2 3 2 Customize the print system name if the print system is connected via a network. 1 2 3 Start installing. NOTE The machine cannot be detected unless it is on. If the computer fails to detect the machine, verify that it is connected to the computer via a network or USB cable and that it is turned on and click Reload. If the Windows security window appears, click Install this driver software anyway.

4 Finish the installation. This completes the printer driver installation procedure. Follow the on-screen instructions to restart the system, if required. The TWAIN driver and WIA driver can be installed if the machine and computer are connected via a network. You can install the WIA driver using Custom Mode.

2-15 Preparation before Use > Installing Software If you are installing the TWAIN driver or WIA driver, continue by configuring the TWAIN driver (2-18) or WIA driver (2-19). Installing Printer Driver in Macintosh The machine's printer functionality can be used by a Macintosh computer. NOTE When printing from a Macintosh computer, set the machine's emulation to "KPDLL" or "KPDLL(Auto)". For details about the configuration method, refer to Printer on page 9-16. If connecting by Bonjour, enable Bonjour in the machine's network settings.

For details, refer to Network on page 9-18. In the Authenticate screen, enter the name and password used to log in to the operating system. 1 Insert the CD-ROM. Double-click the CD-ROM icon. 2 Display the screen. 1 2 Double-click Double-click Double-click either OS X 10.2 and 10.3 Only, OS X 10.4 Only or OS X 10.5 or higher depending on your Mac OS version.

3 Install Printer Driver. Install the printer driver as directed by the instructions in the installation software.



[You're reading an excerpt. Click here to read official KYOCERA TASKALFA 205C user guide](http://yourpdfguides.com/dref/3982428)  
<http://yourpdfguides.com/dref/3982428>