


Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for MOTOROLA SX700. You'll find the answers to all your questions on the MOTOROLA SX700 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual MOTOROLA SX700 User guide MOTOROLA SX700 Operating instructions MOTOROLA SX700 Instructions for use MOTOROLA SX700 Instruction manual MOTOROLA SX700



MOTOROLA
Two-Way Radio
User's Guide

KEM-PA14168 Model SX700 series

Partially Explain Atmosphere

Some of the people prefer working in an area with a high level of noise. Only take steps that are advised if you find this should be done in such areas as the work site. Do not remove, modify or tamper with the controls. Do not remove or modify any safety instructions or any other markings that are on the radio. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it.


Portable Radio Operation and EME Exposure

Always Use the Radio Properly. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it.

Partially Explain Atmosphere

Some of the people prefer working in an area with a high level of noise. Only take steps that are advised if you find this should be done in such areas as the work site. Do not remove, modify or tamper with the controls. Do not remove or modify any safety instructions or any other markings that are on the radio. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it.

Control Buttons



- Use []: Scan to use if responses on the selected channel
- Use []: Select Menu option
- Use []: Exit the Menu option
- Use []: Toggle menu item
- Use []: Select Menu option
- Use []: Select Menu option
- Use []: Select Menu option

Using the Dock Station for Charge/Options/Accessory


- Scan to use if responses on the selected channel
- Plug the AC power supply into the plug on the dock station
- Plug the AC power supply into the selected radio
- Remove the battery pack until it is in the charge position
- With or without the radio, slide it into the charge slots

Note: The light on the AC power supply will glow continuously when the radio is in the dock station.

Using the Dock Station for Charge/Options/Accessory

- Scan to use if responses on the selected channel
- Plug the AC power supply into the plug on the dock station
- Plug the AC power supply into the selected radio
- Remove the battery pack until it is in the charge position
- With or without the radio, slide it into the charge slots

Display Screen Guide



- Numbers for Channel
- Numbers for Codes
- Battery Meter
- 2 - Watt Channel Indicator
- 3 - Watt Channel Indicator
- Call Tone Coordination (Voice Detail)
- Volume Filtering
- On/Off for each feature
- Vibrate
- Scan
- Call Tone Mapped Tone
- Weather Alert
- Hands-Free Use Without Answering

Channels and Frequencies

Channel	Frequency	Offset	Channel	Frequency	Offset
1	402.525 MHz	0.000 MHz	12	482.825 MHz	0.000 MHz
2	402.525 MHz	0.000 MHz	13	482.825 MHz	0.000 MHz
3	402.525 MHz	0.000 MHz	14	482.825 MHz	0.000 MHz
4	402.525 MHz	0.000 MHz	15	482.825 MHz	0.000 MHz
5	402.525 MHz	0.000 MHz	16	482.825 MHz	0.000 MHz
6	402.525 MHz	0.000 MHz	17	482.825 MHz	0.000 MHz
7	402.525 MHz	0.000 MHz	18	482.825 MHz	0.000 MHz
8	402.525 MHz	0.000 MHz	19	482.825 MHz	0.000 MHz
9	402.525 MHz	0.000 MHz	20	482.825 MHz	0.000 MHz
10	402.525 MHz	0.000 MHz	21	482.825 MHz	0.000 MHz
11	402.525 MHz	0.000 MHz	22	482.825 MHz	0.000 MHz

Safety and General Information

Important information on safe and efficient operation. Read this information before using your radio. This information is important to your safety and the safety of others. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it.

FCC Licensing Information

Not to be used in an unlicensed frequency. This is a violation of the Federal Communications Commission (FCC) rules. Do not use the radio in any area where you are not authorized to use it. Do not use the radio in any area where you are not authorized to use it.

Getting Started

Inserting the Batteries. Turn the radio off. Insert the batteries into the battery compartment. Do not use the radio in any area where you are not authorized to use it.

Initial Setup

Turning the Channel. Press [] to select the channel. Do not use the radio in any area where you are not authorized to use it.

Hand-Free Use Without Answering (VOX)

Use of the radio while driving. Do not use the radio in any area where you are not authorized to use it.

Additional Information

Additional information on radio operation. Do not use the radio in any area where you are not authorized to use it.

You're reading an excerpt. Click here to read official MOTOROLA SX700 user guide <http://yourpdfguides.com/dref/1114969>

Copyright © 2010

Manual abstract:

@@@ Do NOT hold the antenna when the radio is "IN USE." Holding the antenna affects the effective range. Body-Worn Operation To maintain compliances with FCC/Health Canada RF exposure guidelines, if you wear a radio on your body when transmitting, always place the radio in a Motorola-supplied or approved clip, holder, holster, case or body harness for this product. Use of non-Motorola-approved accessories may exceed FCC/Health Canada RF exposure guidelines. If you do not use one of the Motorola-supplied or approved body-worn accessories and are not using the radio held in the normal use position, ensure the radio and its antenna are at least 1 inch (2.5 cm) from your body when transmitting. Potentially Explosive Atmospheres Turn off your radio prior to entering any area with a potentially explosive atmosphere. Only radio types that are especially qualified should be used in such areas as "Intrinsically Safe." Do not remove, install or charge batteries in such areas. Sparks in a potentially explosive atmosphere can cause an explosion or fire resulting in bodily injury or even death.

Note: The areas with potentially explosive atmospheres referred to above include fueling areas such as below decks on boats, fuel or chemical transfer or storage facilities, areas where the air contains chemicals or particles (such as grain, dust or metal powders) and any other area where you would normally be advised to turn off your vehicle engine. Areas with potentially explosive atmospheres are often--but not always--posted. Blasting Caps and Areas To avoid possible interference with blasting operations, turn off your radio when you are near electrical blasting caps, in a blasting area, or in areas posted "Turn off two-way radios." Obey all signs and instructions. Operational Cautions Control Buttons Use to: Use to: · Turn radio on/off.

· Increase or decrease volume LED Indicator Light Use Push to Talk PTT to: · Talk · Save a setting · Boost the radio's power up to two watts Use to: MON · Scan to see if anyone is on the selected channel Use MENU to: · Select Menu options · Exit the Menu (when pressed while in a Menu) Hi Lo · Lock and unlock the keypad (when held down and not in a Menu) Accessory Jack Use and + to: · Scroll through menus Microphone Antennas Do not use any portable radio that has a damaged antenna. If a damaged antenna comes into contact with your skin, a minor burn can result. Batteries All batteries can cause property damage and/or bodily injury such as burns if a conductive material--like jewelry, keys or beaded chains-- touch exposed terminals. The conductive material may complete an electrical circuit (short circuit) and become quite hot. Exercise care in handling any charged battery, particularly when placing it inside a pocket, purse or other container with metal objects.

Using the Desk Stand Charger (Optional Accessory) The desk stand charger provides drop-in charging convenience for NiMH batteries and can be placed on any flat surface, such as a desk or workbench. Charge the NiMH battery overnight (at least 16 hours) before using it for the first time. After the initial charge, an empty battery is fully charged within 14 hours. 1. Follow the steps above to install a NiMH Battery Pack. 2. Plug the AC power supply into the plug on the desk stand. 3. Plug the AC power supply into a standard wall outlet. 4.

Remove the battery pocket inserts from the charger pockets. 5. With a radio facing forward, slide it into one of the charging pockets. Notes · The light on the AC power supply will glow continuously when radio/battery is inserted. · When moving between hot and cold temperatures, do not charge the battery until the battery temperature acclimates (usually about 20 minutes). · For optimal battery life, remove the radio or battery from the charger within 16 hours. Do not store the radio in the charger. · Turn radio off while in charging tray. Using the Belt Holster Your radio includes a holster so you may carry it easily on your belt. 1.

Adjust the holster's clip so it fits onto your belt. 2. Slide your radio into the holster. Turning Your Radio On and Off Turn clockwise to turn the radio on and counterclockwise to turn the radio off. 1.

The radio chirps and briefly shows all features icons available on your radio. 2. The display then shows the current channel, code and features that are selected. Setting the Volume Press and hold listening level. MON Channels and Frequencies Channel Frequency Description
1 2 3 4 5 6 7 8 9 10 11 462.

5625 MHz 462.5875 MHz 462.6125 MHz 462.6375 MHz 462.6625 MHz 462.6875 MHz 462.7125 MHz 467.5625 MHz 467.5875 MHz 467.6125 MHz 467.

6375 MHz GMRS/FRS GMRS/FRS GMRS/FRS GMRS/FRS GMRS/FRS GMRS/FRS GMRS/FRS FRS FRS FRS FRS 12 13 14 15 16 17 18 19 20 21 22
467.6625 MHz 467.6875 MHz 467.7125 MHz 462.5500 MHz 462.5750 MHz 462.6000 MHz 462.6250 MHz 462.6500 MHz 462.6750 MHz 462.

7000 MHz 462.7250 MHz FRS FRS FRS GMRS GMRS GMRS GMRS GMRS GMRS GMRS GMRS Transmit call tone Speaker For More Information For
further information, you may call Motorola at 1-800-638-5119 (U.S. and Canada) or visit us on the Internet at <http://www.motorola.com>.

Data Operation If applicable, when using any data feature of the radio with or without an accessory cable, position the radio and its antenna at least one inch (2.5 cm) from the body. Approved Accessories For a list of approved Motorola accessories, visit our Web site at www.Motorola.com.

Electromagnetic Interference/Compatibility Note: Nearly every electronic device is susceptible to electromagnetic interference (EMI) if inadequately shielded, designed or otherwise configured for electromagnetic compatibility. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1. This device may not cause harmful interference; and 2. This device must accept any interference received, including interference that may cause undesired operation. Facilities To avoid electromagnetic interference and/or compatibility conflicts, turn off your radio in any facility where posted notices instruct you to do so. Hospitals or health care facilities may be using equipment that is sensitive to external RF energy. Aircraft When instructed to do so, turn off your radio when onboard an aircraft. Any use of a radio must be in accordance with applicable regulations per airline crew instructions.

Medical Devices Pacemakers The Advanced Medical Technology Association recommends that a minimum separation of 6 inches (15 cm) be maintained between a handheld wireless radio and a pacemaker. These recommendations are consistent with the independent research by and recommendations of the U.S. Food and Drug Administration. People with pacemakers should: · ALWAYS keep the radio more than 6 inches (15 cm) from their pacemaker when the radio is turned ON. · Not carry the radio in the breast pocket.



[You're reading an excerpt. Click here to read official MOTOROLA](http://yourpdfguides.com/dref/1114969)

[SX700 user guide](http://yourpdfguides.com/dref/1114969)

<http://yourpdfguides.com/dref/1114969>

· Use the ear opposite the pacemaker to minimize the potential for interference. · Turn the radio OFF immediately if there is any reason to suspect that interference is taking place. Battery Charger Safety Instructions: Save these Instructions 1. Do not expose the charger to rain or snow. 2. Do not operate or disassemble the charger if it has received a sharp blow, or has been dropped or damaged in any way. 3. Never alter the AC cord or plug provided with the unit. If the plug will not fit the outlet, have the proper outlet installed by a qualified electrician. An improper condition can result in a risk of electric shock. 4. To reduce the risk of damage to the cord or plug, pull the plug rather than the cord when disconnecting the charger from the AC receptacle. 5. To reduce the risk of electric shock, unplug the charger from the outlet before attempting any maintenance or cleaning. 6. Use of an attachment not recommended or sold by Motorola may result in a risk of fire, electric shock or personal injury. 7. Make sure the cord is located so it will not be stepped on, tripped over or subjected to damage or stress. 8. An extension cord should not be used unless absolutely necessary. Use of an improper extension cord could result in a risk of a fire and/or electric shock. If an extension cord must be used, make sure that: · The pins on the plug of the extension cord are the same number, size and shape as those on the plug of the charger. · The extension cord is properly wired and in good electrical condition. · The cord size is 18 AWG for lengths up to 100 feet, and 16 AWG for lengths up to 150 feet.

9. The supply cord of this charger cannot be replaced. If the cord is damaged, call Motorola Product Services at 1-800-353-2729 in the USA or 1-888-390-6456 TTY (text telephone). Display Screen Guide while rotating until you reach a comfortable Interference Eliminator Code Interference Eliminator Codes help minimize interference by providing you with a choice of code combinations. Your radio has 121 Interference Eliminator Codes. Codes 1 38 are the standard codes that appear on other FRS/GMRS radios. Codes 39 121 are additional codes added for superior interference protection. To set the code for a channel: 1. Short press until the code starts to flash. 2.

Press + or to select the code. 3. Press PTT to save the code setting or to continue set up. MENU MENU Numbers for Channel, Call Tone 1. Rotate 2. Rotate clockwise to increase the volume counterclockwise to decrease the volume. Do not hold the radio close to your ear. If the volume is set to an uncomfortable level, it could hurt your ear. Numbers for Codes Talking and Listening You can set a different code for each channel using this procedure. An extended press of + or allows you to scroll through the Interference Code rapidly so you can quickly reach the code you want.

Note: You must set the Interference Eliminator Code to 0 on a radio that uses Interference Eliminator Codes to communicate with radios that do not have Interference Eliminator Codes. Select 0 for "no tone, no code" and OFF will flash on your radio's display. Setting and Transmitting Call Tones Your radio can transmit different call tones to other radios in your group so you can alert them that you want to talk. You have 10 call tones from which to choose. To set a call tone: 1. With the radio on, short press until the current call tone setting flashes and appears. 2. Press + or to change and hear the call tone. 3. Press PTT to set the new call tone or to continue set up.

MENU MENU Battery Meter 2 watt Channel Indicator .5 watt channel indicator (see Initial Set Up) Lock ON OFF On/Off for each feature Vibrate Scan Call Tone, Keypad Tone Weather Alert To communicate, all radios in your group must be set to the same channel and Interference Eliminator Code. 1. To talk, press and hold PTT. 2. When you are finished talking, release PTT. For maximum clarity, hold the radio two to three inches away from your mouth and speak directly into the microphone. Do not cover the microphone while talking. Talk Range Your radio is designed to maximize performance and improve transmission range. Do not use the radios closer than five feet apart.

Power Boost To boost your radio's power up to two watts, press the top portion of the PTT button when talking. If you know your party is close by, you can conserve your battery's energy by pushing the lower part of the PTT button to use less power. Call Tone Confirmation (Roger Beep) i VOX Hands-Free Use Without Accessories QT To transmit your call tone is important because the radio generates measurable RF energy exposure only when transmitting (in terms of measuring standards compliance). Exposure to Radio Frequency Energy Your Motorola two-way radio complies with the following RF energy exposure standards and guidelines: · United States Federal Communications Commission, Code of Federal Regulations; 47CFR part 2 sub-part J · American National Standards Institute (ANSI)/Institute of Electrical and Electronic Engineers (IEEE) C95. 1-1992 · Institute of Electrical and Electronics Engineers (IEEE) C95.

1-1999 Edition · International Commission on Non-Ionizing Radiation Protection (ICNIRP) 1998 Medical Devices Hearing Aids Some digital wireless radios may interfere with some hearing aids. In the event of such interference, you may want to consult your hearing aid manufacturer to discuss alternatives. Other Medical Devices If you use any other personal medical device, consult the manufacturer of your device to determine if it is adequately shielded from RF energy. Your physician may be able to assist you in obtaining this information. Safety and General Use While Driving Check the laws and regulations regarding the use of radios in the area where you drive, and always obey them.

If you do use your radio while driving, please: · Give full attention to driving and to the road. · Use hands-free operation, if available. · Pull off the road and park before making or answering a call if driving conditions so require. @@Air bags inflate with great force. @@1. Short press after setting iVOX. VOX will still appear. 2. @@Channels 8-14 are FRS 0.5 Watt only and all other channels are GMRS.

@@@1. With the radio on, press 3. Press . The current channel flashes. 2. @@@@1. This is useful in noisy environments. @@1. To turn vibrating alerts on, press until is displayed. The current setting will flash. 2.

Press + or to change the setting to Off/On. 3. @@Press and hold until displays. 2. @@All other functions are locked.

@@This feature filters out unwanted transmissions from other radios. @@Note: QT noise filtering is not available when the radio is scanning. To turn QT noise filtering on or off: 1. Short press until QT displays. The current setting On/Off will flash.



[You're reading an excerpt. Click here to read official MOTOROLA SX700 user guide](http://yourpdfguides.com/dref/1114969)
<http://yourpdfguides.com/dref/1114969>

2. Press + or to turn noise filtering On or Off. 3. @@@@2. Press to send a call tone. @@3. @@@@The home channel is the channel where your radio was set when you started to scan. If you activate scan while your radio's Interference Eliminator Code is set to a number between 1 and 121, the radio checks for activity on each channel--but only in the specific code selected. All transmissions using code 0 or any other code are ignored. 1.

To start scanning, briefly press and release MON . The scan indicator displays , and the radio begins to scroll through the channel and Interference Eliminator Code combinations. 2. When the radio detects channel activity, it stops scanning and you can hear the transmission. 3. To respond and talk to the person transmitting, press PTT within five seconds. 4. To stop scanning, briefly press and release MON . Weather Your radio can tune in to broadcasts by the United States National Oceanic and Atmospheric Administration (NOAA) Weather Radio and Environment Canada Weatheradio. You can listen to a weather channel or set your radio to alert you to emergency weather broadcasts that interrupt routine broadcasts.

When you listen to a weather channel, you cannot use your radio in scan mode or for two-way communications. Both NOAA and Environment Canada have transmitters located throughout the United States and Canada, respectively. These transmitters broadcast watches, forecasts, and other information 24 hours a day. Weather Channels and Frequencies Weather Channel WX1 WX2 WX3 WX4 WX5 WX6 Frequency 162.550 MHz 162.400 MHz 162.475 MHz 162.425 MHz 162.450 MHz 162.500 MHz Weather Channel WX7 WX8 WX9 WX10 WX11 Frequency 162.525 MHz 161.650 MHz 161.775 MHz 161.750 MHz 162.000 MHz

Warranty Limited Warranty for Personal Communication Products, Accessories and Software Purchased in the United States or Canada What Does this Warranty Cover? Subject to the exclusions contained to the right, Giant International Ltd. warrants the Motorola branded wireless telephones, pagers, and consumer two-way radios that operate via Family Radio Service or General Mobile Radio Service that it manufactures ("Products"), the Motorola branded or certified accessories sold for use with these Products that it manufactures ("Accessories") and Motorola branded software contained on CD-Roms or other tangible media and sold for use with these Products that it manufactures ("Software") to be free from defects in materials and workmanship under normal consumer usage for the period(s) outlined below. This limited warranty is a consumer's exclusive remedy, and applies as follows to new Motorola branded Products, Accessories and Software manufactured by Giant International Ltd., and purchased by consumers in the United States or Canada, which are accompanied by this written warranty: Products Covered A. Products and Accessories as defined above, unless otherwise provided for below. 1.

Decorative Accessories and Cases. Decorative covers, bezels, PhoneWrap covers and cases. 2. Monaural Headsets. Ear buds and boom headsets that transmit mono sound through a wired connection. 3. Consumer Two-Way Radio Accessories. 4. Products and Accessories that are Repaired or Replaced. Length of Coverage A.

One (1) year from the date of purchase by the first consumer purchaser of the product unless otherwise provided for below. 1. Limited lifetime warranty for the lifetime of ownership by the first consumer purchaser of the product. 2. Limited lifetime warranty for the lifetime of ownership by the first consumer purchaser of the product.

3. Ninety (90) days from the date of purchase by the first consumer purchaser of the product. 4. The balance of the original warranty or for ninety (90) days from the date returned to the consumer, whichever is longer. Exclusions Normal Wear and Tear.

Periodic maintenance, repair and replacement of parts due to normal wear and tear are excluded from coverage. Batteries. Only batteries whose fully charged capacity falls below 80% of their rated capacity and batteries that leak are covered by this limited warranty. Abuse & Misuse. Defects or damage that result from: (a) improper operation, storage, misuse or abuse, accident or neglect, such as physical damage (cracks, scratches, etc.) to the surface of the product resulting from misuse; (b) contact with liquid, water, rain, extreme humidity or heavy perspiration, sand, dirt or the like, extreme heat, or food; (c) use of the Products or Accessories for commercial purposes or subjecting the Product or Accessory to abnormal usage or conditions; or (d) other acts which are not the fault of Motorola or Giant International Ltd., are excluded from coverage. Use of Non-Motorola branded Products and Accessories. Defects or damage that result from the use of Non-Motorola branded or certified Products, Accessories, Software or other peripheral equipment are excluded from coverage. Unauthorized Service or Modification.

Defects or damages resulting from service, testing, adjustment, installation, maintenance, alteration, or modification in any way by someone other than Motorola, Giant International Ltd. or its authorized service centers, are excluded from coverage. Altered Products. Products or Accessories with (a) serial numbers or date tags that have been removed, altered or obliterated; (b) broken seals or that show evidence of tampering; (c) mismatched board serial numbers; or (d) nonconforming or non-Motorola branded housings, or parts, are excluded from coverage. Note: NOAA weather radio stations are assigned to cover specific areas and service may be limited. Please check with your local weather office for frequency and details, or visit www.nws.noaa.gov/nwr in the US or www.msc-smc.

ec.gc.ca/cd/factsheets/wxradio in Canada to view the appropriate transmitter for your area. The use of the NOAA logo does not provide an endorsement or implied endorsement by NOAA's National Weather Service, nor does the use of the Weatheradio logo provide an endorsement or implied endorsement by Environment Canada. Turning Weather Channel Reception On and Off 1.

To turn weather reception on, press and hold + for three seconds. 2. To turn off, press + or turn the radio off and then back on. Setting the Weather Channel Your radio receives weather frequencies: 1. After turning weather reception on, press .

The current channel flashes. 2. Press + or to select the channel. 3. Press PTT to save the weather channel setting. MENU and speak normally. Note: If you skip step 2, the beginning of your message may not be heard on the receiving radio. For a 30-second period, starting after the last transmission, all transmissions received on the selected channel and code will pass through the QT noise filter. Keypad Tones You may enable or disable the speaker key tones. You will hear the key tone each time a button is pushed.

1. Press until appears. The current setting On/Off will flash 2. Press either + or to turn On or Off. 3. Press PTT to confirm or to continue set up. MENU MENU Note: If you press PTT while the radio is scanning, the radio will transmit on the channel you selected before you activated scan.



[You're reading an excerpt. Click here to read official MOTOROLA SX700 user guide](http://yourpdfguides.com/dref/1114969)
<http://yourpdfguides.com/dref/1114969>

If no transmission occurs within five seconds, scanning will resume. **Advanced Scan** If the radio stops scanning on a channel you do not want to listen to, briefly press and release + or to resume scanning for the next active channel. **Removing Channels from the Scan List (Nuisance Delete Feature)** 1. To prevent the radio from scanning a channel, press and hold + or for at least three seconds, then release, when the scan first stops on that channel. This temporarily removes the channel from the scan list. 2. Press MON to exit scan mode. 3.

Press MON Communication Services. Defects, damages, or the failure of Products, Accessories or Software due to any communication service or signal you may subscribe to or use with the Products Accessories or Software is excluded from coverage. B. Software. Applies only to physical defects in the media that embodies the copy of the software (e.

g. CD-ROM, or floppy disk). B. Ninety (90) days from the date of purchase. **Software Embodied in Physical Media.** No warranty is made that the software will meet your requirements or will work in combination with any hardware or software applications provided by third parties, that the operation of the software products will be uninterrupted or error free, or that all defects in the software products will be corrected. **Software NOT Embodied in Physical Media.**

Software that is not embodied in physical media (e.g. software that is downloaded from the internet), is provided "as is" and without warranty.

When the Key Tone Feature is off, the following are not disabled: · Transmit timeout alert tone; · Power-down alert tone; · Low battery alert tone; or · The transmitted Talk Confirmation Tone. **Transmitting a Talk Confirmation Tone** You can set your radio to transmit a unique tone when you finish transmitting. It is like saying "Roger" or "Over" to let others know you are finished talking. 1. With the radio on, press until the appears. The current setting On/Off flashes.

2. Press + or to turn On or Off. 3. Press PTT to set or to continue set up.

MENU MENU a second time to activate scan again. 4. To restore a previously deleted channel, turn the radio off and then back on. The channel is now restored. Note: You cannot remove your home channel from the scan list.

The home channel is the channel your radio was set to when you started the scanning. **Using Audio Accessories:** Many accessories (sold separately) are available for your radio. For more information, visit our Web site at www.motorola.com.

Hands-Free Use With Accessories (VOX) You can transmit hands-free with the use of optional accessories. Once VOX is turned on, the radio detects your voice and transmits when you speak. 1. @@2. Turn the radio on. VOX shows on the display. 3. Adjust the volume appropriately by rotating . @@4. To turn off, simply remove accessory.

@@@After turning weather reception on, press MENU Who is covered? This warranty extends only to the first consumer purchaser, and is not transferable. twice. Off/On displays. What will GIANT INTERNATIONAL LTD. Do? GIANT INTERNATIONAL LTD., at its option, will at no charge repair, replace or refund the purchase price of any Products, Accessories or Software that does not conform to this warranty. We may use functionally equivalent reconditioned/refurbished/pre-owned or new Products, Accessories or parts. No data, software or applications added to your Product, Accessory or Software, including but not limited to personal contacts, games and ringer tones, will be reinstalled. To avoid losing such data, software and applications please create a back up prior to requesting service. How to Obtain Warranty Service or Other Information? To obtain service or information, please call: What Other Limitations Are There? ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, SHALL BE LIMITED TO THE DURATION OF THIS LIMITED WARRANTY, OTHERWISE THE REPAIR, REPLACEMENT, OR REFUND AS PROVIDED UNDER THIS EXPRESS LIMITED WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER, AND IS PROVIDED IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OF IMPLIED.

IN NO EVENT SHALL MOTOROLA OR GIANT INTERNATIONAL LTD. BE LIABLE, WHETHER IN CONTRACT OR TORT (INCLUDING NEGLIGENCE) FOR DAMAGES IN EXCESS OF THE PURCHASE PRICE OF THE PRODUCT, ACCESSORY OR SOFTWARE, OR FOR ANY INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR LOSS OF REVENUE OR PROFITS, LOSS OF BUSINESS, LOSS OF INFORMATION OR DATA, SOFTWARE OR APPLICATIONS OR OTHER FINANCIAL LOSS ARISING OUT OF OR IN CONNECTION WITH THE ABILITY OR INABILITY TO USE THE PRODUCTS, ACCESSORIES OR SOFTWARE TO THE FULL EXTENT THESE DAMAGES MAY BE DISCLAIMED BY LAW. 2. Press + or to select Off/On. If you activate Weather Alert and return to two-way mode, will display.

3. Press PTT to save the weather channel setting. As with two-way radio reception, weather channel reception depends on how close you are to a transmitter and whether you are indoors or outdoors. Because weather channels are transmitted without codes, they may contain static or noise. USA Two-Way Radios 1-800-638-5119 Canada Two-Way Radios 1-800-638-5119 Patent and Copyright Information Manufactured, distributed or sold by Giant International Ltd. , official licensee for this product. Motorola, the Motorola logo trademarks and the Motorola trade dress are owned by Motorola, Inc. and are used under license from Motorola, Inc. Please contact Giant International Ltd. at 800-638-5119 for questions/comments, warranty, support, or service related to this product. MOTOROLA and the Stylized M Logo are registered in the U.S. Patent & Trademark Office. All other product or service names are the property of their respective owners. © Motorola, Inc.

2005. For Accessories and Software, please call the telephone number designated above for the product with which they are used. You will receive instructions on how to ship the Products, Accessories or Software, at your expense, to a GIANT INTERNATIONAL LTD. Authorized Repair Center. To obtain service, you must include: (a) a copy of your receipt, bill of sale or other comparable proof of purchase; (b) a written description of the problem; (c) the name of your service provider, if applicable; (d) the name and location of the installation facility (if applicable) and, most importantly; (e) your address and telephone number. Some states and jurisdictions do not allow the limitation or exclusion of incidental or consequential damages, or limitation on the length of an implied warranty, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state or from one jurisdiction to another. Laws in the United States and other countries preserve for Motorola certain exclusive rights for copyrighted Motorola software such as the exclusive rights to reproduce and distribute copies of the Motorola software.



[You're reading an excerpt. Click here to read official MOTOROLA SX700 user guide](http://yourpdfguides.com/dref/1114969)
<http://yourpdfguides.com/dref/1114969>

Motorola software may only be copied into, used in, and redistributed with, the Products associated with such Motorola software. No other use, including without limitation disassembly of such Motorola software or exercise of the exclusive rights reserved for Motorola, is permitted.
SX700 .



[You're reading an excerpt. Click here to read official MOTOROLA
SX700 user guide](http://yourpdfguides.com/dref/1114969)

<http://yourpdfguides.com/dref/1114969>