

Manual abstract:

Microsoft®, Windows® and Windows Vista™ are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Macintosh®, Mac OS® and QuickTime® are either registered trademarks or trademarks of Apple Inc. in the United States and/or other countries. The SDHC logo is a trademark. PictBridge is a trademark. D-Lighting technology is provided by Apical Limited. The FotoNation logo is a trademark. FSE (Face Sensing Engine) technology is provided by OKI. HD Pictmotion technology is provided by Nikon Systems Inc. CompactFlash® and Extreme® are registered trademarks of SanDisk Corporation.

Products and brand names are trademarks or registered trademarks of their respective companies. Images on LCDs shown in this brochure are simulated. Specifications and equipment are subject to change without any notice or obligation on the part of the manufacturer. January 2009 ©2009 Nikon Corporation

Visit the Nikon Europe website at: www.europe-nikon.com

com Nikon U.K. Ltd. Nikon House, 380 Richmond Road, Kingston upon Thames, Surrey KT2 5PR U.K.

www.nikon.co.uk Foto Distributors 68 Kyalami Boulevard, Kyalami Business Park, Midrand, 1685, Johannesburg, Republic of South Africa
www.nikon.co.za Nikon Canada Inc. 1366 Aerowood Drive, Mississauga, Ontario, L4W 1C1, Canada www.nikon.ca NIKON CORPORATION Fuji Bldg.

, 2-3, Marunouchi 3-chome, Chiyoda-ku, Tokyo 100-8331, Japan www.nikon.com Printed in the Netherlands Code No. 6CE90010 (0901A) Ad Compact Digital Camera Lineup Spring 2009 03 Joy to the world. Behind every COOLPIX compact digital is the fundamental idea that photography is supposed to bring you joy. Every shot is a precious memory, at a moment in time, which you can save and share with your loved ones forever. For over nine decades, Nikon's ingenuity in imaging technology has certainly brought the world joy. Legendary innovations like the finely crafted NIKKOR lenses enjoyed by photographers the world over, the epoch-making EXPEED digital image-processing concept, and the smart, gorgeous designs that make Nikon cameras as joyful to carry around as they are to use. So, whether it's love, wonder, surprise or creative inspiration to capture, there's a COOLPIX for you. 02 04 Share the joy.

A COOLPIX for every style. For virtually every combination of stylish elegance, shooting performance and show-off pleasure, there's a finely crafted COOLPIX awaiting you. Capture the moment in creative fashion P series Sseries Gorgeous style. Beautiful photos. 12.

0 megapixel resolution 7x zoom Image sensor shift VR image stabilization 2.7-in. high-resolution LCD ISO 6400* capability * ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller. Experience new-found photographic freedom 13.5 megapixel resolution 4x zoom with 28mm wide-angle capability Optical lens shift VR image stabilization 2.

7-in. high-resolution LCD ISO 6400* capability * ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller. Elegance meets imaging brilliance Even closer encounters. Incredible 24x Zoom. 12.1 megapixel resolution 24x zoom with 26mm wide-angle capability Image sensor shift VR image stabilization 3-in. high-resolution vari-angle LCD ISO 6400* capability 05 * ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller. Capture the moment with an easy-to-use, high performance camera Fast, fun and downright beautiful 12.2 megapixel resolution 4x zoom with 28mm wide-angle capability Optical lens shift VR image stabilization 2.7-in.

high-resolution LCD ISO 6400 full size capability L series High performance and fashionably slim 10.0 megapixel resolution 3x zoom Electronic VR image stabilization 2.5-in. high-resolution LCD ISO 2000 capability Bringing precious moments even closer at an affordable price 10.0 megapixel resolution 15x zoom with 28mm wide-angle capability Image sensor shift VR image stabilization 3-in. high-resolution LCD ISO 3200* capability * ISO 3200 is available only for image sizes of 3M (2048 x 1536) or smaller. Smart picture-taking at your fingertips 10.0 megapixel resolution 3x zoom Electronic VR image stabilization 3-in. touch screen high-resolution LCD ISO 2000 capability A touch of style you are bound to love 10.0 megapixel resolution 5x zoom Image sensor shift VR image stabilization 3.

5-in. wide touch screen high-resolution LCD ISO 3200* capability * ISO 3200 is available only for image sizes of 5M (2592 x 1944) or smaller. Easy to operate and great pictures 10.0 megapixel resolution 3.6x zoom Motion Detection 3-in.

high-resolution LCD ISO 1600 capability Carefree and wonderfully easy 8.0 megapixel resolution 3.6x zoom Motion Detection 2.7-in. high-resolution LCD ISO 1600 capability Note: Camera lineup and color availability may vary according to region.

06 Built into every COOLPIX are marvelous technologies that ensure photographic excellence and sheer enjoyment VR Image Stabilization Nikon VR technologies help you produce blur-free images when shooting in low light or unsteady conditions. Some COOLPIX models offer optical lens or sensor shift VR, which compensates for camera shake to deliver sharp images and steadier framing with the LCD. Other models offer Electronic VR, which applies movement data to image-processing to turn blurred images into beautifully clear results. Motion Detection Motion Detection helps you produce sharper results by automatically selecting a faster shutter speed and higher ISO (light sensitivity) setting to compensate for subject movement or camera shake.

Motion Detection frees you to enjoy taking great pictures instead of worrying about camera settings. Without Motion Detection With Motion Detection Subject Tracking Subject Tracking enhances your shooting experience by automatically adjusting focus as it follows the movement of your subject.

Particularly useful when capturing children or pets in those precious moments at play, Subject Tracking ensures sharp focus and quick response to capture your best shot. Scene Auto Selector Nikon's Scene Auto Selector provides quick, carefree picturetaking in a variety of situations. Determining what your subject is and recognizing the conditions of the setting in which you are shooting, Scene Auto Selector automatically selects the appropriate scene mode for optimized results. Thus sparing you the time and bother of selecting the scene mode by hand.

Smart Portrait System Face-priority AF Without VR With VR High Sensitivity High ISO capability greatly increases photographic possibilities by delivering excellent pictures in challenging conditions. It helps you to capture subjects beautifully in low light without compromising natural light or requiring long exposure time. This minimizes the effects of camera shake. Also, by enabling the selection of faster shutter speeds, it makes it easier to capture fast-moving subjects with greater clarity.



[You're reading an excerpt. Click here to read official NIKON COOLPIX S6000 user guide](http://yourpdfguides.com/dref/3239614)
<http://yourpdfguides.com/dref/3239614>

Whether photographing an individual portrait or a group of friends, Face-priority AF helps ensure satisfying results. It automatically detects as many as 12 faces in the shot. Face-priority AF automatically adjusts exposure to achieve the right balance of brightness on your subject's face and across the whole picture. You only have to press the shutter button to enjoy shooting beautiful portraits. In-Camera Slideshow With Music HD Pictmotion Enjoy high-quality HDTV playback and slideshows via HDMI connectivity. HD Pictmotion lets you select favorite images, then combine them with music and visual styles to create an entertaining audiovisual show for enjoyment anywhere.

Touch Screen 07 Smile Mode Smile Mode automatically releases the shutter when your subject smiles to help you faithfully record the precious moment. Some models also include Blink Warning and/or Blink Proof. Blink Proof shoots two pictures and automatically saves the one in which the subject's eyes are wide open, while Blink Warning alerts you when it suspects that someone has blinked. Smile Mode ON Without Blink Proof With Blink Proof Favorite images Favorite music Style Touch screen controls on select COOLPIX models add a new dimension of intuitive operation. When shooting, you can simply touch the screen to select your subject, lock autofocus and exposure, and even zoom in for a close-up.

Playback includes fingertip scrolling through images and image selection. In-Camera Red-Eye Fix All COOLPIX cameras offer advanced red-eye reduction capability that automatically analyzes the captured image and corrects any perceived red-eye effect before saving the image to memory. Note: Feature availability varies according to camera model. With normal sensitivity With high sensitivity 09 COOLPIX S620 12.2 megapixels, ISO Auto, Programmed Auto COOLPIX S620 12.

2 megapixels, ISO Auto, Sunset scene mode COOLPIX S620 12.2 megapixels, ISO 100, Programmed Auto 08 COOLPIX S620 12.2 megapixels, ISO 100, Programmed Auto COOLPIX S620 12.2 megapixels, ISO 100, Night Landscape scene mode The only thing more beautiful are the photos you will take with it. The sharp results of high resolution, EXPEED processing, and precision 7x Zoom-NIKKOR optics. Fast, fun and downright beautiful. Swift and small, with high-resolution and plenty of reach for greater picture-taking fun and excitement. Ruby Red Black Calm Black Noble Purple Precious Pink Bright Silver 7x Zoom-NIKKOR lens Exceptional image quality and consistently sharp results are only part of the fun with the 12.0 megapixel sensor and precision 7x Zoom-NIKKOR lens of the COOLPIX S630. The flexible focal range lets you capture the full delight of all those special moments, from entire scenes to tight close-ups.

Advanced image stabilizing features that ensure sharper results every time Nikon's image sensor shift VR image stabilization compensates for the effects of camera shake to produce sharper results. Motion Detection automatically controls shutter speed and the ISO setting compensates for camera shake and subject movement. ISO 6400* capability allows faster shutter speeds when shooting in low light or capturing fast-moving subjects. Finally, Nikon's original BSS (Best Shot Selector) function automatically shoots a series of sequential frames and saves the one with the sharpest focus. * ISO 3200 and 6400 are available only for image sizes of 3M (2048 x 1536) or smaller. 10 The fastest start-up time in its class Optimized performance and the fastest start-up time* of a mere 0.7 seconds enable you to capture all those special moments. * Among compact cameras equipped with 28mm (35mm format equivalent) zoom lens and optical vibration reduction as of January 5, 2009 (according to research conducted by Nikon Corporation). Automated and optimized shooting modes Nikon's Scene Auto Selector provides carefree shooting in a variety of situations by recognizing the setting and automatically selecting the most appropriate scene mode. Subject Tracking enhances the shooting experience by automatically following the movement of your subject to ensure clear focus.

Compact and fast. Styled for just the right fit. The COOLPIX S630 packs stylish elegance, swift response and advanced functions into an ultra-compact design that is almost indescribable. Optimized performance, large controls and the reassuring fit of its Sure Grip help ensure that you will capture all those precious moments as you please. High-quality, ultra-compact design 11 Other features 12.

0 effective megapixels 2.7-in. high-resolution LCD monitor with wide-viewing angle Scene Auto Selector Sport Continuous Mode Smart Portrait System D-Lighting Beautiful portraits with ease Smile Mode helps you to record precious moments by automatically releasing the shutter when your subject smiles. The new Blink Proof function automatically shoots two sequential frames and art Portrait System D-Lighting Thumbnail selection for easy viewing Scroll through your images Paint Function The COOLPIX S220 squeezes sophisticated style, advanced functions and high performance into an 18mm ultra-slim and ultra-light design that will increase your enjoyment of picture-taking even more. 13 This is a camera everyone wants to touch.

Elegant design and the intuitive operation of a 3.5-in. widescreen touch control LCD for new picture-taking excitement. Pearl White Rich Gold Bordeaux Red Purplish Black The fun of fingertip shooting control COOLPIX S230 10.0 megapixels, ISO Auto, Programmed Auto 15 Lock autofocus and exposure on your subject by touch Portrait One-touch Zoom button for automatic zoom 14 The cutting edge of elegant design and intuitive operation A new dimension of fun lies at your fingertips with the COOLPIX S60's 3.5-in. widescreen touch control LCD. One touch will prove that taking pictures has never brought such joy before. Intuitive navigation begins with the large icons on the HOME screen that let you select operating modes and adjust controls. Choose from a selection of three different stylish HOME screen displays.

COOLPIX S230 10.0 megapixels, ISO Auto, Portrait scene mode COOLPIX S220 10.0 megapixels, ISO Auto, Programmed Auto, Quick Retouch The joy of fingertip viewing and editing Thumbnail selection for easy viewing Zoom in at playback for a closer look Scroll through your images Paint Function Personalize your photos with the stylus to write handwritten memos and even add colorful borders and stamps. Other features 10.0 effective megapixels 5x Zoom-NIKKOR lens Image sensor shift VR image stabilization Scene Auto Selector Automatic image rotation Draw Function HD Pictmotion slideshow with HDTV ISO 3200* capability Smart Portrait System D-Lighting * ISO 3200 is available only for image sizes of 5M (2592 x 1944) or smaller. Metallic Burgundy Lights COOLPIX L20 10.0 megapixels, ISO Auto, Programmed Auto COOLPIX L19 8.



[You're reading an excerpt. Click here to read official NIKON COOLPIX S6000 user guide](http://yourpdfguides.com/dref/3239614)
<http://yourpdfguides.com/dref/3239614>

0 megapixels, ISO Auto, Programmed Auto COOLPIX L20 10.0 megapixels, ISO Auto, Close-up mode 17 COOLPIX P6000 13.5 megapixels, ISO 64, Manual 16 COOLPIX P6000 13.

5 megapixels, ISO 64, Aperture-priority Auto mode The full power of total photographic freedom. Flagship COOLPIX performance, flexibility and advanced function that will please the true camera lover. The excitement of closer encounters. Phenomenal 24x zoom, 26mm wide-angle capability, a vari-angle LCD and advanced shooting modes aim to unleash your creative freedom. Black Black 19 Pure imaging power and plenty of range The COOLPIX P6000 delivers 13.

5 megapixels of sharp resolution to capture the finest details and produce beautiful enlargements. @@@@You can upload your photos directly to blogs and web sites. @@@@highresolution vari-angle LCD with antireflection coating. @@@@The tabbed menu interface is easy to navigate. @@@@Furthermore, Nikon's BSS (Best Shot Selector) function automatically selects the shot with the sharpest focus from a series of consecutive images.

21 Without Motion Detection With Motion Detection 22 Explanation of functions Camera System Shooting Features Control Options Aperture-priority Auto mode Enabling greater control over depth of field, Aperture-priority Auto mode lets you manually select aperture size, while the camera chooses the optimal shutter speed. 23 Shooting Assist Features Active Zoom Unlike digital zooms which enlarge image data, Active Zoom crops the image from the maximum image size. Therefore, Active Zoom minimizes image deterioration and delivers high-resolution data. Playback / Output Face Zoom-in Zoom right in on the subject's face during playback, and use the Multi-selector button to move freely to the faces of other subjects in the same photo. Resolution and Optics Effective megapixels The number of pixels that actually make up the image captured by a digital camera. Images recorded with more effective megapixels will therefore contain a larger amount of image information, resulting in higher-level sharpness. BSS (Best Shot Selector) BSS (Best Shot Selector) automatically selects the shot with the sharpest focus from a series of consecutive images. HD Pictmotion Refer to page 7. In-Camera Slideshow With Music NIKKOR Lenses Highly respected by leading professional photographers, NIKKOR lenses are known for their outstanding autofocus performance, true-to-life color, high contrast, and exceptional sharpness. Automatic ISO sensitivity Automatically adjusts light sensitivity to ensure optimal exposure for sharp results and carefree shooting, even in lower light.

Blink Warning Blink Warning notifies you when a subject blinks during exposure, allowing you to immediately retake the shot. Movie / Audio Time-lapse Movie Time-lapse Movie mode creates movies out of images taken using the Timelapse feature, which enables users to specify the interval between shots.

Continuous Shooting Swift Continuous Shooting capability lets you take a series of pictures in quick succession, making it easy to capture action as it happens. Optical Zoom COOLPIX cameras offer ample zooming capability. They make it easy to capture expansive landscapes or to zoom in for tight portraits. Face-priority AF Refer to page 6. Smart Portrait System Easy Auto Mode Easy Auto Mode makes photography even easier by taking control of settings, meaning you can simply turn the camera on and take pictures immediately. TV Movie T V movie mode records VGA-size images (640 x 480 pixels) that fit perfectly on a TV screen. Small Size movie produces QVGA-size movies (320 x 240 pixels). Scene Auto Selector Refer to page 7.

Scene Auto Selector Scene modes Scene modes make it easy to achieve pleasing results in a wide range of common situations. Refer to page 24. Fixed ISO sensitivity Manually set light sensitivity to have personal control on shooting effectively in lower light conditions, or to capture fast-moving subjects with outstanding clarity. Voice Recording Voice Recording allows users to record hours of sound, which can be useful to capture important conversations, meetings and bright ideas. Smile Mode Refer to page 6.

High Sensitivity Refer to page 6. 35mm (35mm format equivalent) 123mm (35mm format equivalent) Digital Zoom 492mm (35mm format equivalent) High Sensitivity Smart Portrait System Image Organization Favorite Pictures The Favorite Pictures function lets you organize images and save them to albums that you create within the camera. Subject Tracking Refer to page 7. Macro Mode Macro Mode lets you fill the frame with small objects, adjusting the lens for much closer focus and stopping down the aperture for maximum depth of field. Subject Tracking VR Image Stabilization Refer to page 6.

Image Enhancement Black border Adds a black border around the edge of photos at replay and saves the results as new image files. Small Picture The Small Picture function automatically reduces the size of data for selected images, making them better suited for emailing. VR Image Stabilization Motion Detection Refer to page 6. Motion Detection Interface Anti-reflection coating (LCD) Anti-reflection coating on the LCD monitor improves visibility, even outdoors in the sun. Connectivity / Storage GPS A built-in GPS (Global Positioning System) unit lets you record the location (latitude and longitude) of your shots as "geotags." NRW (CCD RAW) format support The NRW (RAW) file format support for Nikon COOLPIX cameras allows for images shot in NRW (RAW) format to be viewed and edited in-camera. NRW (RAW) images can also be opened in ViewNX (Windows version only). Color Options Color Options let you produce more creative results in a manner similar of using a filter, letting you change the mood of your images with a choice of Standard color, Vivid color, Black-and-white, Sepia and Cyanotype. Mode Dial The custom-designed Mode Dial provides quick and easy access to greater personal control over camera operation.

Shutter-priority Auto mode Shutter-priority Auto mode lets you manually select shutter speed, while the camera chooses the optimal aperture.

HDMI support HDMI (High Definition Multimedia Interface) connectivity allows you to enjoy high-quality HDTV slideshows. Distortion Control Distortion Control corrects for barrel distortion occurring in wide-angle images. It even displays the corrected image on the LCD in real time. Rotary Multi Selector The Rotary Multi Selector simplifies operation and speeds up the selection of functions. Sport Continuous Mode High-speed capture settings help you to keep ahead of almost any action scene you wish to shoot. Internal memory Internal memory gives you the freedom to shoot images at any time, even when you are not carrying any memory media. D-Lighting/Active D-Lighting D-Lighting/Active D-Lighting is a unique technology that adds light and detail where necessary while leaving correctly-exposed areas untouched to produce significantly improved images with a more natural-looking finish.



[You're reading an excerpt. Click here to read official NIKON](http://yourpdfguides.com/dref/3239614)

[COOLPIX S6000 user guide](http://yourpdfguides.com/dref/3239614)

<http://yourpdfguides.com/dref/3239614>

5-5.3; Digital zoom: up to 4x (35mm [135] format picture angle: 1040mm) 60cm (2 ft.) to infinity (), Macro close-up mode: 2cm (0.8 in.) to infinity () 2.7-in., approx. @44 MB), SD/SDHC memory cards*2 ISO 64, 100, 200, 400, 800, 1600, 3200*3, 6400*3, Auto (auto gain ISO 64-800), High sensitivity mode*3 (ISO 640-3200), Fixed range auto (ISO 64-200, 64-400) Rechargeable Li-ion Battery E N - E L12 (s u p p l i e d), A C Adapter EH-62F (optional) Approx. 220 shots with EN-EL12 battery Approx. 96.5 x 57.5 x 25.5 mm (3.8 x 2.3 x 1 in.) excluding projections Approx. 140 g (4.9 oz.) without battery and SD/SDHC memory card 12.2 million 4x Zoom-NIKKOR; 5.0-20.0mm (35mm [135] format picture angle: 28-112mm); f/2.7-5.8; Digital zoom: up to 4x (35mm [135] format picture angle: 448mm) 50cm (1 ft. @230k-dot, wide-viewing angle TFT LCD with anti-reflection coating, antifouling and water repellent layer, and screen brightness boost function Internal memory (approx. 45 MB), SD/SDHC memory cards*2 ISO 100, 200, 400, 800, 1600, 3200, 6400, Auto (auto gain ISO 100-1600), Fixed range auto (ISO 100-400, 100-800) Rechargeable Li-ion Battery E N - E L12 (s u p p l i e d), A C Adapter EH-62F (optional) Approx. 250 shots with EN-EL12 battery Approx. 90 x 53 x 23 mm (3.5 x 2.1 x 0.9 in.) excluding projections A pprox. 120 g (4.2 oz.) without battery and SD/SDHC memory card 10.0 million 3x Zoom-NIKKOR; 6.3-18.9mm (35mm [135] format picture angle: 35-105mm); f/3.1-5.9; Digital zoom: up to 4x (35mm [135] format picture angle: 420mm) 60cm (2 ft.) to infinity (), Macro close-up mode: 10cm (4 in.) to infinity () 3-in., approx. 230k-dot, TFT LCD with touch screen control and antireflection coating Internal memory (approx. 44 MB), SD/SDHC memory cards*2 ISO 80, 100, 200, 400, 800, 1600, 2000, Auto (auto gain ISO 80-800), High ISO Sensitivity Auto (ISO 80-1600) Rechargeable Li-ion Battery E N - E L10 (s u p p l i e d), A C Adapter EH-62D (optional) Approx. 160 shots with EN-EL10 battery Approx. 91 x 57 x 20 mm (3.6 x 2.3 x 0.8 in.) excluding projections A pprox. 115 g (4.1 oz.) without battery and SD/SDHC memory card 10.0 million 3x Zoom-NIKKOR; 6.3-18.9mm (35mm [135] format picture angle: 35-105mm); f/3.1-5.9; Digital zoom: up to 4x (35mm [135] format picture angle: 420mm) 60cm (2 ft.) to infinity (), Macro close-up mode: 10cm (4 in.) to infinity () 2.5-in., approx. 150k-dot, TFT LCD Internal memory (approx. 44 MB), SD/SDHC memory cards*2 ISO 80, 100, 200, 400, 800, 1600, 2000, Auto (auto gain ISO 80-800), High ISO Sensitivity Auto (ISO 80-1600) Rechargeable Li-ion Battery E N - E L10 (s u p p l i e d), A C Adapter EH-62D (optional) Approx. 180 shots with EN-EL10 battery Approx. 89.5 x 55.5 x 18 mm (3.5 x 2.2 x 0.7 in.) excluding projections Approx. 100 g (3.5 oz.) without battery and SD/SDHC memory card 10 million 5x Zoom-NIKKOR; 5.9-29.5mm (35mm [135] format picture angle: 33-165mm); f/3.8-4.8; Digital zoom: up to 4x (35mm [135] format picture angle: 660mm) 60cm (2 ft.) to infinity (), Macro close-up mode: 9cm (3.5 in.) to infinity () 3.5-in., wide, approx. 230k-dot, wide-viewing angle TFT LCD with touch screen control and anti-reflection coating Internal memory (approx. 20 MB), SD/SDHC memory cards*2 ISO 64, 100, 200, 400, 800, 1600, 2000, 3200*4, Auto (auto gain ISO 64-800), High ISO Sensitivity Auto (ISO 64-1600) Rechargeable Li-ion Battery E N - E L10 (s u p p l i e d), A C Adapter EH-63 (optional) Approx. 140 shots with EN-EL10 battery Approx. 97.5 x 60 x 22 mm (3.8 x 2.4 x 0.9 in.) excluding projections A pprox. 145 g (5.1 oz.) without battery and SD/SDHC memory card 13.5 million 4x Zoom-NIKKOR; 6.0-24.0mm (35mm [135] format picture angle: 28-112mm); f/2.7-5.9; Digital zoom: up to 4x (35mm [135] format picture angle: 448mm) 50cm (1 ft. @260 shots with EN-EL5 battery Approx. @240 g (8.5 oz.) without battery and SD/SDHC memory card 12.1 million 24x Zoom-NIKKOR; 4.6-110.4mm (35mm [135] format picture angle: 26-624mm); f/2.8-5; Digital zoom: up to 4x (35mm [135] format picture angle: 2496mm) 50cm (1 ft. 8 in.) to infinity (), Macro close-up mode: 1cm (0.4 in.) to infinity () 3-in., approx. 230k-dot, vari-angle TFT LCD with anti-reflection coating, Electronic Viewfinder, 0.24-in., approx. 230k-dot Internal memory (approx. 47 MB), SD/SDHC memory cards*2 ISO 64, 100, 200, 400, 800, 1600, 3200*3, 6400*3, Auto (auto gain ISO 64-800), High ISO Sensitivity Auto (ISO 64-1600), Fixed range auto (ISO 64-100, 64-200, 64-400) Rechargeable Li-ion Battery EN-EL5 (supplied), AC Adapter EH-62A (optional) Approx. 200 shots with EN-EL5 battery Approx. 114 x 83 x 99 mm (4.5 x 3.3 x 3.9 in.) excluding projections Approx. 460 g (16.2 oz.) without battery and SD/SDHC memory card 10.0 million 15x Zoom-NIKKOR; 5.0-75.0mm (35mm [135] format picture angle: 28-420mm); f/3.5-5.4; Digital zoom: up to 4x (35mm [135] format picture angle: 1680mm) 50cm (1 ft. 8 in.) to infinity (); Macro close-up mode: 1cm (0.4 in.) to infinity () 3-in., approx. 230k-dot, TFT LCD with antireflection coating Internal memory (approx. 44 MB), SD/SDHC memory cards*2 Auto (auto gain ISO 80 - 800), High sensitivity mode*3 (ISO 720-3200) Four AA alkaline (supplied), or lithium batteries, AC Adapter EH-67 (optional) Approx. 350 shots with alkaline, or 900 shots with lithium Approx. 110 x 72 x 78 mm (4.3 x 2.8 x 3 in.) excluding projections Approx. 355 g (12.5 oz.) without battery and SD/SDHC memory card 10.0 million 3.6x Zoom-NIKKOR; 6.7-24.0mm (35mm [135] format picture angle: 38-136mm); f/3.1-6.7; Digital zoom: up to 4x (35mm [135] format picture angle: 544mm) 30cm (1 ft.) to infinity (); Macro close-up mode: 5cm (2 in.) to infinity () 3-in., approx. 230k-dot, TFT LCD Internal memory (approx. 20 MB), SD/SDHC memory cards*2 Auto (auto gain ISO 64-1600) Two AA alkaline (supplied), or lithium batteries, two EN-MH2 rechargeable Ni-MH batteries (optional), AC Adapter EH-65A (optional) Approx. 240 shots with alkaline, 440 shots with EN-MH2, or 630 shots with lithium Approx. 96.5 x 61 x 29 mm (3.8 x 2.4 x 1.2 in.) excluding projections A pprox. 135 g (4.8 oz.) without battery and SD/SDHC memory card 8.0 million 3.6x Zoom-NIKKOR; 6.7-24.0mm (35mm [135] format picture angle: 41-145mm); f/3.1-6.7; Digital zoom: up to 4x (35mm [135] format picture angle: 580mm) 30cm (1 ft.) to infinity (); Macro close-up mode: 5cm (2 in.) to infinity () 2.7-in., approx. 230k-dot, TFT LCD Internal memory (approx. 20 MB), SD/SDHC memory cards*2 Auto (auto gain ISO 64-1600) Two AA alkaline (supplied), or lithium batteries, two EN-MH2 rechargeable Ni-MH batteries (optional), AC Adapter EH-65A (optional) Approx. 240 shots with alkaline, 440 shots with EN-MH2, or 630 shots with lithium Approx. 96.5 x 61 x 29 mm (3.8 x 2.4 x 1.2 in.) excluding projections A pprox. 130 g (4.6 oz.) without battery and SD/SDHC memory card *1 Based on CIPA industry standard for measuring life of camera batteries.

[You're reading an excerpt. Click here to read official NIKON](#)



[COOLPIX S6000 user guide](http://yourpdfguides.com/dref/3239614)
<http://yourpdfguides.com/dref/3239614>

*Measured at 23°C (73°F); zoom adjusted with each shot, built-in flash fired with every other shot, image mode set to Normal. *2 Not compatible with Multi Media Cards (MMC). *3 Setting is available only for image sizes of 3M (2048 x 1536) or smaller.*

**4 Setting is available only for image sizes of 5M (2592 x 1944) or smaller. Note: Camera lineup and color availability may vary according to region. 27 .*



[You're reading an excerpt. Click here to read official NIKON COOLPIX S6000 user guide](#)

<http://yourpdfguides.com/dref/3239614>