



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for NILFISK ATTIX 5. You'll find the answers to all your questions on the NILFISK ATTIX 5 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual NILFISK ATTIX 5
User guide NILFISK ATTIX 5
Operating instructions NILFISK ATTIX 5
Instructions for use NILFISK ATTIX 5
Instruction manual NILFISK ATTIX 5



ATTIX 550-01
ATTIX 550-11 MOBIL
ATTIX 550-21
ATTIX 590-21
ATTIX 12 GALLON
ATTIX 12 GALLON RDF
ATTIX EC 12 GALLON AS/E



**Nilfisk
ALTO**
Why Compromise

DE	Bedienungsanleitung.....	3
EN	Operating Instructions.....	14
FR	Notice d'utilisation.....	25
NL	Gebruiksaanwijzing.....	36
IT	Istruzioni sull'uso.....	47
SE	Driftsinstruks.....	58
SV	Bruksanvisning.....	69
DA	Driftsvejledning.....	80
FI	Käyttöohje.....	91
SL	Navodilo za uporabo.....	102
CS	Uputstvo za rad.....	113
SK	Prevádzkový návod.....	124
CZ	Provozní návod.....	135
PL	Instrukcja obsługi.....	146
HU	Kezelési utasítás.....	157
ES	Instrucciones de manejo.....	168
PT	Instruções de operação.....	179
RU	Обычные характеристики.....	190
TR	Yapılme kılavuzu.....	201
RU	Руководство по эксплуатации.....	212

302001420 - 2004-02-13



[You're reading an excerpt. Click here to read official NILFISK ATTIX 5 user guide](http://yourpdfguides.com/dref/3232929)
<http://yourpdfguides.com/dref/3232929>

Manual abstract:

.....
.....
.....

.....
.....
.....

... 3 *Operating Instructions* ..

.....
.....

.....
.....
.....

.....
.....
.....

... 14 *Notice d'utilisation*

.....
.....
.....

.....
.....
.....

..... 25 *Gebruiksaanwijzing*.

.....
.....
.....

.....
.....
.....

.....
.....
.....

.... 36 *Istruzioni sull'uso*

.....
.....
.....

.....
.....
.....

.. 47 *Driftsinstruks* ...

.....
.....

.....
.....
.....
.....

.....
.....
.....
.....

..... @@@@91 Navodilo za uporabo ...

.....
.....
.....

.....
.....
.....
.....

.....
.....

.. @@@@146 Kezelsi utasts ...

.....

.....
.....
.....
.....

.....
.....
.....
.....

.... 157 Instrucciones de manejo

.....
.....
.....

.....
.....
.....
.....

..... 168 Instrues de operao ..

.....
.....
.....

.....
.....
.....
.....

.....
.....

.... 179 .

.....
.....

.....
.....
.....
.....

.....
.....

.....
..... 190 letme klavuzu

.....
.....
.....
.....
.....
.....
.....
.....

.....
..... 201 .

.....
.....
.....
.....
.....

.....
.....

. 212 302001420 - 2004-02-13 ATTIX 550-01/550-11 MOBIL/550-21/590-21 ATTIX 12 GALLON / ATTIX 12 GALLON RDF ATTIX EC 12 GALLON AS/E
ATTIX 550-01/550-11 MOBIL/550-21/590-21 ATTIX 12 GALLON / ATTIX 12 GALLON RDF ATTIX EC 12 GALLON AS/E Contents Symbols used to mark
instructions 1 Important safety instructions 2 Description 3 Before startingy 4 Operation 2.1 2.2 3.1 4.
1 4.1.1 4.1.2 4.1.3 4.2 4.2.1 4.

2.2 4.2.3 5 Applications and techniques 6 After finishing work 7 Maintenance

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....15

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....15 Purpose

.....
.....
.....
.....
.....

.....
.....

.....
.....
.....

...17 Operating elements

.....
.....
.....
.....

.....
.....
.....

...17 Assembling the vacuum cleaner

.....
.....
.....
.....

...17 Connections

.....
.....
.....

.....
.....
.....
.....

....18 Connecting the suction hose .

.....
.....

.....
.....
.....
.....

18 Electrical connection

.....
.....
.....

.....
.....
.....

.....18 Connecting power tools1) ..

.....
.....
.....
.....

.....
.....

...18 Switching on the vacuum cleaner..

.....

.....
.....
.....

.....18 Switch position "I" ...

.....
.....
.....
.....
.....
.....
.....
.....

18 Switch position "auto"1)

.....
.....
.....

.....
.....
.....

....18 Suction power control1)

.....
.....
.....
.....

.....
.....

...19 5.1 Techniques .

.....

.....
.....
.....
.....

.....
.....
.....
.....

..19 5.1.1 Picking up dry substances.....

.....
.....
.....

.....
.....
.....

....19 5.1.2 Picking up liquids....

.....
.....
.....
.....

.....
.....
.....
.....

19 6.1 7.1 7.2 7.2.1 7.2.2 7.2.3 Switching the vacuum cleaner off and storage.

.....
.....

.....20 Maintenance plan ..

.....

.....
.....
.....
.....
.....
.....
.....

.20 Maintenance work

.....
.....
.....
.....
.....
.....

...21 Emptying the dirt tank.....

.....
.....
.....
.....
.....
.....

21 Replacing the filter bag.....

.....
.....
.....
.....
.....
.....

.....21 Replacing the filter element

.....
.....
.....
.....

...21 ..

.....
.....
.....
.....
.....

.....
.....
.....
.....

.....22 9.

1 9.2 9.3 9.4 9.5 9.

6 Recycling the vacuum cleaner

.....
.....
.....

.....
...23 Guarantee

.....
.....
.....

.....
.....
.....

.....
.....

..23 Tests and approvals ...

.....
.....
.....
.....

.....
.....

.24 Technical data

.....
.....
.....
.....

.....
.....
.....

....24 Accessories

.....
.....
.....
.....

.....
.....
.....

.....24 EC declaration of conformity

.....
.....
.....

.....
.....
.....

..24 8 Troubleshooting 9 Further information 14 1) Option depending on model ATTIX 550-01/550-11 MOBIL/550-21/590-21 ATTIX 12 GALLON / ATTIX 12 GALLON RDF ATTIX EC 12 GALLON AS/E Symbols used to mark instructions Safety instructions marked with this symbol must be observed to prevent danger to persons. This symbol is used to mark safety instructions that must be observed to prevent damage to the vacuum cleaner and its performance. This indicates tips and instructions to simplify work and to ensure safe operation. 1 Important safety instructions For your own safety Risk of fire and explosion The vacuum cleaner is suitable for commercial use, e.g. in hotels, schools, hospitals, factories, shops, offices and rental businesses. @@Do not use any unsafe work techniques. @@@@ @@@@ @@@@ @@@@ Before plugging an appliance into the appliance socket: 1.

Switch off the vacuum cleaner 2. Switch off the appliance to be connected. CAUTION! Follow the operating instructions and safety instructions for appliances connected to the appliance socket. Transport After sucking up water, do not tilt the cleaner or transport it in a horizontal position. Before starting the vacuum cleaner Before starting the vacuum cleaner, check that it is in proper condition. Plugs and couplings in power cords must at least have splash protection. Regularly check whether the power cord is damaged or shows signs of aging. Before using the cleaner, ensure that the cover and power cord are intact. (There is risk of electrocution if they are damaged.) Never use the vacuum cleaner if the filter element is damaged.

During use Do not damage the power cord (e.g. by moving over it or pulling or squeezing it). Disconnect the power cord by pulling the plug only (do not pull or tug the power cord). CAUTION! Before sucking in liquids, remove the filter bag and check the performance of the floater (see section 7.

2.3). If foam appears, stop work immediately and empty the tank. Maintenance and repair CAUTION! Always pull out the mains plug before cleaning and servicing the vacuum cleaner. Only carry out maintenance work described in the operating instructions.

CAUTION! Use original Alto accessories and parts only. The use of other parts can adversely affect safety. CAUTION! Do not make technical modifications to the vacuum cleaner. They could endanger your safety. For further maintenance or repair work and the replacement of a faulty power cord please contact the Alto service department or an authorized Alto workshop. @@@@CAUTION! @@@@The mains plug should not yet be inserted into a socket. 2. @3. Take the accessories1) out of the dirt tank and the packaging. 4.

@@IMPORTANT! Press the filter bag connection firmly on to the inlet fitting. 5. @@NOTE! @@@@Ensure that the cleaner is switched off. 2. @@1.

Ensure that the power tool is switched off. 2. @@@@Turn the switch to position "I". @@Turn the switch to position "auto"1). @@CAUTION! @@2.

@@> Overload protection switch has tripped. Remedy Reset the fuse. Switch off the vacuum cleaner and allow it to cool for approx. 5 minutes. If it can not be started again, contact the Alto service department.

@@> The power rating of the electrical tool is too low. @@@@> Clogged suction hose/nozzle. @@> Filter bag is full. @@"Suction power control". Clean suction hose/nozzle.

@@See section 4.3 "Cleaning the filter element" and 7.2.3 "Replacing the filter element". Switch off the cleaner. Empty the tank. Use a suitable extension cord (see section 9.4 "Technical data"). Connect the cleaner to another socket closer to the fuse box. Voltage fluctuations over 7 % should not occur if the impedance at the transfer point is 0.

15. No suction power during wet cleaning Voltage fluctuations > Tank is full (floater closes the suction opening). > Impedance of power supply is too high. 9 Further information 9.1 Recycling the vacuum cleaner Make the old cleaner unusable immediately. 1. Unplug the cleaner and cut the power cord. The cleaner contains valuable materials that should be recycled. Therefore, make use of your local waste disposal site. Contact your local authorities or your nearest dealer for further information.

9.2 Guarantee Our general conditions of business are applicable with regard to the guarantee. Subject to change as a result of technical advances. 1) Option depending on model 23 ATTIX 550-01/550-11 MOBIL/550-21/590-21 ATTIX 12 GALLON / ATTIX 12 GALLON RDF ATTIX EC 12 GALLON AS/E 9.3 Tests and approvals 9.

4 Technical data Electrical tests must be performed in accordance with the provisions of safety regulations (VBG4) and to DIN VDE 0701 Part 1 and Part 3. @@@@l/min. max. Pa 3600 23000 ATTIX 12 GALLO227 002 268 Fax: +886 227 840 843 THAILAND Nilfisk-Advance Co. Ltd.

@@A/S. Necla Cad. @@@@46 Doc Ngu Str. Ba Dinh Dist. Hanoi Tel.: +84 4 761 5642 Fax: +84 4 761 5643 E-mail: nilfisk@vnn.vn

http://www.nilfisk-alto.com HEAD QUARTER DENMARK Nilfisk-Advance Group Sognevej 25 DK-2605 Brndby Tel.: +45 4323 8100 Fax: +45 4343 7700 E-mail: mail@nilfisk-advance.

dk SALES COMPANIES AUSTRALIA Nilfisk-ALTO 48 Egerton St. P.O. Box 6046 Silverwater, N.S.W. 2128 Tel.: +61 2 8748 5966 Fax: +61 2 8748 5960

AUSTRIA Nilfisk-Advance GmbH Nilfisk-ALTO Metzgerstrasse 68 5101 Bergheim/Salzburg Tel.: +43 662 456 400-0 Fax: +43 662 456 400-34 E-mail: info@nilfisk-alto.at www.

nilfisk-alto.at BELGIUM Nilfisk-ALTO Division of Nilfisk-Advance n.v.s.a. Internationalelaan 55 (Gebouw C3/C4) 1070 Brussel Tel. : +32 02 467 60 40 Fax: +32 02 466 61 50 E-mail: info.



[You're reading an excerpt. Click here to read official NILFISK](#)

[ATTIX 5 user guide](#)

<http://yourpdfguides.com/dref/3232929>

be-@nilfisk-alto.com CANADA Clarke Canada Part of the Nilfisk-Advance Group 4080 B Sladeview Crescent, Unit 1 Mississauga, Ontario L5L 5Y5 Tel.: +1 905 569 0266 Fax: +1 905 569 8586 CHINA Nilfisk-Advance (Shenzhen) Ltd. Blok 3, Unit 130 1001 Honghua Road Int. Commercial & Trade Center Fuitian Free Trade Zone 518038 Shenzhen Tel.: +86 755 8359 7937 Fax: +86 755 8359 1063 CZECH REPUBLIC ALTO Cesk Republika s.r.o. Zateckch 9 14000 Praha 4 Tel.: +420 24 14 08 419 Fax: +420 24 14 08 439 E-mail: info@alto-cz.com DENMARK Nilfisk-ALTO Division of Nilfisk-Advance A/S Industrivej 1 9560 Hadsund Tel.: +45 7218 2100 Fax: +45 7218 2105 E-mail: salg@nilfisk-alto.dk E-mail: service@nilfisk-alto.dk www.

nilfisk-alto.dk Nilfisk-ALTO Food division Division of Nilfisk-Advance A/S Blytkkervej 2 9000 Aalborg Tel.: +45 7218 2100 Fax: +45 7218 2099 E-mail: scanio.technology@nilfisk-alto.dk FINLAND Nilfisk-Advance Oy Ab Piispantilankuja 4 02240 Espoo Tel.: +358 207 890 600 .



[You're reading an excerpt. Click here to read official NILFISK](#)

[ATTIX 5 user guide](#)

<http://yourpdfguides.com/dref/3232929>