




Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for OKI C5150N. You'll find the answers to all your questions on the OKI C5150N in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

<p align="center"> User manual OKI C5150N User guide OKI C5150N Operating instructions OKI C5150N Instructions for use OKI C5150N Instruction manual OKI C5150N </p>

**C5150n, C5200ne & C5200n
Computer Connections
& Software Install Guide**

<p>Installation Overview:</p> <p>Windows</p> <hr/> <p>Windows TCP/IP Network Installation: C5150n & C5200ne</p> <p><input type="checkbox"/> Ethernet Connection 2</p> <p><input type="checkbox"/> Software 3</p> <p>Windows TCP/IP Network Installation: Model C5200n</p> <p><input type="checkbox"/> Ethernet Connection 2</p> <p><input type="checkbox"/> Software 5</p> <p>Windows USB Installation: All Models</p> <p><input type="checkbox"/> Computer Connection 8</p> <p><input type="checkbox"/> Software, Windows XP 9</p> <p><input type="checkbox"/> Software, Windows 2000 10</p> <p><input type="checkbox"/> Software, Windows Me 11</p> <p><input type="checkbox"/> Software, Windows 98 12</p> <hr/> <p>Installation Overview: Macintosh</p> <p><input type="checkbox"/> Network Connection 13</p> <p><input type="checkbox"/> USB Connection 14</p> <p><input type="checkbox"/> Software: OS 10.1 & Higher 15</p>	<p align="center">Important!</p> <p>These printers can only be installed through an Ethernet connection (1) or through a USB connection (2):</p> <div style="text-align: center;">  </div> <p>They do not have a parallel port connector.</p> <hr/> <p>Service and Support</p> <p>First ... Consult the store where you purchased your printer.</p> <p>Additional OKI Resources</p> <p>► Available 24 hours a day, 7 days a week</p> <ul style="list-style-type: none"> • Visit our multilingual web site: www.okidata.com. • Visit myokidata.com. • Call 1-800-654-3282.
---	--

OKI, OKI LAN, OKI Electric Industry Company, Ltd., Microsoft, Windows, Internet Explorer, © 1999 Microsoft Corporation in the United States and other countries. Netscape, Netscape Navigator U.S., Netscape Communications Corporation, NetWare, © 1999 Novell Corporation in the U.S. and other countries. PCL, © Hewlett Packard Company, Adobe, Acrobat, Acrobat Reader, PostScript, © Adobe Systems, Inc. which may be registered in certain jurisdictions. Ethernet, © Digital Equipment Corporation, EtherTalk, LaserWriter, Mac, Macintosh, © Apple Computer, Inc.



[You're reading an excerpt. Click here to read official OKI C5150N user guide](http://yourpdfguides.com/dref/4290084)
<http://yourpdfguides.com/dref/4290084>

Manual abstract:

.....
.....
.....
.....

. 2 Software

.....
.....
.....

.....
.....
.....

... 3 Important! These printers can only be installed through an Ethernet connection (1) or through a USB connection (2): Windows TCP/IP Network Installation: Model C5200n Ethernet Connection

.....
.....
.....

..... 2 Software

.....
.....
.....

.....
.....
.....

.. 5 Windows USB Installation: All Models Computer Connection ...

.....
.....
.....

. 8 Software, Windows XP

.....
.....
.....

.... 9 Software, Windows 2000 .

.....
.....
.....

..... 10 Software, Windows Me ...

.....
.....
.....

... 11 Software, Windows 98

.....
.....
.....

12 They do not have a parallel port connector. Service and Support First ... Consult the store where you purchased your printer. Additional OKI Resources Available 24 hours a day, 7 days a week · Visit our multilingual web site: www.okidata.com. · Visit my.okidata.com.

com. @@13 USB Connection

.....
.....
.....

.....
.....
.....

... 14 Software: OS 10.1 & Higher .

.....
.....
.....

..... 15 OKI, OkiLAN © Oki Electric Industry Company, Ltd. @@Netscape, Netscape Navigator U.

S. TM, Netscape Communications Corporation. Novell, NetWare © Novell Corporation in the U.S. and other countries.

PCL © Hewlett Packard Company. Adobe, Acrobat, Acrobat Reader, PostScript TM Adobe Systems, Inc. which may be registered in certain jurisdictions.

Ethernet ® Digital Equipment Corporation. EtherTalk, LaserWriter, Mac, Macintosh ® Apple Computer, Inc.

Windows Network Installation Ethernet Connection Note: No Ethernet® cable is supplied with the printer. Use an Ethernet cable with two twisted wire pairs and an RJ45 plug. Turn the printer off. Remove the plug (1) from the Ethernet port (2), then connect your Ethernet cable to the port. Connect the other end of the cable to the network port. @@ Press the TEST button (4) on the print server. The Network Information configuration sheets print. @@ Press ENTER. Press ENTER. The Welcome dialog box appears.

Click Next. @@@@ Click Execute. Click Finish. Click the Exit button, then click Yes to confirm that you The MenuMap prints. Look for the IP Address under TCP/IP Configuration. Run The Admin Mgr / Quick Setup Utility Use this utility to allow various computers on the network access to the printer. are exiting the setup utility. Click the Back button. Insert the Drivers CD supplied with your printer in the CD-ROM drive. The CD will autorun.

(If it doesn't, click Start Run Browse. Browse to your CD-ROM drive, double-click Install.exe, click OK.) Install the Driver With the Driver CD in your CD-ROM driver and the The License Agreement appears, click Next. Select your language.

The Menu Installer Software Installation dialog box Menu Installer Software Installation dialog box displayed, click the Printer Driver Installer button. The Local or network printer dialog box appears. Select Network printer, then click Next. The Connection type dialog box appears. Select appears.

Click the Productivity Software button. Click the Admin Mgr / Quick Setup button. @@ Follow the on-screen instructions to complete the appears.

@@@@@To use Quick Setup, click this button and follow the steps below. @@@@. Change the IP address, Subnet Mask and default · Click Properties ·

Click the Device Option tab. · Click Duplex Unit to select it and/or set Available Tray to 2. Windows Me, 98 and 95: · Click Properties. · Click Printer Properties. · Click the Device Option tab. · Click Duplex Unit to select it and/or set Available Gateway to meet the requirements for your particular network environment.

When done, save and submit your changes to the print Tray to 2. Note: If you are activating a second paper tray and the server to make them permanent.

When prompted, enter the following: · User Name = Root. · Password = Last 6 digits of the MAC Address (this Available Tray portion of the dialog box appears greyed out, check my.okidata.com for the latest driver, or contact Oki Data Customer Service. · Click OK. Click OK, then close the Printers dialog box. will be found on the Network Information configuration sheets generated when you press the Test button on the back of the printer). The On-Line User's

Guide Note: To open the printer User's Guide, you must have Acrobat Reader installed.

Insert the Manuals CD into your CD-ROM drive and follow the on-screen instructions to view or install the User's Guide. Readme File For the latest printer driver information, see the Readme file on the Drivers CD supplied with your printer. 4 Windows TCP/IP Network Installation: Model C5200n Software Note:

Installing a printer on a network is best handled by With the printer turned on, press +. Press ENTER. Press ENTER.

someone familiar with networks (such as a network Administrator). For more detailed information, see the OkiLAN User's Guide on the Driver CD supplied with your printer. The MenuMap prints. Look for the IP Address under TCP/IP Configuration. Included Network Software Your Driver CD includes the following network software: Run The Admin Mgr / Quick Setup Utility Insert the Drivers CD supplied with your printer in the CD-ROM drive.

The CD will autorun. (If it doesn't, click Start Run Browse. Browse to your CD-ROM drive, double-click Install.exe, click OK.) Oki LPR Supports TCP/IP printing. Creates an OKI Print Port and installs a pop-up utility to monitor the printer status. Admin Mgr / Quick Setup Utility Use this to set up the various computers on your network for use with the printer. The License Agreement appears, click Next. Select your language. The Menu Installer Software Installation dialog box appears.

@@ Click the Admin Mgr / Quick Setup button. The OkiLAN 98100e Sofninc Setup Utility dialog box appears. @@@@@@@@@@To use Quick Setup, click this button and follow the steps below. The Welcome dialog box appears. Click Next. If the Ethernet Address information does not Set Up the Network Print the Menu Map This will provide information on the printer's IP Address which is needed to set the printer up on the network. automatically appear, click Search. Click the Ethernet information displayed, then click Next. Select Yes for TCP/IP protocol and click Next. (continued on next page) 5 Windows TCP/IP Network Installation: Model C5200n Software (cont.

) @@ Click Execute. Click Finish. Click the Exit button, then click Yes to confirm that you Install the Driver NOTE If you are not using DHCP, you need to obtain an IP Address from your network Administrator and enter it using the front panel: Press + until you see NETWORK MENU on the display, then press ENTER. Press + until you see IP ADDRESS SET. Press ENTER.

Press + to change the setting to MANUAL, and press ENTER, then BACK. Press + to advance to the IP ADDRESS. Press ENTER. @@@@@@@@@@The CD will autorun. (If it doesn't, click Start Run Browse.

@@ Select your language. @@@@Select server to make them permanent. When prompted, enter the following: · User Name = Root. · Password = Last Click the Print Test Page button. @@@@The CD will autorun. (If it doesn't, click Start Run Browse.



[You're reading an excerpt. Click here to read official OKI C5150N user guide](http://yourpdfguides.com/dref/4290084)

<http://yourpdfguides.com/dref/4290084>

@@Click Next. The Menu Installer appears. Select your language. Click the Printer Driver Installer button.

Click Local printer. Click Next. Select the USB port. Click Next. Printer model and emulation displays. Click Next. with RGB values. @@@@ Connect cable dialog box appears. @@@@ Right-click the new OKI printer icon. Click Properties.

Click the Print Test Page button. @@@@The CD will autorun. (If it doesn't, click Start Run Browse. @@Click Next. The Menu Installer appears. Select your language. Click the Printer Driver Installer button. Select Local printer. Click Next. Select the USB port.

Click Next. Printer model and emulation displays. Click Next. Printer drivers are installed. Connect cable dialog box displays. @@@@Select "Specify the location of the driver." Click Next. Select "Specify a location." Clear Removable media. Click Browse.

Scroll down and click on your CD-ROM drive. Click OK. Click Next. Click Next. The USB driver is located. Click Finish. Click Finish. Note: If you are planning to install utilities, leave the Menu button to initiate the utility install process then follow the on-screen instructions. Close the Menu Installer dialog box. To access the utility programs from your desktop, click Start Programs Okidata.

Activating the Optional Accessories If your printer has an optional duplex unit or second paper tray installed, you must enter the driver and activate them. See page 7 for instructions on how to do this. The On-Line User's Guide Note: To open the printer User's Guide, you must have Acrobat Reader installed.

Insert the Manuals CD into your CD-ROM drive and Installer open. Otherwise, close it.

Print a Test Page Click Start Settings Printers. Right-click the new OKI printer icon. Click Properties, then click the Print Test Page button. follow the on-screen instructions to view or install the User's Guide. Readme File For the latest printer driver information, see the Readme file on the Drivers CD supplied with your printer.

11 Windows USB Port Software, Windows 98 Install the Driver Make sure the USB cable is connected to your printer Click Yes to confirm printing of the test page, then click OK and close the Printers dialog box. and PC, and your printer is turned OFF. @@The OS 10.1 & Higher Install the Driver Note: Be sure to switch off antivirus software before Click Add. Select OKI TCP/IP from the drop-down menu. @@@@Disregard the following steps. Enter the printer's IP address. @@ Open the MAC folder. Open the Driver Installer folder. Open the folder for your language.

@@@@@Two on-line manuals are provided on the Manuals CD supplied with your printer: - User's Guide C5200n and C5200ne printers. Includes media recommendations, loading print media, information on using the printer menu, troubleshooting, specifications, etc. - Mac Technical Reference Includes information on color matching and on using the printer's features and utilities. To Load the Manuals Click Install. When the installation is complete, click Quit. Insert the Manuals CD into your CD-ROM drive. Double-click the CD icon which appears on the desktop. Either double-click the pdf files to view them directly Adding the Printer Mac 10.1-10.2: from the CD or drag them to the desktop.

Run the Print Center (Local HD Applications Utilities Print Center). Mac 10.3+: Run the Printer Setup Utility (Local HD Applications Utilities Printer Setup Utility). Readme File For the latest printer driver information, see the Readme file on the Drivers CD supplied with your printer. 15 Oki Data Americas, Inc., 2000 Bishops Gate Blvd., Mt. Laurel, NJ 08054-4620 Tel: 1-800-654-3282 Fax: (856) 222-5320 www.okidata.com my. okidata.com © 2004 Oki Data Americas, Inc. 59360401 .



[You're reading an excerpt. Click here to read official OKI C5150N user guide](http://yourpdfguides.com/dref/4290084)

<http://yourpdfguides.com/dref/4290084>