



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for OKI MC562W. You'll find the answers to all your questions on the OKI MC562W in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual OKI MC562W
User guide OKI MC562W
Operating instructions OKI MC562W
Instructions for use OKI MC562W
Instruction manual OKI MC562W

MC362w/ MC562w		OKI
Safety, Warranty and Regulatory Information 2		
Informations de sécurité, de garantie, et de réglementation 15		
Información sobre seguridad, garantía, y regulaciones 30		
Informações sobre segurança para modelos de 120 V 43		
<hr/>		
Country/ Region • Pays/ Région • País/ região • País/ região		
<hr/>		
United States and Canada, Etats-Unis et Canada, Estados Unidos y Canadá		América Latina (otro), Latin America (other)
<i>English</i>		<i>Español</i>
Safety Information 2	Warranty Information 4	Información de Seguridad 30
Service and Support 5	Regulatory Information 4	Información sobre la garantía 34
Material Safety Data Sheet (MSDS) 7		Servicio y Apoyo 33
<i>Français</i>		Información reglamentaria 36
Informations sur la sécurité 15		Hojas de Información sobre Seguridad de los Materiales (MSDS) 39
Information sur la garantie 18		<i>English</i>
Service et soutien 18		Safety Information 4
Informations réglementaires 19		Regulatory Information 4
Fiche technique santé-sécurité (MSDS) 22		Material Safety Data Sheet (MSDS) 7
<i>Español</i>		Brazil, Brazil
Información de Seguridad 30		<i>Português</i>
Información sobre la garantía 34		Informações de segurança 43
Servicio y Apoyo 33		Informações sobre a garantia 45
Información reglamentaria 36		Informações normativas 47
Hojas de Información sobre Seguridad de los Materiales (MSDS) 39		Ficha de Informação de Segurança do Produto 49
Mexico, México		<i>English</i>
<i>Español</i>		Safety Information 4
Información de Seguridad 30		Regulatory Information 4
Información sobre la garantía 34		Material Safety Data Sheet (MSDS) 7
Servicio y Apoyo 33		
Información reglamentaria 36		
Hojas de Información sobre Seguridad de los Materiales (MSDS) 39		
<i>English</i>		
Safety Information 4		
Regulatory Information 4		
Material Safety Data Sheet (MSDS) 7		



[You're reading an excerpt. Click here to read official OKI MC562W user guide](http://yourpdfguides.com/dref/5165074)
<http://yourpdfguides.com/dref/5165074>

Manual abstract:

Use only a damp cloth; do not use liquid or aerosol cleaners. • Place your product on a firm, solid surface. If you put it on something unsteady, it may fall and be damaged. • Protect your product from overheating. Make sure no obstructions block the openings of the product. Do not put the product on or near a heat source (such as a radiator or heat register). Keep the product out of direct sunlight. □ Always use this product in a well ventilated area. Allow enough room around the product for adequate ventilation and easy access to the paper trays. If you put the product in any kind of enclosure, make sure the enclosure is well ventilated.

□ Do not use your product near water. Do not spill liquid of any kind into it. □ Be certain that your power source matches the rating listed on the back of the product. If you are not sure, check with your dealer or with your local power company. □ Do not connect this product to an uninterruptible power supply (UPS).

This plug only fits into a grounded outlet. If the plug does not fit, the outlet may be an older, non-grounded type. Contact an electrician to have the outlet replaced. Do not use an adapter to defeat the grounding. □ Install the product near an easily accessed power outlet.

• Avoid damaging the power cord. Do not put anything on it or place it where it will be walked on. If the cord becomes damaged or frayed, replace it immediately. □ If you are using an extension cord or power strip with the product, make sure that the total of the amperes required by all the equipment on the extension is less than the extension's rating. The total ratings of all equipment plugged into the outlet should not exceed 15 amperes. • Important! A telephone cable using 26 AWG wire or larger must be used with this equipment. □ Do not poke anything into the ventilation slots of the product. You could get an electrical shock or cause hazardous electrical arcing, which could cause a fire. □ Aside from the routine maintenance described in the documentation, do not try to service the product yourself. Removing the cover may expose you to shocks or other hazards.

□ Do not make any adjustments other than those outlined in the documentation. You may cause damage that will require extensive repair work. The provided documentation explains how to get your product serviced by qualified Oki Data technicians. If anything happens that indicates that your product is not working properly or has been damaged, unplug it immediately and follow the procedures in the provided documentation for having your product serviced. Here are some of the things to look for. • The power cord or plug is frayed or damaged. □ Liquid has been spilled into the product, or the product has been exposed to water. □ The product has been dropped, or the cabinet is damaged. □ The product does not function normally when you are following the operating instructions. Additional Safety Information for Telecommunications Equipment When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following: • Do not use this product near water—for example, near a bathtub, washbowl, kitchen sink or laundry tub—in a wet basement, or near a swimming pool.

□ Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning. □ Do not use the telephone to report a gas leak in the vicinity of the leak. □ Use only the power cord and batteries indicated in this manual. Check with local codes for possible special disposal instructions.

SAVE THESE INSTRUCTIONS. 2 - English Safety Information, □ 220/240-Volt Models This product has been carefully designed to give years of safe, reliable performance. As with all electrical equipment, however, there are a few basic precautions that should be taken to avoid injury or damage: Ensure this and all other documentation is both read carefully and retained for future reference. Ensure all warning and instruction labels on the product are read, understood and followed in order to prevent any risk of injury. This product may be heavy.

Please check the weight of the product and take all necessary precautions to prevent the risk of personal injury. The product must be placed on a flat solid surface strong enough to support its weight to prevent any risk of injury. Ensure that there is adequate ventilation all around the product to prevent overheating and any risk of fire. Keep the product away from direct heat sources such as radiators and out of direct sunlight to prevent any risk of overheating. The power supply required for this product is 220-240 VAC, 50/60 Hz. (For any DC powered product, the figures are 9.) Refer to your product's rating label on the machine for full power rating details. Ensure that you have a suitable power supply before connecting the product. If in doubt contact your dealer or check with your local power provider. Ensure both the product and mains power switches are in the OFF position before connecting the AC power cable.

Do not connect or disconnect the power plug with a wet hand as this may cause electric shock. Always hold the power plug to connect/disconnect the power cable to/from the mains socket. Unplugging by pulling on the cable can cause fraying and may lead to fire or electric shock. This product has an earthed plug as a safety feature and will only connect to an earthed socket. Do not attempt to defeat the earthing or there is a risk of fire or shock. If using an extension cable or power strip ensure that the total current rating (amperes) of all connected equipment is less than the maximum rating of the extension cable, power strip or wall outlet. If the product is already supplied with a fitted power strip then no additional power strip or extension cable should be used to connect to the mains wall outlet. Otherwise, fire or shock may occur. Ensure the power cable is routed so as not to be damaged or cause a trip hazard. If the cable becomes frayed or damaged replace it immediately to prevent any risk of shock.

Do not twist, constrict or knot the power cable as this can cause overheating which may lead to fire or electric shock. Ensure the power socket to which the product is connected is easily accessible at all times and not obstructed. Use only the power cable supplied. Using a power cable not intended for this product may lead to fire or electric shock. To avoid risk of fire and electric shock, do not use the power cable supplied with this product for any other electrical equipment.

If you do not connect the power cord or any other cables only as directed in the User's Guide, this may result in a fire. It is recommended that the machine is switched off prior to opening covers; otherwise there is a risk of electric shock. When the product cover is open, do not touch the fuser unit or print head as you may receive burns. Allow it to cool before touching.



[You're reading an excerpt. Click here to read official OKI MC562W user guide](http://yourpdfguides.com/dref/5165074)
<http://yourpdfguides.com/dref/5165074>

If the product casing gets extremely hot or smoke, unusual smells or abnormal noises are emitted from the product, there is a risk of fire.

Unplug the mains connector and contact your dealer. If the product has been knocked over or damaged, there is a risk of electric shock, fire and/or injury. Unplug the mains connector and contact your dealer. If any liquid (for example water) is allowed to enter the product, there is a risk of fire. Unplug the mains connector and contact your dealer. Do not place containers containing liquid on the product as electric shock, fire and/or injuries may occur. If any foreign objects (for example clips) are allowed to enter the product, there is a risk of electric shock, fire and/or injury. Unplug the mains connector before removing the object. Do not introduce foreign objects into the ventilation holes or operate this product with any covers open or doors removed as electric shock, fire and/or injuries may occur. Do not use an extremely flammable spray near the product as the product contains high temperature parts that may cause a fire.

Switch the product off before cleaning to prevent any risk of injury. Ensure loose clothing and hair is kept clear of moving parts when the product is in operation to prevent possible risk of injury. Do not carry out any operations on the product that are not specified in the User's Guide. This may result in electric shock, fire and/or injury. Do not touch the battery if one is fitted to the product. There is a risk of explosion if the battery is replaced by an incorrect type. The product battery should not require replacement during the life of the product. Do not throw toner cartridges or image drum cartridges into a fire as you may receive burns from a dust explosion. After installing additional memory, hard disk drive, or any other internally fitted option, any covers removed or doors opened must be closed or replaced and secured to prevent risk of fire. The acoustic noise of this product is less than 70 dB (A) as measured in accordance with EN ISO 7779.

The operating condition range for your product is: 10 to 32°C and 20 to 80% RH. Operation of the product outside this range could result in damage to the product, if a scanner, finisher etc. Is fitted, exercise care when moving these items so as to avoid risk of entrapment or personal injury. If the product is installed on a cabinet or high capacity feeder, ensure wheel locks are applied once placed in final position for use, to prevent risk of movement or injury. 3 - English Regulatory Information ENERGY STAR® As an ENERGY STAR Partner, Oki Data has determined that this product meets the ENERGY STAR guidelines for energy efficiency. year 2000 Compliance This product is Year 2000 Compliant. It contains information technology that accurately processes date and time data between the years 1999 and 2000, and carries no issue for the September 9, 1999 (9999) programming concern. This product, when used in combination with products purchased from other manufacturers, whose products properly exchange data and time information, will accurately process the date and time. Statement This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Laurel, NJ 08054-4620 1-800-654-3282 (1-800-OKI-DATA) FCC Administrative Council for Terminal Attachment Requirements for End Users This device has been granted a registration number by the Administrative Council for Terminal Attachment (ACTA), under Part 68 and ACTA rules and regulations for direct connection to the telephone lines. In order to comply with these FCC rules, the following instructions must be carefully read and applicable portions followed completely. 1. @@@@ if requested, this inf 2. The following USOC jacks may be used with this equipment: RJ11C. 3. @@@@ See installation instructions for details. 4. @@@@ 0).

@@@@The digits represented by ## are the REN without a decimal point (e. For earlier products, the REN is separately shown on the label. 5. If the equipmenired shielded cable in order to ensure compliance of this equipment with FCC regulations.

@@@@@European Union Council of the European Communities Statements of Conformance for 220/240-Volt Models Electromagnetic Conformance This product complies with the requirements of the Council Directive 89/336/EEC on the approximation of the laws of the member states relating to electromagnetic compatibility. Safety Conformance This product is in conformity with Directive 73/23/EEC on the harmonization of the laws of Member States relating to electrical equipment designed for use within certain voltage limits. (Oki Data) warrants this MC352w/MC562w printer (hereinafter "the Product") to be free from defect in material and workmanship and will remedy any such defect according to the terms of this Limited Warranty. This Limited Warranty extends to the original purchaser only. This Limited Warranty does not extend to consumable items, including but not limited to ribbons, fuses, etc. Oki Data will repair (or at its option, replace) at no charge, any defective component(s) of the Product for a period of three (3) years from the date of purchase.

To make request or claim for service under this Limited Warranty, contact your Oki Data Authorized service center or Oki Data at 1-800-OKI-DATA (1-800-654-3282) or at www. A written receipt for the product, showing the date of purchase, dealer's name, and serial number of the Product, must accompany any request or claim for work to be performed under this Limited Warranty. This Limited Warranty shall not apply if the product has been damaged due to abuse, misuse, misapplication, accident, or as a result of service or modification by any other than an authorized Oki Data service center. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. OKI DATA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR LOSS ARISING FROM THE USE OF THIS PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you. Except for the warranty coverage referenced above, NEITHER OKI DATA NOR ITS SUPPLIERS SHALL HAVE ANY LIABILITY OR OBLIGATION TO CUSTOMER OR ANY OTHER PERSON FOR ANY CLAIM, LOSS, DAMAGE, OR EXPENSE CAUSED IN WHOLE OR IN PART, DIRECTLY OR INDIRECTLY, BY THE INADEQUACY OF ANY PRODUCTS FOR ANY PURPOSE, BY ANY DEFICIENCY OR DEFECT IN ANY PRODUCTS (WHETHER OR NOT COVERED BY ANY WARRANTY), BY THE USE OR PERFORMANCE OF ANY PRODUCTS OR BY ANY FAILURE OR DELAY IN OKI DATA'S PERFORMANCE HEREUNDER, OR FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGE, HOWEVER CAUSED INCLUDING, WITHOUT LIMITATION, PERSONAL INJURY OR LOSS OF BUSINESS OR PROFIT, WHETHER OR NOT CUSTOMER SHALL HAVE INFORMED OKI DATA OF THE POSSIBILITY OR LIKELIHOOD OF ANY SUCH DAMAGES.



[You're reading an excerpt. Click here to read official OKI MC562W user guide](http://yourpdfguides.com/dref/5165074)
<http://yourpdfguides.com/dref/5165074>

Customer's exclusive remedy under these warranties is limited, at OKI Data's election, to any one of (a) refund of customer's purchase price, (b) repair by OKI Data or the manufacturer of any products found to be defective, or (c) replacement of any such product. Except as specifically set forth in this paragraph, THERE ARE NO REPRESENTATIONS OR WARRANTIES OF ANY KIND BY OKI DATA OR ANY AGENT OR EMPLOYEE THEREOF, EXPRESS OR IMPLIED, AS TO THE CONDITION OR PERFORMANCE OF ANY PRODUCTS, THEIR MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR OTHERWISE. Additional information on obtaining service under this Limited Warranty is available by contacting the Oki Data dealer from whom the product was purchased, by contacting Oki Data directly at 1-800-654-3282 (1-800-OKI-DATA) [U].

However, the procedure for obtaining service may vary outside the continental United States. Contact your Oki Data dealer for such warranty service information. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. 6 - English Material Safety Data Sheet #58400001 Black Toner: P/N 44469801 , 44469802 For more information , contact Oki Data at: 2000 Bishops Gate Boulevard , Mount Laurel , NJ 08054-4620. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position.

avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen. Emergency First Aid Procedures Toner swallowed (ingested) Immediately seek medical attention. Never give anything by mouth to an unconscious person. If possible, rinse out mouth and give one or two glasses of water or milk to drink. Toner gets in the eyes. Flush eyes with large quantities of cool water for 15 minutes, keeping the eyelids open with fingers. If necessary, seek medical attention. Toner gets on the skin.

Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. Note: Small amounts of toner on skin or clothing can easily be removed with soap and cold water. For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required.

For large spills, use rubber gloves and safety goggles during cleanup. @@ large Spills 1. @@ 2. Wear protective gear: respirator, rubber gloves, safety goggles. 3.

Vacuum the spill, then wipe up remainder with a wet cloth. @@ Large amounts must be passed to a licensed waste contractor. @@ store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility _____ This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ____ Minimal fire hazard.

Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen. Emergency First Aid Procedures Toner swallowed (ingested) Immediately seek medical attention. Never give anything by mouth to an unconscious person. If possible, rinse out mouth and give one or two glasses of water or milk to drink.

Toner gets in the eyes. Flush eyes with large quantities of cool water for 15 minutes, keeping the eyelids open with fingers. If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap.

If necessary, seek medical attention. Note: Small amounts of toner on skin or clothing can easily be removed with soap and cold water. For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. For large spills, use rubber gloves and safety goggles during cleanup.

@@ large Spills 1. @@ 2. Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@ Large amounts must be passed to a licensed waste contractor. @@ store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility _____ This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary.

All health and safety information contained in this bulletin must be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ____ Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus.

hazardous Combustion Products: Carbon monoxide , oxides of nitrogen. Emergency First Aid Procedures Toner swallowed (ingested) Immediately seek medical attention. Never give anything by mouth to an unconscious person. If possible, rinse out mouth and give one or two glasses of water or milk to drink. Toner gets in the eyes.

Flush eyes with large quantities of cool water for 15 minutes, keeping the eyelids open with fingers. If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention.

Note: Small amounts of toner on skin or clothing can easily be removed with soap and cold water. For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. For large spills, use rubber gloves and safety goggles during cleanup. @@ large Spills 1. @@ 2. Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@ Large amounts must be passed to a licensed waste contractor.

@@ store in a cool room , under 104°F (40°C).



[You're reading an excerpt. Click here to read official OKI MC562W user guide](http://yourpdfguides.com/dref/5165074)
<http://yourpdfguides.com/dref/5165074>

Keep out of reach of children. User's Responsibility _____ This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ____ Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2.

In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen. Emergency First Aid Procedures Toner swallowed (ingested) Immediately seek medical attention. Never give anything by mouth to an unconscious person. If possible, rinse out mouth and give one or two glasses of water or milk to drink. Toner gets in the eyes. Flush eyes with large quantities of cool water for 15 minutes, keeping the eyelids open with fingers.

If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. Note: Small amounts of toner on skin or clothing can easily be removed with soap and cold water. For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. For large spills, use rubber gloves and safety goggles during cleanup. @@ large Spills 1. @@ 2.

Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@ □ Large amounts must be passed to a licensed waste contractor. @@ store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation.

Telephone Consumer Protection Act de la FCC Le Telephone Consumer Protection Act de 1991 rend illégale l'utilisation par une personne d'un ordinateur ou de tout autre dispositif électronique, y compris les télécopieurs, pour envoyer des messages éventuels via télécopieur, à moins que ces messages fassent clairement mention, à l'intérieur de la marge inférieure ou supérieure de chaque page ou de la première page transmise, de la date et de l'heure d'envoi ainsi que de l'identification de l'entreprise ou autre entité, voire d'un autre individu expédiant le(s) message(s), ainsi que du numéro de téléphone dudit appareil utilisé ou d'une telle entreprise, d'une autre entité ou individu. □ No utilize el teléfono para reportar un escape de gas cerca del escape de gas. Laurel, NJ 08054-4620 1-800-654-3282 (1-800-OKI-DATA) Requisitos do Administrative Council for Terminal Attachment para Usuários Finais Este dispositivo recebeu um número de registro do Administrative Council for Terminal Attachment (ACTA), sob as normas e regulamentações da Parte 68 e do ACTA, para conexão direta a linhas telefônicas. .



[You're reading an excerpt. Click here to read official OKI MC562W user guide](http://yourpdfguides.com/dref/5165074)
<http://yourpdfguides.com/dref/5165074>