



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for OKI MPS2731MC. You'll find the answers to all your questions on the OKI MPS2731MC in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual OKI MPS2731MC
User guide OKI MPS2731MC
Operating instructions OKI MPS2731MC
Instructions for use OKI MPS2731MC
Instruction manual OKI MPS2731MC

MPS2731mc		OKI
Safety, Warranty and Regulatory Information 2		
Informations de sécurité, de garantie, et de réglementation 16		
Información sobre seguridad, garantía, y regulaciones 31		
Informações sobre segurança para modelos de 120 V 44		
<hr/>		
Country/ Region • Pays/ Région • País/ região • Pais/ região		
<hr/>		
United States and Canada, Etats-Unis et Canada, Estados Unidos y Canadá		
<hr/>		
<i>English</i>		
Safety Information	2	
Warranty Information	4	
Service and Support	5	
Regulatory Information	6	
Material Safety Data Sheet (MSDS)	8	
<i>Français</i>		
Informations sur la sécurité	16	
Information sur la garantie	18	
Service et soutien	19	
Informations réglementaires	21	
Fiche technique santé-sécurité (MSDS)	23	
<i>Español</i>		
Información de Seguridad	31	
Información sobre la garantía	34	
Servicio y Apoyo	36	
Información reglamentaria	38	
Hojas de Información sobre Seguridad de los Materiales (MSDS)	40	
<hr/>		
Mexico, México		
<hr/>		
<i>Español</i>		
Información de Seguridad	31	
Información sobre la garantía	34	
Servicio y Apoyo	35	
Información reglamentaria	38	
Hojas de Información sobre Seguridad de los Materiales (MSDS)	40	
<i>English</i>		
Safety Information	2	
Regulatory Information	6	
Material Safety Data Sheet (MSDS)	8	
<hr/>		
América Latina (otro), Latin America (other)		
<hr/>		
<i>Español</i>		
Información de Seguridad	31	
Información sobre la garantía	34	
Servicio y Apoyo	35	
Información reglamentaria	38	
Hojas de Información sobre Seguridad de los Materiales (MSDS)	40	
<i>English</i>		
Safety Information	2	
Regulatory Information	6	
Material Safety Data Sheet (MSDS)	8	
<hr/>		
Brasil, Brazil		
<hr/>		
<i>Português</i>		
Informações de segurança	44	
Informações sobre a garantia	46	
Informações normativas	48	
Ficha de Informação de Segurança do Produto	49	
<i>English</i>		
Safety Information	2	
Regulatory Information	6	
Material Safety Data Sheet (MSDS)	8	



[You're reading an excerpt. Click here to read official OKI MPS2731MC user guide](http://yourpdfguides.com/dref/5165088)
<http://yourpdfguides.com/dref/5165088>

Manual abstract:

Use only a damp cloth; do not use liquid or aerosol cleaners. • Place your product on a firm, solid surface. If you put it on something unsteady, it may fall and be damaged. @@@@Protect your product from overheating. Make sure no obstructions block the openings of the product. Do not put the product on or near a heat source (such as a radiator or heat register). Keep the product out of direct sunlight. □ Always use this product in a well ventilated area. Allow enough room around the product for adequate ventilation and easy access to the paper trays. If you put the product in any kind of enclosure, make sure the enclosure is well ventilated.

□ Do not use your product near water. Do not spill liquid of any kind into it. □ Be certain that your power source matches the rating listed on the back of the product. @@@@This plug only fits into a grounded outlet. @@ contact an electrician to have the outlet replaced.

Do not use an adapter to defeat the grounding. □ Install the product near an easily accessed power outlet. • Avoid damaging the power cord. Do not put anything on it or place it where it will be walked on. if the cord becomes damaged or frayed, replace it immediately.

@@@The total ratings of all equipment plugged into the outlet should not exceed 15 amperes. • Important! A telephone cable using 26 AWG wire or larger must be used with this equipment. □ Do not poke anything into the ventilation slots of the product. You could get an electrical shock or cause hazardous electrical arcing, which could cause a fire. □ Aside from the routine maintenance described in the documentation, do not try to service the product yourself. Removing the cover may expose you to shocks or other hazards. □ Do not make any adjustments other than those outlined in the documentation. You may cause damage that will require extensive repair work. The provided documentation explains how to get your product serviced by qualified Oki Data technicians. If anything happens that indicates that your product is not working properly or has been damaged, unplug it immediately and follow the procedures in the provided documentation for having your product serviced.

Here are some of the things to look for. • The power cord or plug is frayed or damaged. □ Liquid has been spilled into the product, or the product has been exposed to water. □ The product has been dropped, or the cabinet is damaged. □ The product does not function normally when you are following the operating instructions. Additional Safety Information for Telecommunications Equipment When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following: • Do not use this product near water—for example, near a bathtub, washbowl, kitchen sink or laundry tub—in a wet basement, or near a swimming pool. □ Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning. □ Do not use the telephone to report a gas leak in the vicinity of the leak. □ Use only the power cord and batteries indicated in this manual.

Check with local codes for possible special disposal instructions. SAVE THESE INSTRUCTIONS. 2 - English Safety Information, □ 220/240-Volt Models This product has been carefully designed to give years of safe, reliable performance. As with all electrical equipment, however, there are a few basic precautions that should be taken to avoid injury or damage: Ensure this and all other documentation is both read carefully and retained for future reference. Ensure all warning and instruction labels on the product are read, understood and followed in order to prevent any risk of injury.

This product may be heavy. Please check the weight of the product and take all necessary precautions to prevent the risk of personal injury. The product must be placed on a flat solid surface strong enough to support its weight to prevent any risk of injury. Ensure that there is adequate ventilation all around the product to prevent overheating and any risk of fire. Keep the product away from direct heat sources such as radiators and out of direct sunlight to prevent any risk of overheating.

The power supply required for this product is 220-240 VAC, 50/60 Hz. (For any DC powered product, the figures are 9.) Refer to your product's rating label on the machine for full power rating details. Ensure that you have a suitable power supply before connecting the product. If in doubt contact your dealer or check with your local power provider. Ensure both the product and mains power switches are in the OFF position before connecting the AC power cable. Do not connect or disconnect the power plug with a wet hand as this may cause electric shock. Always hold the power plug to connect/disconnect the power cable to/from the mains socket. Unplugging by pulling on the cable can cause fraying and may lead to fire or electric shock. This product has an earthed plug as a safety feature and will only connect to an earthed socket.

Do not attempt to defeat the earthing or there is a risk of fire or shock. If using an extension cable or power strip ensure that the total current rating (amperes) of all connected equipment is less than the maximum rating of the extension cable, power strip or wall outlet. If the product is already supplied with a fitted power strip then no additional power strip or extension cable should be used to connect to the mains wall outlet. Otherwise, fire or shock may occur. Ensure the power cable is routed so as not to be damaged or cause a trip hazard. If the cable becomes frayed or damaged replace it immediately to prevent any risk of shock. Do not twist, constrict or knot the power cable as this can cause overheating which may lead to fire or electric shock. Ensure the power socket to which the product is connected is easily accessible at all times and not obstructed. Use only the power cable supplied. Using a power cable not intended for this product may lead to fire or electric shock.

@@@@@@@@Allow it to cool before touching. @@Unplug the mains connector and contact your dealer. @@Unplug the mains connector and contact your dealer. @@Unplug the mains connector and contact your dealer. @@@@Unplug the mains connector before removing the object.

@@@@Switch the product off before cleaning to prevent any risk of injury. Ensure loose clothing and hair is kept clear of moving parts when the product is in operation to prevent possible risk of injury. Do not carry out any operations on the product that are not specified in the User's Guide. this may result in electric shock, fire and/or injury. Do not touch the battery if one is fitted to the product.

There is a risk of explosion if the battery is replaced by an incorrect type. The product battery should not require replacement during the life of the product. Do not throw toner cartridges or image drum cartridges into a fire as you may receive burns from a dust explosion.



[You're reading an excerpt. Click here to read official OKI](http://yourpdfguides.com/dref/5165088)

[MPS2731MC user guide](http://yourpdfguides.com/dref/5165088)

<http://yourpdfguides.com/dref/5165088>

After installing additional memory, hard disk drive, or any other internally fitted option, any covers removed or doors opened must be closed or replaced and secured to prevent risk of fire. The acoustic noise of this product is less than 70 dB (A) as measured in accordance with EN ISO 7779. The operating condition range for your product is: 10 to 32°C and 20 to 80% RH. Operation of the product outside this range could result in damage to the product. If a scanner, finisher etc. Is fitted, exercise care when moving these items so as to avoid risk of entrapment or personal injury. If the product is installed on a cabinet or high capacity feeder, ensure wheel locks are applied once placed in final position for use, to prevent risk of movement or injury.

(Oki Data) warrants this MPS2731mc (hereinafter "the Product") to be free from defects in material and workmanship and will remedy any such defect according to, the terms of this Limited Warranty. Oki Data will repair or at its option, replace, with the same or its functional equivalent, at no charge, any defective component(s) of the Product for one (1) year from the date of purchase except for the printhead (LED imaging array), which is warranted for a period of five (5) years from the date of purchase. This Limited Warranty only extends to the original purchaser of the warranted item. This Limited Warranty is not transferable. This Limited Warranty does not extend to consumable items or supplies, such as toner cartridges, image drums, ribbon cartridges, fuses, etc. on-Site Repair Note: On-Site Repair is available in the United States and Canada only. On-Site Repair does not include the replacement or repair of Product consumables or supplies. Oki Data will, for a period of one (1) year from the date of original purchase, repair or replace (at Oki Data's option) on-site at the original purchaser's facility and without charge, any defective component(s) of the Product provided that the warranty service is performed by an Oki Data authorized service provider. The printheads (LED imaging arrays) have a 5-year parts only warranty from date of original purchase. Following the first year of warranty coverage, the printheads will be replaced by an authorized Oki Data service provider at Oki Data's then current labor rates.

To make request or claim for service under the one (1) year parts and labor coverage of this Limited Warranty, contact your Oki Data Authorized Dealer, authorized thirdparty service provider, or Oki Data. Oki Data reserves the right to use new and/or refurbished parts for the warranty repair. @@@@ Contact your Oki Data dealer for such warranty service information. @@@@ • Prices and minimum charges may vary. @@ year 2000 Compliance This product is Year 2000 Complception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures: • Reorient or relocate the receiving antenna.

□ Increase the separation between the equipment and the receiver. @@@@ The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the RENS of all the devices does not exceed five. California Requirement Perchlorate Warning Applicable to Lithium Batteries Sold and/or Distributed in California Perchlorate Material: special handling may apply. Industry Canada (IC) Radio Interference Statements This Oki Data apparatus complies with the Class B limits for radio interference as specified in the IC Radio Interference Regulations.

Industry Canada (IC) Requirements for End Users This product meets the applicable Industry Canada technical specifications.

7 - English Material Safety Data Sheet #58400001 Black Toner: P/N 44469801 , 44469802 For more information , contact Oki Data at: 2000 Bishops Gate Boulevard , Mount Laurel , NJ 08054-4620. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen.

@@Never give anything by mouth to an unconscious person. @@Toner gets in the eyes. @@If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. @@For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. @@@@ large Spills 1. @@ 2.

Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@ □ Large amounts must be passed to a licensed waste contractor. Precautions Precautions for Handling or Storage: Protect from the sun.

store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility_____ This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers.

It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ___ Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen.

@@Never give anything by mouth to an unconscious person. @@Toner gets in the eyes. @@If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. @@For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. @@@@ large Spills 1. @@ 2.

Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@ □ Large amounts must be passed to a licensed waste contractor. Precautions Precautions for Handling or Storage: Protect from the sun.

store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility_____ This bulletin cannot cover all possible situations which the user may experience when using this product.



[You're reading an excerpt. Click here to read official OKI](#)

[MPS2731MC user guide](#)

<http://yourpdfguides.com/dref/5165088>

Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers.

It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ____ Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen.

@@Never give anything by mouth to an unconscious person. @@Toner gets in the eyes. @@If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. @@For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. @@@@ large Spills 1. @@ 2. Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@□ Large amounts must be passed to a licensed waste contractor. Precautions Precautions for Handling or Storage: Protect from the sun.

store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility_____ This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers.

It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. Emergency Information: call 1-800-654-3282; US and Canada only. fire and Explosion Hazard Data ____ Minimal fire hazard. Large quantities may cause risk of dust explosion. Extinguishing Media: In case of small fire, use CO2. In case of large fire, shut off air by spraying with water or foam. Special Fire Fighting Procedures: Fight fire from upwind position. avoid inhalation of smoke or gases. Wear self-contained breathing apparatus. hazardous Combustion Products: Carbon monoxide , oxides of nitrogen.

@@Never give anything by mouth to an unconscious person. @@Toner gets in the eyes. @@If necessary, seek medical attention. Toner gets on the skin. Wash toner off the skin with plenty of cool water and soap. If necessary, seek medical attention. @@For large spills, use dust respirator during cleanup. protective Gloves and/or Eye Protection: Not normally required. @@@@ large Spills 1. @@ 2. Wear protective gear: respirator, rubber gloves, safety goggles. 3. Vacuum the spill, then wipe up remainder with a wet cloth. @@□ Large amounts must be passed to a licensed waste contractor. Precautions Precautions for Handling or Storage: Protect from the sun.

store in a cool room , under 104°F (40°C). Keep out of reach of children. User's Responsibility This bulletin cannot cover all possible situations which the user may experience when using this product. Each aspect of your operation must be examined in regard to if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin must be provided to your employees or customers.

It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation. □ No utilice el teléfono para reportar un escape de gas cerca del escape de gas. .



[You're reading an excerpt. Click here to read official OKI MPS2731MC user guide](http://yourpdfguides.com/dref/5165088)
<http://yourpdfguides.com/dref/5165088>