



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for PANASONIC KX-T7630. You'll find the answers to all your questions on the PANASONIC KX-T7630 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual PANASONIC KX-T7630
User guide PANASONIC KX-T7630
Operating instructions PANASONIC KX-T7630
Instructions for use PANASONIC KX-T7630
Instruction manual PANASONIC KX-T7630

Panasonic

Digital Proprietary Telephones
for Hybrid IP PBX

Operating Instructions

Model No. **KX-T7625**
KX-T7630
KX-T7633
KX-T7636



Please read this Operating Instructions before using and save for future reference.
This manual is designed to be used with your Proprietary Telephone and a Panasonic KX-TDA200/100.



[You're reading an excerpt. Click here to read official PANASONIC KX-T7630 user guide](http://yourpdfguides.com/dref/3003560)
<http://yourpdfguides.com/dref/3003560>

Manual abstract:

KX-T7625 KX-T7630 KX-T7633 KX-T7636 K XT 76 36 CO NF FW D /D ND PA US E IN T ER CO MAU TO AN SW 12 11 ER MU AB GH I C AU TE TO D IA L 24 10 23 9 8 22 21 20 19 18 17 16 15 14 ST DE F OR E JK PQ L MN RS O TU 7 6 V W OP XY Z ER 5 4 M ES SA GE RE D IA 3 2 TR AN F RE L A CA S H LL / HO LD L SF 1 ER SP -P HO NE 13 EN CA TE R NC EL KX-T7636 Please read this Operating Instructions before using and save for future reference. This manual is designed to be used with your Proprietary Telephone and a Panasonic KX-TDA200/100. Before Initial Use Thank you for purchasing a Panasonic Digital Proprietary Telephone. Please read IMPORTANT SAFETY INSTRUCTIONS on page XX before use. Read and understand all instructions. When you ship the product Carefully pack and send it prepaid, adequately insured and preferably in the original carton. Attach a postage-paid letter, detailing the symptom to the outside of the carton. DO NOT send the product to the Executive or Regional Sales offices. They are NOT equipped to make repairs. Product service Panasonic Servicenters for this product are listed in the servicenter directory.

@@@ To avoid missing part of the conversation: If you and the other party speak at the same time, parts of your conversation will be lost. To avoid this, speak alternately. Accessories (included) For extra orders, call toll free 1-800-332-5368 Handset Handset Cord One Telephone Line Cord Wall Mounting Plate One One One 2 Table of Contents Before Initial Use ...

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

.....2 Before Operating the Telephones

.....
.....
.....
.....
.....
.....
.....

4 Location of Controls

.....
.....
.....
.....
.....
.....
.....
.....
.....

..... 4 Connection

.....
.....
.....
.....
.....
.....
.....
.....
.....

..... @@@@ @@@@8 Receiving Calls

.....
.....
.....

.....
.....
.....
.....

.....
.....
.....
.....

..9 Answering Calls

.....
.....
.....

.....
.....
.....
.....

.....
.....
.....
.....

.... 9 During a Conversation

.....
.....
.....

.....
.....
.....
.....

.....
.....

.10 Transferring a Call

.....

.....
.....
.....
.....

.....
.....
.....
.....

... 10 Holding a Call ..

.....
.....

.....
.....
.....
.....

.....
.....
.....

operation. TRANSFER Used to transfer a call to another party. TRANSFER 5 Before Operating the Telephones Connection The telephone line cord (included) Connect to a Digital Hybrid IP PBX (TO MAIN UNIT) Connect to a digital proprietary telephone for DXDP, or a single line telephone for XDP, or a standard telephone jack (TO TEL). PABX CAUTION Ensure the cord is inserted in the groove to prevent damage to the connector.

< Back view> Consult your dealer for more details about DXDP and XDP . Tilt Angle Adjustment The tilt angle of the operation board can be adjusted. To lift : Lift up the operation board. @@ Press the SP-PHONE button. Press TALK button.

Off-hook (One of the following): Hang up. Press the SP-PHONE button. @@Dial extension number. @@@@ (Default: Ringing line is selected.) Press the SP-PHONE button.

@@@@@Enter 1 51. (DSS) C.Tone Press flashing DSS. Talk. @@@@Or you have already confirmed/received the call log.

@@@@receiving group extension no. desired no. @@@@@@Read and understand all instructions. 2. Follow all warnings and instructions marked on the product.

3. Unplug this product from the wall outlet before cleaning. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning. 4. @@5. Do not place this product on an unstable cart, stand, or table. The product may fall, causing serious damage to the product. 6. @@@@7.

Do not allow anything to rest on the telephone cord. @@8. Do not overload wall outlets and extension cord as this can result in the risk of fire or electric shock. 9. Never push objects of any kind into this product through cabinet slots as they may touch dangerous voltage points or short out parts that could result in a risk of fire or electric shock.

Never spill liquid of any kind on the product. 10. To reduce the risk of electric shock, do not disassemble this product, but take it to a qualified serviceman when some service or repair work is required. Opening or removing covers may expose you to dangerous voltages or other risks. Incorrect reassembly can cause electric shock when the appliance is subsequently used.

11. Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions: A. When the power supply cord or plug is damaged or frayed. B. If liquid has been spilled into the product. C. If the product has been exposed to rain or water. D.If the product does not operate normally by following the operating instructions. @@E.

If the product has been dropped or the cabinet has been damaged. F. If the product exhibits a distinct change in performance. 12. @@There may be a remote risk of electric shock from lightning. 13. Do not use the telephone to report a gas leak in the vicinity of the leak. SAVE THESE INSTRUCTIONS 22 FCC and Other Information NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by.



[You're reading an excerpt. Click here to read official PANASONIC](#)

[KX-T7630 user guide](#)

<http://yourpdfguides.com/dref/3003560>