



# Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for PHILIPS 42PFT5609/12. You'll find the answers to all your questions on the PHILIPS 42PFT5609/12 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

**User manual PHILIPS 42PFT5609/12**  
**User guide PHILIPS 42PFT5609/12**  
**Operating instructions PHILIPS 42PFT5609/12**  
**Instructions for use PHILIPS 42PFT5609/12**  
**Instruction manual PHILIPS 42PFT5609/12**

Vejledning

**PHILIPS**



[You're reading an excerpt. Click here to read official PHILIPS 42PFT5609/12 user guide](http://yourpdfguides.com/dref/5665995)  
<http://yourpdfguides.com/dref/5665995>

### Manual abstract:

@@@ Har du brug for hjælp til at slutte flere enheder til TV'et, kan du gå ind på Philips' tilslutningsguide for TV. Du kan indstille en forskydning, som kompenserer for den tid, det tager for hjemmebiografsystemet at frembringe lyden til TV-billedet. 3 Når TV'et er på standby, skal du trykke på  på fjernbetjeningen for at tænde for TV'et. 3 - Vælg Maksimum, Medium, Minimum, eller vælg Fra for at slukke for lysstyrken på ordmærke. For at slukke helt for TV'et skal du tage strømkablet ud af stikkontakten. 2 - Afspilnings- og optagelsestaster • Afspil , for at afspille • Pause , for at sætte afspilning på pause • Stop , for at stoppe afspilning • Tilbagespoling , for at spole tilbage • Hurtigt frem , for at spole hurtigt frem • Optag , for at optage nu 3 -  Indstillinger Åbner indstillingssiderne: 4 -  TV GUIDE Åbner og lukker TV-guiden. Indstillinger for tekst-TV I tekst-TV skal du trykke på  OPTIONS for at vælge følgende . Undertekster for digitale kanaler Det er ikke nødvendigt at angive undertekster i Tekst for digitale kanaler. Hvis du ønsker at undgå adgang til HbbTV-sider på en bestemt kanal, kan du blokere for HbbTV-siderne specifikt for denne kanal. Når begge systemer er installeret, skal du skifte antenneindgangssignalet på tilslutningen Antenne bag på TV'et og indstille TV'et til det relevante system for at få vist de Symbolhastighedsstilstand Hvis din kabel-TV-udbyder ikke tildelte dig en specifik symbolhastighedsværdi til installation af TV-kanaler, skal du lade indstillingen for symbolhastighedsstilstand stå på Automatisk.

Indstillinger for kanalliste Sådan får du vist kanallisteindstillinger for den aktuelle kanal .  Satellit Filtre kanallisten, så den kun viser kanalerne for en bestemt satellit eller viser kanalerne for alle satellitter. For at fjerne en kanal fra listen over Foretrukne kanaler skal du trykke på  for at slå markeringen af Foretrukken kanal fra. Vælg Kun satellit-TV-stationens kanaler for kun at installere kanalerne i pakken eller vælg Alle satellitkanaler for at installere pakken samt alle øvrige tilgængelige kanaler.  Skype Vælg Skype for at foretage gratis videoopkald (kun for Smart TV'er).

Hvis oplysningerne i TV-guiden kommer fra internettet, kan du trykke på  + for at få vist tidsplanen for en af de næste dage. 3 Timer for slukning Hvis du ikke trykker på fjernbetjeningen i en 4 timers periode, eller hvis TV'et ikke modtager et indgangssignal eller fjernbetjeningskommandoer i 10 minutter, slukker TV'et automatisk for at spare energi. Hvis du vil se 3D på dette TV, får du desuden brug for denne type Philips 3D aktive briller. 3 3D-brillerne Spil for to spillere Du kan bruge brillerne til at spille spil for to spillere. to spillere kan kigge på samme TV men se forskelligt indhold på skærmen.

Du skal tænde brillerne og trykke på tasten Spiller 1/2 for at skifte brillernes indstillinger til at vise skærmen for Spiller 1 eller Spiller 2.  Skærm fra Hvis du kun lytter til musik, kan du slukke TV-skærmen for at spare energi. Specifikt • Beskrivelse af lyd (kommentarer) for svagtseende er ikke tilgængelig for afspilning i Pause TV eller Optager. For at ændre datoen for listen skal du trykke på  OPTIONS 55 åbne listen med undertekster. Du skal have Skype-kredit eller et Skypeabonnement for at ringe til et telefonnummer. Du skal have Skype-kredit for at kunne foretage et telefonopkald. Du skal have Skype-kredit til rådighed eller have tegnet et Skype-abonnement for at kunne foretage et opkald til et telefonnummer. Du skal have Skype-kredit eller et Skype-abonnement for at kunne viderestille opkald til telefoner. Vilkår for anvendelse; erklæring om beskyttelse af personlige oplysninger Læs Skypes vilkår for anvendelse på www. Et "6" for 2011, "7" for 2012 og et "8" for 2013.

3 - Vælg Tilknyt en mobil enhed, og tryk på OK for at se koden for tilknytning. Indstillingen for MyRemote-optagelse Sørg for, at denne indstilling er aktiveret for at planlægge en optagelse. Stryk med fingeren til højre for at se den forrige kanal, eller stryg med fingeren til venstre for at se den næste kanal. Du kan indstille en aldersgrænse for at forhindre børn i at se et program, der er forbudt for børn under en bestemt alder, og angive eller ændre din børnesikringskode. Universel adgang Tryk på  Søgeord, og find Universaladgang for brugerindstillinger for syns- og hørehæmmede. kanalinstallation Tryk på  Søgeord, og find Automatisk kanalopdatering eller Kanalopdateringsmeddelelse. Find også Manuel installation for installation af analoge kanaler eller DVB for at skifte antenntilslutningen. For at indstille en brugerdefineret farvetemperatur skal du først vælge Brugerdefineret i indstillingen Farvetemperatur for at gøre menuen Lysstyrke Med Lysstyrke kan du indstille lysstyrken for billedsignalet. Hovedtelefonlydstyrke Med Lydstyrke for hovedtelefon kan du regulere lydstyrken for et sæt tilsluttede hovedtelefoner separat. For at ændre farveskalaen for Lounge light skal du trykke på  (Ambilight) igen.

For deaktivering af Lounge light skal du trykke på  (Ambilight) og holde den nede i et par sekunder. På mærket finder du energieffektivitetsklassen, det gennemsnitlige strømforbrug for dette produkt ved brug og det gennemsnitlige energiforbrug for 1 år. Du kan også finde værdier for strømforbruget for dette produkt på Philips websted for dit land på www. Skærm fra Hvis du kun lytter til musik, kan du slukke TV-skærmen for at spare energi. vælg Skærm fra, og tryk på OK.

Tryk på en vilkårlig tast på fjernbetjeningen for at tænde for skærmen igen. Lyssensor For at spare energi reducerer den indbyggede sensor for omgivende lys lysstyrken på TV-skærmen, når det omgivende lys sænkes. den indbyggede lyssensor justerer automatisk billedet sammen med Ambilight efter lysforholdene i rummet. Timer for slukning Hvis du ikke trykker på fjernbetjeningen i en 4 timers periode, eller hvis TV'et ikke modtager et signal i 10 minutter, slukker TV'et automatisk for at spare energi. Symboler, SCPC og MCPC • Analog videoafspilning: NTSC, SECAM, PAL • Digital videoafspilning: MPEG2 SD/HD (ISO/IEC 13818-2), MPEG4 SD/HD (ISO/IEC 14496-10) • Digital lydafspilning (ISO/IEC 13818-3) • Satellitantenneindgang: 75 ohm, type F • Inputfrekvensområde: 950 til 2150MHz • Inputniveauområde: 25 til 65 dBm • Understøttede satellitter: Astra 19,2 °Ø, Astra 23,5 °Ø, Astra 28,2 °Ø, Hotbird 13,0 °Ø, Türksat 42,0 °Ø, Eutelsat 7 °V, Thor 1 °V • Astra HD+ support • LNB: DiSEqC 1.



[You're reading an excerpt. Click here to read official PHILIPS](http://yourpdfguides.com/dref/5665995)

[42PFT5609/12 user guide](http://yourpdfguides.com/dref/5665995)

<http://yourpdfguides.com/dref/5665995>

Tilbyder hermed at levere, efter anmodning, en kopi af den komplette, tilsvarende kildekode for de ophavsretligt beskyttede open source-softwarepakker, der anvendes i dette produkt, for hvilke der anmodes om et sådant tilbud af de respektive licenser. @@@@Philips offers no support for this software. @@It only applies to this source code made available to you. @@@@MNG is the animation extension to the popular PNG image-format. @4) Used by boot loader and only linked with boot loader, GPL license. @@@@ 7. 4 license, which can be found below. @@ an introductory article on using. @@@This piece of software is made available under the terms and conditions of the DirectFB license, which can be found below. SquashFS compresoftware is made available under the terms and conditions of the electric-fence license, which can be found below.

This piece of software is made available under the terms and conditions of the QT license, which can be found below. 14) e2fsprogs provides the filesystem utilities for use with the ext2 filesystem, it also supports the ext3 and ext4 filesystems. This piece of software is made available under the terms and conditions of the e2fsprogs license, which can be found below. This piece of software is made available under the terms and conditions of the alsa license, which can be found below. This piece of software is made available under the terms and conditions of the lvm2 license, which can be found below. 0) A library provides free peer-reviewed portable C++ source libraries is used for encfs. 4) A library that provides a flexible message logging facility for C programs and libraries is used for encfs. 48) Bash is the shell, or command language interpreter, that will appear in the GNU operating system. Bash is an sh-compatible shell that incorporates useful features from the Korn shell (ksh) and C shell (csh). In addition, most sh scripts can be run by Bash without modification. 9) The GNU Core Utilities are the basic file, shell and text manipulation utilities of the GNU operating system. These are the core utilities which are expected to exist on every operating system. 31) The GNU Find Utilities are the basic directory searching utilities of the GNU operating system. These programs are typically used in conjunction with other programs to provide modular and powerful directory search and file locating capabilities to other commands. 5) If you are like many computer users, you would frequently like to make changes in various text files wherever certain patterns appear, or extract data from parts of certain lines while discarding the rest.

To write a program to do this in a language such as C or Pascal is a time-consuming inconvenience that may take many lines of 91 code. The job is easy with awk, especially the GNU implementation: gawk. 1a) The grep command searches one or more input files for lines containing a match to a specified pattern. 12) GNU Gzip is a popular data compression program originally written by Jean-loup Gailly for the GNU project. Org/software/inetutils/ iputils (s20101006) The iputils package is set of small useful utilities for Linux networking.

12) Provides developer documentation for the utilities used by Linux systems to load and manage kernel modules (commonly referred to as "drivers"). Package is a collection of programs for controlling the network subsystem of the Linux kernel. 8) procs is the package that has a bunch of small useful utilities that give information about processes using the /proc filesystem. The package includes the programs ps, top, vmstat, w, kill, free, slabtop, and skill. 13) This PSmisc package is a set of some small useful utilities that use the proc filesystem. We're not about changing the world, but providing the system administrator with some help in common tasks. Instead, it is used to filter text, i. e. , it takes text input, performs some operation (or set of operations) on it, and outputs the modified text. Sed is typically used for extracting part of a file using pattern matching or substituting multiple occurrences of a string within a file.

@@@2) GNU Wget is a free software package for retrieving files using HTTP, HTTPS and FTP, the most widely-used Internet protocols. It is a non-interactive commandline tool, so it may easily be called from scripts, cron Jobs, terminals without X-Windows support, etc. They use a textual interface and are rather crude, but aim to support the full Wireless Extension. Gz) GNU libmicrohttpd is a small C library that is supposed to make it easy to run an HTTP server as part of another application. The original download site for this software is : <http://www.gnu.org/software/libmicrohttpd/> This piece of software is made available under the terms and conditions of the LGPL v2. Gz) YAJL is a small event-driven (SAX-style) JSON parser written in ANSI C, and a small validating JSON generator. yAJL is released under the ISC license. The original download site for this software is : <http://lloyd.github.com/yajl/> This piece of software is made available under the terms and conditions of the ISC license Source: <http://pkgs.org> Part of the software embedded in this product is gSOAP software. Portions created by gSOAP are Copyright 2000-2011 Robert A. 2) jQuery is a fast and concise JavaScript Library that simplifies HTML document traversing, event handling, animating, and Ajax interactions for rapid web development.

1) The Linux\* SDK for UPnP\* Devices (libupnp) provides developers with an API and open source code for building control points, devices, and bridges that are compliant with Version 1. Com/bonjour/> In our project, Bonjour is used for the automatic discovery of devices and services Source: [Tryk på fjernbetjeningen eller på TV'et for at tænde for TV'et fra standbytilstanden. Risiko for elektrisk stød eller brand • Udsæt ikke TV'et for regn eller vand. Kan drages til ansvar for fejl i indholdet af dette dokument eller for problemer opstået på baggrund af indholdet i dette dokument. 100 MHEG-software Ophavsretten i MHEG-softwaren \("Software"\), der indgår i dette fjernsyn \("dette produkt"\), og som er inkluderet for at give dig mulighed for at bruge interaktive fjernsynsfunktioner, ejes af S&T CLIENT SYSTEMS LIMITED \("Ejeren"\). κοινοβιο Non-contractual images / Images non contractuelles / Außervertragliche Bilder Specifications are subject to change without notice.](http://developer.1) keyed-hash message authentication code (HMAC) is a specific construction for calculating a message authentication code (MAC) involving a cryptographic hash function in combination with a secret cryptographic key. As with any MAC, it may be used to simultaneously verify both the data integrity and the authentication of a message. Any cryptographic hash function, such as MD5 or SHA-1, may be used in the calculation of an HMAC; the resulting MAC algorithm is termed HMAC-MD5 or HMAC-SHA1 accordingly.</a></p></div><div data-bbox=)



[You're reading an excerpt. Click here to read official PHILIPS 42PFT5609/12 user guide](http://yourpdfguides.com/dref/5665995)  
<http://yourpdfguides.com/dref/5665995>

*Philips and the Philips' shield emblem are registered trademarks of Koninklijke Philips N. v. And are used under license from Koninklijke Philips Electronics N. v. All registered and unregistered trademarks are property of their respective owners.*



[You're reading an excerpt. Click here to read official PHILIPS  
42PFT5609/12 user guide  
http://yourpdfguides.com/dref/5665995](http://yourpdfguides.com/dref/5665995)