



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for PIONEER HTP-072. You'll find the answers to all your questions on the PIONEER HTP-072 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual PIONEER HTP-072
User guide PIONEER HTP-072
Operating instructions PIONEER HTP-072
Instructions for use PIONEER HTP-072
Instruction manual PIONEER HTP-072

Pioneer

HTP-072 | Home Cinema Package

S-22W-P | Subwoofer

S-11A-P | Speaker System

Discover the benefits of registering your product online at <http://www.pioneer.co.uk> (or <http://www.pioneer.eu>).

Operating Instructions



[You're reading an excerpt. Click here to read official PIONEER HTP-072 user guide](http://yourpdfguides.com/dref/5598643)
<http://yourpdfguides.com/dref/5598643>

Manual abstract:

pioneer.co.uk (or <http://www.pioneer.eu>). Operating Instructions Thank you for buying this PIONEER product. Please read through these operating instructions so you will know how to operate your model properly. After you have finished reading the instructions, put them away in a safe place for future reference. These operating instructions have been written for joint use with the S-22W-P and S-11A-P models. Please consult those portions of the manual indicated for your model.

WARNING: *Do not climb or sit on this unit. Be especially careful when children are around. The unit may be damaged, or may fall over causing injury. If you want to dispose this product, do not mix it with general household waste. There is a separate collection system for used electronic products in accordance with legislation that requires proper treatment, recovery and recycling.*

Private households in the member states of the EU, in Switzerland and Norway may return their used electronic products free of charge to designated collection facilities or to a retailer (if you purchase a similar new one). For countries not mentioned above, please contact your local authorities for the correct method of disposal. By doing so you will ensure that your disposed product undergoes the necessary treatment, recovery and recycling and thus prevent potential negative effects on the environment and human health. K058b_A1_En 2 En Contents Features ..

.....

.....

.....

.....

.....

..... 3 Accessory Items

.....

.....

.....

..... 3 Installation .

.....

.....

.....

.....

.....

.....

. 3 Connections and Use

.....

.....

.. 6 Specifications ...

.....

.....

.....

.....

..... 8 Troubleshooting

.....

.....

.....

..... @@@@• Orient the subwoofer's front face pointing toward the listening position. • The subwoofer plays back the bass in monaural, making use of the fact that the human ear is not very sensitive to the direction of low-pitched sound.

Because of this, the subwoofer can be installed almost anywhere. If it is installed too far away, however, the sound from the other speakers may become unnatural. The degree of bass effect can be adjusted by moving the unit farther from or closer to the wall. 3 En Satellite speakers (S-11A-P) • Labels located on the rear of each speaker indicate whether they are designed for front or surround use. • Speakers installed to the right and left should be separated by about 1.8 m to 2.7 m distance. They should be installed at equal distances from the television, and at equal heights from the floor. • Optional speaker stands can be purchased to facilitate optimal mounting of the surround speakers at or slightly above the listener's ear height. • The surround effect will be diminished if the surround speakers are mounted at extreme distances from the listener's position.

Installation precautions • Do not place heavy or large objects on top of the speaker. Doing so could provoke the speaker to fall, causing damages or bodily injury. • Do not place the speaker on an unstable surface, as doing so may cause the speaker to fall and cause damage or bodily injury. • Switch off and unplug your AV equipment and consult the instructions when connecting up components. Make sure you use the correct connecting cables. • Do not sit or stand on the speaker, or let children play on the speaker. Doing so could provoke the speaker to fall, causing damages or bodily injury. • Be careful to make sure children not to put their hands or any objects into the speaker duct*. *Speaker duct: A hole for plentiful bass sound on speaker cabinet (enclosure). • Place the center speaker at a safe distance from the child's reach.

@@@@@ Connection to any other amplifier may result in malfunction or fire.

@@@@@ • When the surfaces are very dirty, wipe with a soft cloth dipped in some neutral cleanser diluted five or six times with water, and wrung out well, and then wipe again with a dry cloth. Do not use furniture wax or cleaners. • Never use thinners, benzine, insecticide sprays and other chemicals on or near this unit, since these will corrode the surfaces. Only the satellite speaker Frequency(Hz) 5 En Connections and Use Connection Before

making or changing the connections, switch off the power and disconnect the power cord from the AC outlet. • These speaker terminals carry HAZARDOUS LIVE voltage. To prevent the risk of electric shock when connecting or disconnecting the speaker cords, disconnect the power cord before touching any uninsulated parts. • After connecting the plugs, pull lightly on the cords to make sure that the ends of the cords are securely connected to the terminals. Poor connections can create noise and interruptions in the sound. • If the cords' wires happen to be pushed out of the terminals, allowing the wires to come into contact with each other, it places an excessive additional load on the receiver.

This may cause the amp to stop functioning, and may even damage the receiver. • When using a set of speakers connected to an receiver, you won't be able to obtain the normal stereo effect if the polarity (+, -) of one of the speakers (left or right) is reversed. Connecting the speakers To get the best out of your speakers it is important that you connect them properly to your receiver. Each speaker connection consists of a positive (+) and a negative (-) terminal. These should be matched between the receiver and the speaker. 1 Attach one end of the supplied speaker cord to the rear of the each speaker. • Connect the wire with the colored marker to the red (+) terminal; the plain wire to the black (-) terminal. Press down the spring-loaded tab and insert the wire, as shown below. Release the tab to secure the wire. Black (-) Red (+) Red colored marker Operation • Set the receiver's cross-over frequency at 200 Hz.

Making amplifier settings 2 Connect the other end of each speaker cord to your receiver. • To connect, insert the colored wire into the matching positive (colored) terminal and the other wire into the negative (black) terminal. See also the Operating Instructions that came with your receiver. Before connecting the speakers, please read the operating instructions supplied with your amplifier to select the speaker setting of amplifier: • Front / Center / Surround speakers: SMALL 6 En Wall-mounting the front and surround speaker system (S-11A-P) Attaching the brackets • @@ • Make sure to tighten the supplied screw as securely as possible when attaching the bracket to the back of the speaker. • Do not attach brackets to center speaker or subwoofer.

• Use the M5 metric thread screw. @@@@Do not mount on plywood or soft surface walls. • Mounting screws are not supplied. @@@@Bass-reflex, floor type Speaker ..

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....16 cm cone type Nominal impedancwww.pioneer.

eu © 2013 PIONEER CORPORATION. All rights reserved. PIONEER CORPORATION 1-1, Shin-ogura, Saiwai-ku, Kawasaki-shi, Kanagawa 212-0031, Japan PIONEER ELECTRONICS (USA) INC. P.O. BOX 1540, Long Beach, California 90801-1540, U.S.A. TEL: (800) 421-1404 PIONEER ELECTRONICS OF CANADA, INC.



[You're reading an excerpt. Click here to read official PIONEER HTP-072 user guide](http://yourpdfguides.com/dref/5598643)
<http://yourpdfguides.com/dref/5598643>

340 Ferrier Street, Unit 2, Markham, Ontario L3R 2Z5, Canada TEL: 1-877-283-5901, 905-479-4411 PIONEER EUROPE NV Haven 1087, Keetberglaan 1, B-9120 Melsele, Belgium TEL: 03/570.

05.11 PIONEER ELECTRONICS ASIACENTRE PTE. LTD. 253 Alexandra Road, #04-01, Singapore 159936 TEL: 65-6472-7555 PIONEER ELECTRONICS AUSTRALIA PTY. LTD.

5 Arco Lane, Heatherton, Victoria, 3202, Australia, TEL: (03) 9586-6300 PIONEER ELECTRONICS DE MEXICO S.A. DE C.V. Blvd. Manuel Avila Camacho 138 10 piso Col.Lomas de Chapultepec, Mexico, D.F. 11000 TEL: 55-9178-4270 K002_B3_En <ARB7531-A> .



[You're reading an excerpt. Click here to read official PIONEER](#)

[HTP-072 user guide](#)

<http://yourpdfguides.com/dref/5598643>