



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for RICOH PRO 907EX. You'll find the answers to all your questions on the RICOH PRO 907EX in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual RICOH PRO 907EX
User guide RICOH PRO 907EX
Operating instructions RICOH PRO 907EX
Instructions for use RICOH PRO 907EX
Instruction manual RICOH PRO 907EX

Outstanding production power

RICOH Pro | 907^{EX}
1107^{EX}
1357^{EX}

RICOH

built for peak performance

110 135

optimum reliability and durability

Ricoh Production Printing

The advertisement collage features a central image of a Ricoh PRO 907EX copier. To the right, a man in a light blue shirt is reviewing a large architectural drawing. The collage includes various text elements and icons, such as the Ricoh logo, the 'RICOH Pro' branding with model numbers, and the 'Ricoh Production Printing' logo at the bottom right. There are also circular icons with the numbers 110 and 135, and a 'built for peak performance' slogan.



[You're reading an excerpt. Click here to read official RICOH PRO 907EX user guide](http://yourpdfguides.com/dref/3012341)
<http://yourpdfguides.com/dref/3012341>

Manual abstract:

Speed up your production while meeting and exceeding your customers' varied demands. Ricoh, leading manufacturer of high volume solutions, hands you the means with its RICOH ProTM series. The RICOH ProTM 907EX/1107EX/1357EX are complete, modular powerhouses designed to handle your high-volume print orders efficiently. Highly reliable and customisable with a unique range of finishing functions, these systems are guaranteed to make a difference. · Outstanding productivity. · Optimum reliability and durability. · Full colour scanning. · Variety of print controllers. · Widest choice of in-line finishing options. Automate your production workflow Go Pro Productivity.

Professionalism. Progress. Ricoh puts its extensive expertise in high-end printing at the service of the professional production market. The RICOH ProTM line caters to the quality, speed, reliability, durability and finishing needs of printing professionals. Robust and straightforward in use, RICOH ProTM engines are built to be the beating heart of your business.

Outstanding productivity · Up to 90/110/135 sheets per minute simplex & duplex productivity (A4). · Finishing keeps up with print speed: 90/110/135 ppm punching with Booklet Finisher. · Full colour scanning A colour scanner is standard on the RICOH ProTM 907EX/1107EX/1357EX. · Full colour and monochrome scanning at 80 pages per minute (200 dpi, A4).

· Razor-sharp images with up to 1,200 dpi resolution. · Swift, paperless distribution to e-mail or folder. User-friendly operation · · · Large and flexible colour operation display. Easy job programming with intuitive user interface. Thumbnail view and preview on document server. Versatile editing functions. Widest choice of in-line finishing options · · · Multi-folding. Stapling, punching and cover insertion. Fully automated ring binding. Professional booklet making with optional front-side trimming.

Top-quality perfect binding with 3-side trimming. Easy operation The RICOH ProTM 907EX/1107EX/1357EX are designed to make difficult tasks easy. The RICOH unique icon-based RPCSTM driver keeps the learning curve for working with the applications short. It also allows you to standardise frequently-used complicated settings under an individual icon. Inexperienced users will appreciate the simplified screen function that gives direct access to the machine's basic features. Essentially user-friendly Easy job input · · · Easy job programming via colour LCD panel. Any print job is only one click away. Limited number of steps to set or edit print jobs. Thumbnail view and preview on document server. Easy troubleshooting Troubleshooting is simple when animations guide you all the way.

Because the operation panel can be tilted, you have a good view of it whichever your working position. This flexibility considerably facilitates maintenance actions. If necessary, a service engineer can even extend the display's arm. Easy maintenance Minimise the visits of a service technician and enjoy maximum uptime. Our professional service programme trains your operators to perform maintenance themselves.

Operator Replaceable Units include drum, developer unit, cleaning unit, pre-charge and charge units, cleaning web and paper feed roller. The waste toner bottle can be replaced by any operator. Maximise your output Designed to cope with the toughest schedules, the RICOH ProTM 907EX/1107EX/1357EX efficiently take care of your entire production process. From preparing jobs to finishing them professionally, these power devices encompass your entire document workflow. The RICOH user-friendly systems can be maintained by trained operators, increasing your uptime and flexibility.

Built for peak performance True production power As operator-based document centres, the RICOH ProTM 907EX/1107EX/1357EX boast: · Non-stop operation at 90/110/135 ppm, ideal for peak periods. · An integrated production workflow encompassing all the steps from input to output. · Duplex output produced at simplex speeds. Heavy-duty design · A maximum paper capacity of 8,050 sheets. · RICOH ProTM1357EX handles peaks of almost 2 million pages per month (RICOH ProTM1107EX: 1.5 million/907EX:1 million). · Rugged design: smooth running, even when pushed to the limit during peaks. · Duplex printing at full engine speed. Continuous performance · · · 9 different paper sources and automatic tray switching. Load-while-run convenience for paper, new jobs and toner.

2 toner bottles yield a total of 120,000 A4 pages. · Offer your clients a wealth of new value-added print products. · Forget the hassle that used to come with making booklets. Choose options that do it all for you. They can even be combined. ·

GBC StreamPunchTM III: wide variety of punched documents. · The optional trimmer makes for a truly professional finish.

· One unit stacks 5,000 sheets, and two can be combined by a tandem connection. The systems switch automatically when one stacker is full. With the booklet finisher, the maximum paper output is 12,750 sheets.

Roll-away carts facilitate offline finishing, packaging and distribution. Fully automated ring binding The industry's first fully automated ring binder cuts down your traditional workload. · Automatic punching and binding. · Colour front and back cover insertion. · Binding capacity: up to 50 or 100 sheets; A4 size booklets.

· Punch/stack latitude: up to 216 g/m2. In-line perfect binding Our glue binder for perfect binding produces professional-quality books with strong, glued backs. · Exceptional: accepts oversized paper for body pages. · Binding capacity: up to 200 sheets per book; sizes from A5 to A4. · Standard three/one-edge trimming and colour cover insertion from two different trays (up to 300 g/m2).

Extend your print performance As a professional, you know that your clients expect more in less time. The RICOH ProTM 907EX/1107EX/1357EX are true workhorses that process at high speed and handle peak loads. Depending on your specific workflow, Ricoh offers a variety of controllers to meet your requirements. Simply pick the controller of your choice to achieve made-to-measure performance. Customised solutions Embedded controller With the entry-level embedded controller, you have full access to all the RICOH ProTM 907EX/1107EX/1357EX's capabilities without extensive training. The controller is tailored to the needs of your high-volume work environment. It enables the creation of print jobs in a few quick steps. The Adobe® PostScript® 3TM option ensures fast and reliable output. IPDS printing The RICOH IPDS Unit Type 1357EX makes a separate IPDS print box or server superfluous.



[You're reading an excerpt. Click here to read official RICOH PRO 907EX user guide](http://yourpdfguides.com/dref/3012341)
<http://yourpdfguides.com/dref/3012341>

This cost-effective option enables your RICOH ProTM 907EX/1107EX/1357EX to print IBM® host documents containing text, images, graphics and/or barcodes.

It supports finishing functions such as stapling. Enjoy page by page control and error recovery. Benefit from your RICOH ProTM powerhouse's functionalities in combination with IPDS, PS, PCL and PDF formats. Fiery print performance Complex print jobs are dealt with in record time. The external Fiery® controller EB-1357 rips heavy (PDF) files at great speed. · Straightforward printing of genuine Adobe® Postscript® files and complex graphics. · Easy integration in the RICOH ProTM 907EX/1107EX/1357EX's Fiery® workflow. Micropress® For maximum productivity, opt for MicroPress®. A very powerful controller and complete workflow solution come in one package. Incorporating advanced scanning, job composition and production printing capabilities like job queuing, MicroPress® is ideal for on-demand printing.

Digital quality redefined Your customers expect crisp, sharp text and high-quality graphics in their next generation documents. The RICOH ProTM 907EX/1107EX/1357EX deliver down to the last dot and line with high-quality on-demand efficiency. You can now achieve a new level of service with every monochrome document you produce. Our definition of quality is yours Excellent 1,200 x 1,200 dpi quality Designed with the RICOH 2 x 4-beam laser technology, the RICOH ProTM 907EX/1107EX/1357EX produce high quality output with a real 1,200 x 1,200 dpi resolution. Originals are scanned once, stored into memory and reproduced from there, as often as you want.

@@@ Batch mode: documents of 2,000 pages can be scanned as one single stray: 330 x 488 mm Standard trays: 52 - 216 g/m A3 LCT: 40 - 300 g/m2 Duplex: 52 - 256 g/m2 Standard 870 x 858.5 x 1,476 mm Less than 315 kg 220 - 240 V, 50 - 60 Hz Maximum: 3,500/3,500/4,000 W 2 SCANNER Scan speed: Resolution: 80 originals per minute (A4 LEF, 200 dpi) 100 - 600 dpi (200 dpi default) TWAIN (full colour, B/W): 100 - 1,200 dpi (600 dpi default) 297 x 432 mm TIFF, JPEG, PDF, high-compression PDF WIA, Network TWAIN Authentication: SMTP, POP before SMTP Via LDAP, local address book or direct input Up to 500 from local address book, up to 100 via LDAP Maximum 2,000 Via SMB, FTP or NCP protocol, up to 50 folders per job Maximum scan area: Output formats: Bundled drivers: Scan to e-mail: Destination address selection: Destination addresses: Stored destination addresses: Scan to folder: Paper output capacity: OPTIONAL CONTROLLERS Fiery printer/scanner controller, MicroPress ® Paper size: SOFTWARE Standard: DeskTopBinderTM Lite, Web SmartDeviceMonitorTM, SmartDeviceMonitorTM for Admin, Web Image Monitor, TWAIN driver Device Software Development Kit, @Remote Paper weight: Option: Duplexing: Dimensions (W x D x H): Weight: Power source: Power consumption: OTHER OPTIONS 4,550-sheet A4 large capacity tray, 4,000-sheet A3 large capacity tray, 1,000-sheet A3 tray kit, 500-sheet multi-bypass tray, 3,000-sheet finisher with 100-sheet stapler, Several punch units (2/3, 2/4 switchable hole punch, Scandinavian 4 hole punch), Booklet finisher, Booklet trimmer, Cover interposer, Ring binder, Glue binder (perfect bind in-line option), High-capacity stacker with tandem connection, Decurling/purge unit, Multi-folding unit, Plockmatic booklet maker, GBC StreamPunchTM III, Roll-away cart, VM card, File format converter, Copy Data Security Unit, Data Overwrite Security Unit, Browser unit, HDD encryption unit, Copy connector, ® MicroPress , Fiery printer/scanner controller. ¹ Only one of these options can be installed. @@For availability of models, optional apparatus and software, please consult your local Ricoh supplier. PRINTER/SCANNER PRINTER CONTROLLER Print speed: Printer language/resolution: 90/110/135 prints per minute Standard: PCL5e: 300 - 600 dpi PCL6: 600 - 1,200 dpi RPCSTM: 200 - 1,200 dpi ® Option: Adobe PostScript 3TM: 600 - 1,200 dpi Genuine IPDS: 300 - 600 dpi Standard: Ethernet 10 base-T/100 base-TX, USB 2.

0 Option1: IEEE 1284 Wireless LAN (IEEE 802.11 a/b/g) Ethernet 1000 base-T, Bluetooth Standard: 512 MB with additional 1 GB (total: 1.5 GB) Hard Disk Drive: 320 GB RPCS, PCL5e, PCL6, PS, XPS TCP/IP (IPv4, IPv6), IPX/SPX, EtherTalk, SMB Windows 2000/XP/Vista/Server 2003/Server 2008 Macintosh OS 8.6 or later (OS X Classic) Macintosh OS X 10.1 or later (native mode) ® UNIX Sun Solaris 2.6/7/8/9/10 HP-UX 10.x/11.x/11iv2/11iv3 ® RedHat Linux 6.x/7.x/8.

.x/9.x/Enterprise SCO OpenServer 5.0.6/5.0.7/6.0 ® IBM AIX v4.3/5L v5.1/5.2/5.3 ® Novell Netware 3.12/3.2/4.1/4.11/5.

0/5.1/6.0/6.5 ® SAP R/3 version 4.x or later, mySAP ERP2004 or later ® Interface: Memory: Drivers: Network protocol: Supported networks: All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear. Copyright © 2009 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC. For more information, please contact: RICOH ASIA PACIFIC PTE LTD 260 Orchard Road #15-01/02 The Heeren Singapore 238855 Phone: +65 6830 5888 Fax: +65 6830 5830 www.ricoh.com.sg .



[You're reading an excerpt. Click here to read official RICOH PRO 907EX user guide](http://yourpdfguides.com/dref/3012341)
<http://yourpdfguides.com/dref/3012341>