




Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for SHARP MX-4140N. You'll find the answers to all your questions on the SHARP MX-4140N in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual SHARP MX-4140N
User guide SHARP MX-4140N
Operating instructions SHARP MX-4140N
Instructions for use SHARP MX-4140N
Instruction manual SHARP MX-4140N

SHARP.

DYNAMIC PERFORMANCE WITH EXCEPTIONAL OPERABILITY



 MX-4140N MX-4141N
MX-5140N MX-5141N



[You're reading an excerpt. Click here to read official SHARP MX-4140N user guide](http://yourpdfguides.com/dref/5329747)
<http://yourpdfguides.com/dref/5329747>

Manual abstract:

Full - color ledger - size workgroup document systems Sharp's new MX-4140N/4141N/5140N/5141N color series document systems combine the simplicity of touch-screen menu navigation with robust multi-tasking workflow features that can help virtually any office accomplish more in less time. A large 10.1" (diagonally measured) high-resolution, tilting touch-screen display offers groundbreaking real-time image preview with intuitive flick-and-tap editing to help ensure your documents are produced accurately and without waste. This new series also offers many advanced features such as a fully customizable home screen, dynamic action menus that provide feature-specific guidance, and a full-size retractable keyboard for easy data entry. Plus, with Sharp's enhanced second-generation micro-fine toner technology and true 1200 x 1200 dpi print resolution, this new series can help your business produce professional looking color documents in-house with breathtaking image quality that is also economical. The new MX-4140N/4141N/5140N/5141N color series has been built on the latest Sharp OSA® development platform, making integration with network applications and cloud services easier than ever. And with Sharp's industry-leading security platform with standard 256-bit data encryption and overwrite protection, you can rest assured that your intellectual property is well protected. Reliability Engineered Versatile to deliver performance and productivity Advanced features plus multi-functional capability allow you to meet tomorrow's document needs today. Large 10.1" (diagonally measured) high resolution touch-screen display offers real-time image preview feature with flick, tap and slide navigation, and pinch-and-zoom capability to shrink and enlarge images Multi-Functional Powerful Multi-Tasking Intuitive Fully customizable home screen feature enables users to add custom backgrounds and icons, change the display language and more 2,000-sheet tandem paper drawer option expands maximum online paper capacity to 6,600 sheets Flexible paper handling system feeds up to 80 lb. cover through the paper trays and up to 110 lb. In addition, a tilting display panel provides enhanced accessibility. With Sharp's real-time scan preview and edit functions, you can quickly rotate or delete pages, insert blank sheets, remove artifacts, change the color mode, even check the staple position before executing your job. With 1200 x 1200 dpi print resolution and Sharp's enhanced second-generation micro-fine toner technology, your business can produce professional looking color documents with breathtaking image quality. Flexible Configurations for Today's Unique Office Environments This new series offers a flexible paper handling system that includes an available 2,000-sheet tandem paper drawer. With rugged paper tray handles for easy access and available on-line paper capacity for up to 6,600 sheets, the machine is ready when you are. A standard 150-sheet duplex single pass feeder (on the MX-4141N/5141N), 100-sheet reversing single pass feeder (on the MX-4140N/5140N) combined with automatic trayless duplexing, electronic sorting and integrated offset stacking, allow you to complete even large jobs in a snap. Advanced Finishing Adds the Final Touch This series offers a choice of four high-performance finishers that can give your documents a professional look and feel. Choose from a compact inner finisher, a floor-standing 1K saddle-stitch finisher, a 4K saddle-stitch finisher or a 4K stacking finisher. All finishers offer three-position stapling and an available 3-hole punch. Full-size retractable keyboard simplifies data entry. * Easily edit documents in scan preview mode. Intuitive copy screen shows options on the left and menu guidance on the right. Available paper capacity stores up to 6,600 sheets. MX-5141N shown with saddle-stitch finisher and optional MX-LC11. *Standard on the MX-4141N/5141N. For even more flexibility, add the optional XPS kit. Convenient E-mail Distribution and Document Management With Lightweight Directory Access Protocol (LDAP), there's no need to manually enter a recipient's complete E-mail address. Simply enter the first few characters and it automatically searches and displays a list of matching names. And with Sharpdesk® personal document management software and the available Sharp OSA Network Scanner Tool (NST), users can easily organize their scanned documents and integrate them into Sharpdesk personal document software everyday workflow. Innovative Document Filing System for Easy Access Sharp's easy-to-use Document Filing System provides a hard disk drive to store frequently used files like forms, templates and reports. With thumbnail preview mode, stored jobs can be located and retrieved quickly. An advanced backup system and PIN-access security helps ensure your files are safe. For critical environments, an optional back-up hard disk drive is available. Advanced Energy Saving Features This new color series utilizes several energy efficient technologies to minimize power consumption and maximize energy savings. An LED exposure lamp reduces power significantly when compared to conventional exposure lamps. A customizable seven-day power management scheduler allows businesses to define the days and times when power will be turned on and turned off. Also, with Sharp's Auto Power Management function the MFP can be set to shut-off automatically based on usage trends. Sharp's Eco-Scan mode can shut off the fuser when scanning documents, previewing images, faxing and other operations. Sharp supplies are packaged using fully recyclable materials. All Sharp document systems are ENERGY STAR® qualified and RoHS compliant to restrict the use of hazardous substances. Toner Recycling Program As part of our commitment to helping preserve the environment, Sharp offers our customers zero-waste-to-landfill recycling for all Sharp consumables, including cartridges, bottles, toner collection containers and drum units. Sharp encourages customers to recycle their used Sharp toner cartridges in bulk by providing a pre-paid Recycling Kit for their return to our facility. MX-4140N/4141N/5140N/5141N Specifications, watermark, 2-in-1 / 4-in-1 / 8-in-1 multi shot Account Control up to 1,000 users. Supports user-number authentication, login Up name/password or login name/LDAP password Output Tray Main output tray (top): 400 sheets (face down); optional right side Capacity exit tray: 100 sheets (face down) Firmware Flash ROM with local (USB), network update capability and firmware Management update 1 to N with SRDM (Sharp Remote Device Manager) Device Setup Web-based management/cloning with user/administrator level login Service/Functions Remote front panel, remote access to service logs and click counts Accessibility Tilt front panel, adjustment of key touch sound and speed, concave Features document feeder free stop, job programs, remote front panel, key, universal grip for paper trays, and disable screen timeout Environmental International Energy Star Program Ver.



[You're reading an excerpt. Click here to read official SHARP MX-4140N user guide](#)
<http://yourpdfguides.com/dref/5329747>

2.0, Canadian EcoLogo Standards □ Program (CCD-035), Blue Angel (RAL-UZ171), European RoHS Power AC 100-127 VAC, 60 HZ, 16 Amps Power Consumption 1.92 kW or less Weight MX-4140N/5140N: Approx. 262 lbs./MX-4141N/5141N: 278 lbs.

Dimensions Approx. 25 1/2" (w) x 30" (d) x 38" (h) 1 2 Network Printing System PDL Standard PCL® compatible 6, PostScript® 3™, optional XPS Resolution 1200 x 1200 dpi Print Speed 41/51 pages per minute (8 1/2" x 11") Print Drivers □ Windows XP, Windows XP x64, Windows Server® 2003, Windows Server® 2003 x64, Windows Server® 2008, Windows Server 2008 x64, Windows Vista®, Windows Vista x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows Server 2012 x64, Windows PPD, MAC OSX® (including 10.4 to 10.8), all MAC PPD Features □ Auto configuration, bar code font printing, carbon copy print, chapter inserts, color adjustment settings, color mode, confidential print, continuous printing, custom image registration, different cover page/ last page/other page, document control, document filing, duplex printing, electronic sorting, folding, form overlay, hidden pattern print, image rotation, image stamp, image type, job bypass print, job retention, layout print, margin shift, multiple pamphlet, network tandem print, N-up printing, offset stacking, page interleave, pamphlet style, poster print, proof print, print and send, print mode, punching, stapling, tab paper print, tab printing, toner save mode, transparency inserts, tray status, user authentication, watermarks, zoom print 1 Direct Printing □ Types: TIFF, JPEG, PCL, PRN, TXT, PDF, Compact PDF, Encrypted File PDF, PostScript and XPS.1 Methods: FTP, SMB, Web page, E-mail and USB memory Resident Fonts 80 outline fonts (PCL), 136 fonts (PS) Interface RJ-45 Ethernet 10/100/1000 Base-T, USB 2.0 Operating Systems □ Windows Server 2003, Windows Server 2008, Windows XP, Windows Vista, Windows Systems 7, Windows 8, Mac OS X10.4, X10.5, X10.6, X10.7, X10.

8, Novell® NetWare®, UNIX®, Linux® and Citrix® (XenApp 5.0, 6.0, 6.5) and Windows Terminal Services, SAP device types 1 Network Protocols □ TCP/IP (IPv4, IPv6, IPSEC) SSL (HTTP, IPP, FTP), SNMPv3, SMTP, POP3, LDAP, 802.1x for Windows and Unix. LPD and LPR for Unix. IPX/SPX® for Novell environments. EtherTalk®. AppleTalk® for Macintosh® environments. 1 Printing Protocols □ LPR, IPP, IPPS, PAP, Raw TCP (port 9100), FTP, POP3, HTTP, and Novell Pserver/Rprinter Network Security □ IP/MAC address filtering, protocol filtering, port management, user authentication and document administration 1 Security Standards IEEE-2600™-2008, DoD (NSTISSP) #11, CAC/PIV access control 1 Network Scanning System Scan Modes Standard: Color, monochrome, grayscale Max Original Size 11" x 17" Optical Resolution 600 dpi Output Modes 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Image Formats □ Monochrome: TIFF, PDF, PDF/A, Encrypted PDF, XPS Color: Grayscale, Color TIFF, JPEG, PDF, PDF/A, Compact PDF, Encrypted PDF, XPS; Internet Fax: TIFF-FX, TIFF-F, TIFF-S1 Image Monochrome Scanning: Uncompressed, G3 (MH), G4 (MR/MMR) Compression □ Color/Grayscale: JPEG (high, middle, low) Internet Fax mode: MH/MMR (option) Scan Destinations □ E-mail, Desktop, FTP, Folder (SMB), USB, Internet fax (option), Super G3 fax (option) One-touch Up to 2,000 (combined scan destinations) Destinations Group Destinations Up to 500 Programs 48 (combined) Max.

Jobs Up to 100 Network Protocols □ CP/IP and SSL (includes HTTP, SMTP, LDAP, FTP, POP3), SMB, T ESMTP and 802.1x Network Security E-mail server user authentication for LDAP and Active Directory Software □ Sharpdesk® desktop personal document management software (1 user license included), Sharpdesk Mobile (download) B&W Super G3 Fax Kit (option) Transmission Mode Super G3, G3 Modem Speed 33.6 KBPS 3 Compression JBIG, MMR, MR, MH Methods Scanning Method Sheet fed simplex or duplex or book Max. Resolution 400 dpi Transmit Speed Approx. @@@@ @88 lbs. (MX-FN10)/Approx. 161 lbs. (MX-FN18) Dimensions □ MX-FN10 (with tray extended): Approx. @@@@ @97 lbs. Dimensions (MX-FN11): Approx. @@@@ @ See your local dealer. M □ ay vary depending on product configuration, machine settings and operating and/or environmental conditions. 3 Actual transmission time will vary based on line conditions. 4 B □ ased on Sharp Standard Test Chart with approximately 700 characters, letter size in standard resolution. SHARP ELECTRONICS CORPORATION Sharp Plaza, Mahwah, NJ 07495-1163 1-800-BE-SHARP • www.sharpsusa.com Design and specifications subject to change without notice. Sharp, Sharp OSA, Sharpdesk, My Sharp, and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Windows, Windows Server and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners.

© 2013 Sharp Electronics Corporation. All rights reserved. Printed in U.S.A. 07/13 • CPD-3878 .



[You're reading an excerpt. Click here to read official SHARP](#)

[MX-4140N user guide](#)

<http://yourpdfguides.com/dref/5329747>