Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for SONY CMT-V11IP. You'll find the answers to all your questions on the SONY CMT-V11IP in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual SONY CMT-V11IP
User guide SONY CMT-V11IP
Operating instructions SONY CMT-V11IP
Instructions for use SONY CMT-V11IP
Instruction manual SONY CMT-V11IP


SONY

Personal Audio System

Operating Instructions

CMT-V11IP

WARNING

CAUTION

Location of Controls

Unit (Top)

Unit (Front)

Remote

Getting Started

Operations

Playing a CD/MP3 disc

Creating your own program (Program Play)

Listening to the radio

Playing a file of the USB device

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide
http://yourpdfguides.com/dref/5317883

Manual abstract:

@@@@When the system goes to Standby mode, the setting status disappears from the display panel. 2 Open the CD door. Press □ (Open/Close) □ on the unit. □ (Open/Close) □ Creating your own program (Program Play) 1 Select the CD function. Press CD FUNCTION □ on the remote or press FUNCTION □ on the unit repeatedly. Playing a file of the USB device The audio format that can be played back on this system is MP3/WMA. * Files with DRM (Digital Rights Management) copyright protection or files downloaded from an online music store cannot be played on this system. If you try to play one of these files, the system plays the next unprotected audio file. 2 Select the play mode. Press PLAY MODE □ repeatedly until "PGM" appears while the player is stopped. 3 Select a folder (MP3 disc only). Unit (Front) Remote sensor ©2013 Sony Corporation Printed in China Press folder. +/□ □ repeatedly to select the desired 4 Select the desired track or file. 3 Set a disc. Press □/□ □ repeatedly until the desired track or file number appears.*

Check the websites below for the information about compatible USB devices. For customers in Europe: <http://support.sony-europe.com/> For customers in Latin America: <http://www.sony-latin.

com/index.crp> For customers in Asia and other countries/regions: <http://www.sony-asia.com/support> Remote indicator Push the center part of the disc with two fingers until the disc snaps into its mounted position. Set a disc with the label side facing forward. CMT-V11iP CD door (CD compartment) Europe Only 1 Select the USB function. Selected track or file Total playing time number Total playing time for all the programmed tracks or files, including the selected track or file, is displayed at right on the panel. Press USB FUNCTION □ on the remote or press FUNCTION □ on the unit repeatedly. WARNING To reduce the risk of fire, do not cover the ventilation opening of the apparatus with newspapers, tablecloths, curtains, etc. Do not place the naked flame sources such as lighted candles on the apparatus.

To reduce the risk of fire or electric shock, do not expose this apparatus to dripping or splashing, and do not place objects filled with liquids, such as vases, on the apparatus. Do not install the appliance in a confined space, such as a bookcase or built-in cabinet. As the main plug of AC adaptor is used to disconnect the AC adaptor from the mains, connect it to an easily accessible AC outlet. Should you notice an abnormality in it, disconnect it from the AC outlet immediately. Do not expose batteries or apparatus with batteryinstalled to excessive heat such as sunshine, fire or the like. The AC adaptor is not disconnected from the mains as long as it is connected to the AC outlet, even if the main unit itself has been turned off. The nameplate is located on the bottom exterior of the main unit and on the surface of the AC adaptor. CAUTION This symbol on the battery or on the packaging indicates that the battery provided with this product shall not be treated as household waste. On certain batteries this symbol might be used in combination with a chemical symbol. The chemical symbols for mercury (Hg) or lead (Pb) are added if the battery contains more than 0.

0005% mercury or 0.004% lead. By ensuring these batteries are disposed of correctly, you will help prevent potentially negative consequences for the environment and human health which could otherwise be caused by inappropriate waste handling of the battery. The recycling of the materials will help to conserve natural resources. In case of products that for safety, performance or data integrity reasons require a permanent connection with an incorporated battery, this battery should be replaced by qualified service staff only.

To ensure that the battery will be treated properly, hand over the product at end-of-life to the applicable collection point for the recycling of electrical and electronic equipment. For all other batteries, please view the section on how to remove the battery from the product safely. Hand the battery over to the applicable collection point for the recycling of waste batteries. For more detailed information about recycling of this product or battery, please contact your local Civic Office, your household waste disposal service or the shop where you purchased the product. Disposal of waste batteries (applicable in the European Union and other European countries with separate collection systems) This manual mainly explains operations using the remote, but the same operations can also be performed using the buttons on the unit having the same or similar names.

2 Connect the USB device to the 3 Start playback. (USB) port □. □ Remote indicator Lights in amber when a signal is received from the remote. To use the remote 5 Program the selected track or file. □ to enter the selected track or file. Press "--.--" appears when the total playing time reaches 100 minutes for a CD or when you program MP3 files. Press □ □ on the remote or press □ □ on the unit. Remove the battery compartment lid, and insert the two supplied R6 (size AA) batteries, □ side first, matching the polarities shown below. Other operations To Pause playback Press □ □(or □ □ on the unit).

To resume play, press the button again. □ □. To resume play, press □ □ (or □ □ on the unit). To cancel resume play, press □ □ again. 6 Repeat steps 3 through 5 to program additional tracks or files, up to a total of 25 tracks or files. Stop playback Select a folder Select a file Find a point in a file Select Repeat Play 7 To play your program of tracks or files, press □ □ 4 Close the CD door. Notes on using the remote Press □ (Open/Close) □ on the unit. "READING" appears. □ With normal use, the batteries should last for about 6 months. □ Do not mix an old battery with a new one or mix different types of batteries. □ If you do not use the remote for a long period of time, remove the batteries to avoid damage from battery leakage and corrosion. 5 Start playback. Press □ □ on the remote or press □ □ on the unit. (or □ □ on the unit). The program remains available until you remove the disc from the disc compartment □ or unplug the power cord.*

To play the same program again, press □ □ (or □ □ on the unit). To cancel Program Play To eject a disc Press PLAY MODE □ repeatedly until "PGM" disappears while the player is stopped. +/□ □ repeatedly. □/□ □/□/□ □. Hold down □/□ □ or □/□ □ (or □/□ □ on the unit) during playback, and release the button at the desired point.

*REPEAT □ repeatedly until " " or " 1" appears. Press □ (Open/Close) □ on the unit and remove the disc by pulling up the edge of the disc while holding one finger against the spindle. Notes To delete the last track or file of the program Press CLEAR □ while the player is stopped. * When playing a VBR MP3/WMA file, the system may resume playback from a different point.*

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide

http://yourpdfguides.com/dref/5317883

To change the play mode Getting Started Connecting the iPod/iPhone Setting the clock Connect an iPod/iPhone to the (USB) port using a USB cable supplied with your iPod/iPhone. The use of optical instruments with this product will increase eye hazard. This appliance is classified as a CLASS 1 LASER product. This marking is located on the bottom exterior of the main unit. Note on DualDiscs The system will automatically close the CD door if a few minutes elapse of no operation with the CD door open. Do not set a disc with non-standard shapes (e.

g., heart, square, star). The disc may fall into the system and cause irreparable damage. If you press / with the CD door open, the system will automatically close the CD door. Do not use a disc with tape, seals or paste on it as this may cause a malfunction. When you eject a disc, handle the disc by its edge. Do not touch the surface. Listening to the radio 1 Select the TUNER function. Press TUNER FM/AM FUNCTION on the remote repeatedly or press FUNCTION on the unit repeatedly. Press PLAY MODE repeatedly while the player is stopped.

You can select Normal Play mode (playback in sequence of all files on the USB device), Folder Play mode ("FLDR" for all files in the specified folder on the USB device), Shuffle Play mode ("SHUF" or "FLDR SHUF" for folder shuffle), or Program Play mode ("PGM"). Notes on Shuffle Play mode When Shuffle Play mode is set to "SHUF," the system shuffle-plays all audio files on the USB device. When Shuffle Play mode is set to "FLDR SHUF," the system shuffle-plays all audio files in selected folder. When you turn off the system, the selected Shuffle Play mode ("SHUF" or "FLDR SHUF") is cleared and the play mode returns to Normal Play mode ("FLDR"). 2 Perform tuning.

For automatic scanning Press TUNING MODE repeatedly until "AUTO" appears, and then press +/ . Scanning stops automatically when a station is tuned in, and "TUNED" and "STEREO" (for stereo programs only) light up in the display. A DualDisc is a two sided disc product which mates DVD recorded material on one side with digital audio material on the other side. However, since the audio material side does not conform to the Compact Disc (CD) standard, playback on this product is not guaranteed. 1 Press to turn on the system.

2 Press TIMER MENU to select the clock set mode. 3 If "PLAY SET" flashes, press / repeatedly to select "CLOCK," and then press (enter) . Press / repeatedly to set the hour, then press (enter) . Other operations To Pause playback Press (or on the unit). To resume play, press the button again. . Notes on Repeat play Notice for customers: the following information is only applicable to equipment sold in countries applying EU directives. Music discs encoded with copyright protection technologies 4 Use the same procedure to set the minutes. Note The clock settings are reset when you disconnect the power cord or if a power failure occurs. This product has been manufactured by or on behalf of Sony Corporation, 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan.

Inquiries related to product compliance based on European Union legislation shall be addressed to the authorized representative, Sony Deutschland GmbH, Hedelfinger Strasse 61, 70327 Stuttgart, Germany. For any service or guarantee matters, please refer to the addresses provided in the separate service or guarantee documents. This product is designed to playback discs that conform to the Compact Disc (CD) standard. Recently, various music discs encoded with copyright protection technologies are marketed by some record companies. Please be aware that among those discs, there are some that do not conform to the CD standard and may not be playable by this product. To display the clock when the system is off 8 seconds. Stop playback Select a folder on an MP3 disc Select a track or file Find a point in a track or file Select Repeat Play Eject a disc +/ . / / / . Hold down / (or / on the unit) during playback, and release the button at the desired point. REPEAT repeatedly until " " or " 1" appears.

on the unit. If "TUNED" does not light up and the scanning does not stop, press to stop scanning, then perform manual tuning (below). When you tune in a station that provides RDS services You can select Normal Play mode ("Normal" or "FLDR" for all MP3 files in the folder on the disc), Shuffle Play mode ("SHUF" or "FLDR SHUF" for folder shuffle), or Program Play mode ("PGM"). * When playing a CD-DA (audio) disc, FLDR (SHUF) Play performs the same operation as normal (SHUF) Play. Notes on Shuffle Play mode This symbol on the product or on its packaging indicates that this product shall not be treated as household waste.*

Instead it shall be handed over to the applicable collection point for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help to conserve natural resources. For more detailed information about recycling of this product, please contact your local Civic Office, your household waste disposal service or the shop where you purchased the product. Applicable accessory: Remote commander ™ ® To AC Adaptor AM loop antenna FM lead antenna (Extend it horizontally.

) When Shuffle Play mode is set to "SHUF," the system shuffle-plays all tracks or files on the disc. When Shuffle Play mode is set to "FLDR SHUF," the system shuffle-plays all tracks or files in selected folder. When you turn off the system, the selected Shuffle Play mode ("SHUF" or "FLDR SHUF") is cleared and the play mode returns to Normal Play mode ("FLDR"). Presetting radio stations 1 Tune in the desired station. 2 Press TUNER MEMORY to select the tuner memory mode. Preset number Notes on Repeat Play Power (DC IN 9.5 V) 1 Connect the AC adaptor to the unit. 2 Plug the AC adaptor into a wall outlet. Antennas AUDIO IN jack Find a location and an orientation that provide good reception, and then set up the AM antenna. Keep the antenna away from the power cord to avoid picking up noise.

" " indicates that all tracks or files will be repeated until you stop playback. " 1" indicates that a single track or file will be repeated until you stop playback. Notes on playing MP3 discs 3 Press +/ or / / / repeatedly to select Connect an external audio component.

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide

http://yourpdfguides.com/dref/5317883

□ Do not save other types of tracks or files, or unnecessary folders on a disc that has MP3 files. □ Folders that have no MP3 files are skipped. □ The system can only play MP3 files that have a file extension of ".mp3." □ Even if a file name has the ".mp3" file extension, if the actual file differs, playing it may generate loud noise that might even damage the system. □ The maximum number of: □ olders is 255 (including the root folder).*
f □ P3 files is 512. M □ P3 files in a single folder is 512. M □ older levels (in the tree structure of files) is 9. f the desired preset number. If another station is already assigned to the selected preset number, the station is replaced by the new station.
4 Press □ to register the station. 5 Repeat steps 1 through 4 to register other stations. You can preset up to 20 FM and 10 AM stations. □ The audio formats that you can listen to with this system are as follows: □ P3: file extension ".mp3" M □ MA: file extension ".
wma" W Note that even when file name has the correct file extension, if the actual file differs, the system may produce noise or may malfunction. Adjusting the sound To Adjust the volume Generate a more dynamic sound Set the sound effect Press VOLUME +/□ □. BASS BOOST □. If the sound source is set to an FM/AM station for a timer, the system automatically turns on 15 seconds before the preset time. If the sound source is set to CD/USB, the system automatically turns on 30 seconds before the preset time. USB device Are you using a supported USB device? □ If you connect an unsupported USB device, the following problems may occur. Check the information on the websites about compatible USB devices with URLs listed under "Playing a file of the USB device." □ The USB device is not recognized □ File or folder names are not displayed on this system □ Playback is not possible □ The sound skips □ There is noise □ A distorted sound is output □ If you cannot fully charge the iPod/iPhone, charge it again after turning the Automatic Standby function off. Precautions Discs that this system CAN play □ Audio CD □ CD-R/CD-RW (audio data/MP3 files) Specifications Amplifier section Power output (rated): 4 watts + 4 watts (8 ohms at 1 kHz, 1% THD) Continuous RMS power output (reference): 5 watts + 5 watts (8 ohms at 1 kHz, 10% THD) Tuner Severe hum or noise, or stations cannot be received. ("TUNED" or "STEREO" flashes on the display.

) □ Connect the antenna properly. @@@@@Charging begins when the USB device is connected to a (USB) port □. The charging status appears on the USB device display. @@@@@@@@@@@@@@@@@@@@Check the information on the websites about compatible USB devices. @@□ The music data itself contains noise, or the sound is distorted. Noise may have entered during the transferring process. Delete the file, and try transferring again. □ The bit rate used when encoding audio files was low. Send audio files with higher bit rate to the USB device. @@@@@@@@□□ □/□ □.
@@@@@The timer and clock continue to operate. @@@@If the issue persists, contact your nearest Sony dealer. Erroneous display. Hold down □/□ □ during playback, and release the button at the desired point. □/ □ □.
You cannot set the clock in Power Saving mode. The clock display automatically turns to Power Saving mode after 8 seconds. □/□ □. RETURN □/ □ □. To use the system as a battery charger You can use the system as a battery charger for an iPod/ iPhone while the system is on.
To see whether charging is operating or not, check the battery icon of the iPod/iPhone display. Check the "iPod/iPhone section" of the "Specifications" for a list of iPod/iPhone models compatible with this system. To stop charging an iPod/iPhone Notes Remove the connected iPod/iPhone from the unit. □ The performance of the system may be vary, depending on the specifications of your iPod/iPhone. □ When an iPod/iPhone is being connected with the unit via a USB port, first "CONNECT" then "iPod" will be displayed. □ Do not carry the system with an iPod/iPhone connected to the system. Doing so may cause a malfunction. □ When connecting or disconnecting the iPod/iPhone, brace the system with one hand and take care not to press the controls of the iPod/iPhone by mistake. □ To use an iPod/iPhone, refer to the user's guide of your iPod/iPhone. □ Sony cannot accept responsibility in the event that data recorded to iPod/iPhone is lost or damaged when using an iPod/iPhone with this system.

*□ When the information includes double-byte characters, each doublebyte character will occupy 2 bytes □ Characters that cannot be displayed appear as "_" □ The following are not displayed: □ otal playing time for an MP3 disc and a USB device t □ otal remaining playing time for an MP3 disc and a USB device t □ emaining playing time for an MP3 file on MP3 disc or a MP3/ r WMA file in USB device □ The following are not displayed correctly: □ lapsed playing time of an MP3 file encoded using VBR (variable e bit rate) □ older and file names that do not follow either the ISO9660 f Level 1, Level 2, or Joliet in the expansion format □ The following are displayed: □ otal playing time for a CD-DA disc (except when PGM mode is t selected and the player is stopped) □ emaining playing time for a track of CD-DA disc r □ emaining playing time for a CD-DA disc (only when Normal Play r mode is selected during playback) □ D3 tag information for MP3 files when ID3 version 1 and I version 2 tags are used (ID3 version 2 tag information display has priority when both ID3 version 1 and version 2 tags are used for a single MP3 file) □ p to 64 characters for an ID3 tag, where characters allowed are u uppercase letters (A to Z), lowercase letters (a to z) (lowercase will be displayed as uppercase), digits (0 to 9), and symbols (˝$ % ' ( ) * + , – . / < = > ? @ [\ ] ^) Notes on the display information General The system does not turn on. □ Is the power cord plugged in correctly? □ The data stored in the USB device may have been corrupted. Perform the transfer again. □ The character codes that can be displayed by this system are as follows: □ Uppercase (A to Z) □ Lowercase (a to z) (lowercase will be displayed as uppercase) □ Digits (0 to 9) □ Symbols (˝$ % ' ( ) * + , – . / < = > ? @ [\ ] ^) Other characters appear as "_" This system is equipped with an Automatic Standby function. With this function, the system enters Standby mode automatically in about 30 minutes when there is no operation or audio signal output. By default, the Automatic Standby function is turned on. Use buttons on the unit to turn off the Automatic Standby function.*

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide
http://yourpdfguides.com/dref/5317883

Hold down □□□ □ while the system is on, until "AUTO.
STBY OFF" appears. To turn on the function, repeat the procedure until "AUTO. STBY ON" appears. Notes □ "AUTO. STBY" appears in the display for 2 minutes before the system enters Standby mode.
□ The Automatic Standby function is invalid for the tuner function (FM/AM), even when you have enabled it. □ The system may not enter Standby mode automatically in the following cases: □ hile an audio signal is being detected w □ uring playback of audio tracks or files d □ hile the preset Sleep Timer or Play Timer is in process w □ The system counts down the time again until it enters Standby mode, even when Automatic Standby function is enabled in the following cases: □ hen the USB device or iPod/iPhone is connected w □ hen a button on the remote or unit is pressed w □ hen a preset time of the Sleep or Play Timer is started w □ Before playing, wipe the disc with a cleaning cloth from the center out to the edge. □ Do not clean discs with solvents, such as benzine, thinner, or commercially available cleaners or antistatic spray intended for vinyl LPs. □ Do not expose discs to direct sunlight or heat sources such as hot air ducts, nor leave it in a car parked in direct sunlight. Supported bit rate: MP3 (MPEG 1 Audio Layer-3): 32 kbps □ 320 kbps, VBR WMA: 48 kbps □ 192 kbps, VBR Sampling frequencies: MP3 (MPEG 1 Audio Layer-3): 32/44.
1/48 kHz WMA: 44.1 kHz (USB) port: Type A, maximum current 500 mA iPod/iPhone section On safety □ Completely disconnect the power cord (mains lead) from the wall outlet (mains) if it is not going to be used for an extended period of time. When unplugging the system, always grip the plug. Never pull the cord itself. □ Should any solid object or liquid get into the system, unplug the system, and have it checked by qualified personnel before operating it again. □ The AC power cord can be changed only by a qualified service facility. Compatible iPod/iPhone models: □ iPod touch (5th generation) □ iPod touch (4th generation) □ iPod touch (3rd generation) □ iPod nano (7th generation) □ iPod nano (6th generation) □ iPod nano (5th generation) □ iPod nano (4th generation) □ iPod classic □ iPhone 5 □ iPhone 4S □ iPhone 4 □ iPhone 3GS * The iPod nano (7th generation) cannot be controlled by the remote when the command of "TOOL MENU," "□," "□," "□," "□," " ," and "RETURN" is pressed. "Made for iPod," and "Made for iPhone" mean that an electronic accessory has been designed to connect specifically to iPod or iPhone, respectively, and has been certified by the developer to meet Apple performance standards. Apple is not responsible for the operation of this device or its compliance with safety and regulatory standards. Please note that the use of this accessory with iPod or iPhone may affect wireless performance.*

On placement The USB device is not recognized. The system has entered Standby mode unexpectedly. □ This is not a malfunction. The system enters Standby mode automatically in about 30 minutes when there is no operation or audio signal output. See "To turn off the Automatic Standby function." @@□ Check the information on the websites about compatible USB devices. □ The USB device does not work properly. Refer to the operating instructions supplied with the USB device for how to deal with this problem. The clock setting or the Play Timer operation has been cancelled unexpectedly. Playback does not start. □ If about a minute elapses with no operation, the clock setting or Play Timer setting is cancelled automatically. Perform the operation again from the beginning. @@□ Check the information on the websites about compatible USB devices. Messages COMPLETE: The preset operation ended normally. CONNECT: The connected iPod/iPhone is executing authentication.
DEVICE ERROR: Unpredictable situation (or an unknown device is connected). FULL: You tried to program more than 25 tracks or files (steps). NO DEVICE: Neither a USB device nor an iPod/iPhone is connected. NO DISC: There is no disc in the player, or you have loaded a disc that cannot be played. NO STEP: All of the programmed tracks have been erased.
NO SUPPORT: An unsupported USB device is connected. NO TRACK: There are no playable files in the USB device or on the CD disc. NOT USED: You tried to perform a specific operation under conditions where that operation is prohibited. OVER CURRENT: The system has detected a power failure from a connected USB device or iPod/iPhone. Remove the USB device or iPod/iPhone from the system and turn the system power off then back on. If the problem persists, contact your nearest Sony dealer. PROTECT: The system has detected a power failure. Unplug the AC adaptor. If the problem persists, contact your nearest Sony dealer. PUSH STOP: You pressed PLAY MODE □ during playback in the CD or USB function.

READING: The system is reading the information on the disc, USB device, or iPod/iPhone. Some buttons do not work during reading. REMOVED: The connected USB device or iPod/iPhone has been removed. TIME NG: The Play Timer start and end times are set to the same time. □ Do not place the system in an inclined position or in locations that are extremely hot, cold, dusty, dirty, or humid or lacking adequate ventilation, or subject to vibration, direct sunlight or a bright light. □ Be careful when placing the system on surfaces that have been specially treated (for example, with wax, oil, polish) as staining or discoloration of the surface may result. □ If the system is brought directly from a cold to a warm location or is placed in a very damp room, moisture may condense on the lens inside the CD player, and cause the system to malfunction. In this situation, remove the disc, and leave the system turned on for about an hour until the moisture evaporates. Speaker section Full-range speaker: 80 mm, cone type Rated impedance: 8 ohms General On heat buildup There is no sound. Using the timers The system offers 2 timer functions.
If you use both timers, the Sleep Timer has priority. You can fall asleep to music. This function works even if the clock is not set. Press SLEEP □ repeatedly. With each press of SLEEP □, the setting time is decreased by 10 minutes from a maximum of 90 minutes to minimum of 10 minutes.
To cancel the Sleep Timer, select "OFF." □ Press VOLUME + □ to turn up the volume. □ Make sure additional audio components are connected correctly. □ Make sure the function is set to AUDIO IN. □ Is anything blocking the ventilation holes of the system? □ The specified station may have temporarily stopped broadcast.
Playback does not start from the first file. □ Set the play mode to Normal Play mode. Audio file cannot be played back. Sleep Timer: Severe hum or noise. □ Move the system away from sources of noise.

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide
http://yourpdfguides.com/dref/5317883

□ Connect the system to a different wall outlet. □ Install a noise filter (not supplied) to the power cord. Using optional audio components 1 Prepare the sound source. Connect additional audio component to the AUDIO IN jack □ on the unit using an audio analog cord (not supplied). The remote does not function.

Play Timer: 2 Turn down the volume. Press VOLUME □ □. You can wake up to CD, FM/AM reception, USB device, or iPod/iPhone at a preset time. Make sure you have set the clock. □ Remove any obstacles between the remote and the remote sensor □ on the unit, and position the unit away from fluorescent lights. □ Point the remote at the system's sensor □. □ Move the remote closer to the system. □ MP3 files in MP3 PRO format cannot be played back. @@@@□ The system can play back to a depth of 9 folders only. □ Files that are encrypted or protected by passwords, etc.
cannot be played back. @@@@□ Do not obstruct the ventilation holes. Power requirements: Australian model: AC adaptor Input: 120 V □ 240 V AC, 50/60 Hz Output: DC 9.5 V 1.8 A Other models: AC adaptor Input: 110 V □ 240 V AC, 50/60 Hz Output: DC 9.
5 V 1.8 A Power consumption: 13 watts Dimensions (W/H/D): Approx. 400 mm × 197 mm × 114 mm Mass: Approx. 2.4 kg Quantity of the main unit: 1 piece Supplied accessories: Remote Commander (1), AC adaptor (1), AM loop antenna (1), R6 (Size AA) batteries (2), Conversion plug adaptor (Latin American model only) (1) Design and specifications are subject to change without notice.
*Standby power consumption: 0.5 W On the speaker system This speaker system is not magnetically shielded, and the picture on nearby TV sets may become magnetically distorted. In this situation, turn off the TV, wait 15 to 30 minutes, and turn it back on. Cleaning the cabinet * This system supports FAT16 and FAT32, but some USB device may not support all of these FAT. For details, refer to the operating instructions of each USB device or contact the manufacturer. Clean this system with a soft cloth slightly moistened with a mild detergent solution. Do not use any type of abrasive pads, scouring powder, or solvents, such as thinner, benzine, or alcohol. iPod/iPhone There is no sound. □ Make sure the iPod/iPhone is connected securely. □ Make sure the iPod/iPhone is playing music.*

□ Make sure the iPod/iPhone is updated with the latest software. If not, update the iPod/iPhone before using with the system. □ Adjust the volume. 3 Select the AUDIO IN function. Press AUDIO IN FUNCTION □ on the remote or press FUNCTION □ on the unit repeatedly. 1 Prepare the sound source. Prepare the sound source, and then press VOLUME +/□ □ to adjust the volume. You can set the CD, USB (including iPod/iPhone), FM, or AM function as the sound source. To start from a specific CD track, audio file, and radio station create your own program. CD/MP3 disc The sound skips, or the disc will not play. □ Wipe the disc clean, and replace it. □ Move the system to a location away from vibration (for example, on top of a stable stand). 4 Start playback. Start playback of the connected component and adjust the volume. Note The system may enter Standby mode automatically if the volume level of the connected component is too low.
Adjust the component's volume accordingly. See "To turn off the Automatic Standby function." Play does not start from the first track. 2 Select the timer set mode. Press TIMER MENU □.
□ Return to normal play by pressing PLAY MODE □ repeatedly until both "PGM" and "SHUF" disappear. The sound is distorted. 3 Set the play timer. Press □/□ □ repeatedly to select "PLAY SET," then □. press Starting playback takes more time than usual. □ The following discs can increase the time it takes to start playback: □ a disc recorded with a complicated tree structure □ a disc that has many folders □ Make sure the iPod/iPhone is connected securely. □ Turn down the volume. □ Set the "EQ" setting of the iPod/iPhone to "Off" or "Flat." 4 Set the time to start playback. Press □/□ □ repeatedly to set the hour, then press □.

Use the procedure above to set the minutes. The iPod/iPhone does not function. Erroneous display. 5 Use the same procedure as in step 4 to set the time to stop playback. 6 Select the sound source. Press □/□ □ repeatedly until the desired sound □. source appears, then press 7 Turn off the system. Press □□□ □.
The system automatically turns on before the preset time. If the system is on at the preset time, the Play Timer will not play.
*Do not operate the system from the time the system turns on until the playback starts. □ The data stored in the CD-DA, MP3 disc may have been corrupted. Perform the transfer again. □ The character codes that can be displayed by this system are as follows: □ Uppercase (A to Z) □ Lowercase (a to z) (lowercase will be displayed as uppercase) □ Digits (0 to 9) □ Symbols (˝$ % ' ( ) * + , – . / < = > ? @ [\ ] ^) Other characters appear as "_" □ Shut down any other iOS applications running on the iPod/iPhone.*
For details, refer to the operation manual supplied with the iPod/iPhone. □ Make sure the iPod/iPhone is connected securely. □ Make sure the iPod/iPhone is updated with the latest software. If not, update the iPod/iPhone before using with the system. □ Because the operation of the system and the iPod/ iPhone are different, you may not operate the iPod/ iPhone using buttons on the remote or unit.
In this case, use the control buttons on the iPod/iPhone. The iPod/iPhone cannot be charged. □ Make sure the iPod/iPhone is connected securely. □ Make sure the system is turned on. .

You're reading an excerpt. Click here to read official SONY CMT-V11IP user guide
http://yourpdfguides.com/dref/5317883