



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for SONY KDL-40W605B. You'll find the answers to all your questions on the SONY KDL-40W605B in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual SONY KDL-40W605B
User guide SONY KDL-40W605B
Operating instructions SONY KDL-40W605B
Instructions for use SONY KDL-40W605B
Instruction manual SONY KDL-40W605B

SONY.

LCD TV

Reference Guide

BRAVIA

KDL-50W68xA / 50W65xA / 42W65xA / 32W65xA / 32W60xA / 24W60xA

Reference Guide	GB
Guia de referência	PT
Guia de referencia	ES
Referenshandledning	SE
Referensifaden	DE
Guia de referência	PT
Guia di riferimento	IT
Referensguide	DK
Referensvejledning	DK
Vincopas	FI
Referansvejledning	NO
Instrukcja	PL
Referenční příručka	CZ
Referenčná príručka	SK
Referencia útmutató	HU
Гид де референс	RO
Справочное руководство	BG
Οδηγός αναφοράς	GR
Варувальнік	TR
Справочное руководство	RU
Довідник	UA



[You're reading an excerpt. Click here to read official SONY KDL-40W605B user guide](http://yourpdfguides.com/dref/5583536)
<http://yourpdfguides.com/dref/5583536>

Manual abstract:

DLNA®, the DLNA Logo and DLNA CERTIFIED® are trademarks, service marks, or certification marks of the Digital Living Network Alliance. This TV is not intended for controlling motorized antennas. Notes on Digital TV function □ Any functions related to Digital TV () will only work in countries or areas where DVB-T/DVB-T2* (MPEG-2 and H. @ @ @ @ @ @ Ω Some Digital TV functions may not be available in some countries/areas and DVB-C cable may not operate correctly with some providers. * Not all the TV sets have 2nd generation T2* Digital Video Broadcast technology. trackID is a trademark or registered trademark of Sony Mobile Communications AB. Music and video recognition technology and related data are provided by Gracenote®. Gracenote is the industry standard in music recognition technology and related content delivery. For more information, please visit [www](http://www.gracenote.com).

CD, DVD, Blu-ray Disc, and music and video-related data from Gracenote, Inc. One or more patents owned by Gracenote apply to this product and service. See the Gracenote website for a non-exhaustive list of applicable Gracenote patents. Gracenote, MusicID, VideoID, Video Explore, the Gracenote logo and logotype, and the "Powered by Gracenote" logo are either registered trademarks or trademarks of Gracenote in the United States and/or other countries. Wi-Fi, Wi-Fi Direct and Miracast are marks or registered marks of the Wi-Fi Alliance.

MHL, Mobile High-Definition Link and the MHL Logo are trademarks or registered trademarks of MHL Licensing, LLC. 2GB Troubleshooting When the illumination LED is flashing in red, count how many times it flashes (interval time is three seconds). @ @ @ @ You may feel hot when touching there by the hand. @ @ also refer to "Troubleshooting" in the i-Manual. @ @ @ @ @ @ There is no picture (screen is dark) and no sound.

□ Check the antenna (aerial)/cable connection. @ @ @ @ Ω See below illustration for location of the buttons on the TV. @ @ @ @ Ω The frequency that you entered is out of range. consult the received satellite broadcasting company. The illumination LED is turned on. @ @ @ @ @ @ The remote does not function. @ @ @ @ @ @ 0 kg *1 Not all the TV sets have DVB-T2 or DVB-S/S2 technology or satellite antenna terminal. *2 Energy consumption per year, based on the power consumption of the television operating 4 hours per day for 365 days. The actual energy consumption will depend on how the television is used. 3 Specified standby power is reached after the TV * finishes necessary internal processes.

~ □ Images and illustrations used in the Quick Start Guide, Reference Guide and Safety Information are for reference only and may differ from actual product appearance. Ω The "x" that appears in the model name corresponds to a numeric digit, related to design, colour or TV system. Ω Do not remove the dummy card from TV CAM (Conditional Access Module) slot other than to insert a smart card fitted in CAM. □ Optional accessories availability depends on countries/region/TV model/stock. Ω Design and specifications are subject to change without notice. standby power consumption*3 0.45 W (10 W in software/EPG update mode) Display resolution KDL-50W68xA, KDL-50/42/32W65xA: 1,920 dots (horizontal) × 1,080 lines (vertical) KDL-32W60xA, KDL-24W60xA: 1,366 dots (horizontal) × 768 lines (vertical) 5GB Informations sur les marques commerciales Les termes HDMI et HDMI High-Definition Multimedia Interface, ainsi que le logo HDMI, sont des marques commerciales ou marques déposées de HDMI Licensing LLC aux Etats-Unis et dans d'autres pays. Accessoires en option Caméra Microphone : CMU-BR200/CMU-BR100 Adaptateur USB Internet Wireless LAN : UWA-BR100 Lunettes 3D passives: TDG-500P (KDL-50W68xA uniquement) Consommation électrique annuelle moyenne*2 KDL-50W68xA: 71 kWh KDL-50W65xA: 71 kWh KDL-42W65xA: 69 kWh KDL-32W65xA: 57 kWh KDL-32W60xA: 57 kWh KDL-24W60xA: 35 kWh Consommation électrique en veille*3 0,45 W (10 W en mode de mise à jour du logiciel/ EPG) Résolution d'affichage KDL-50W68xA, KDL-50/42/32W65xA: 1 920 points (horizontal) × 1 080 lignes (vertical) KDL-32W60xA, KDL-24W60xA: 1 366 points (horizontal) × 768 lignes (vertical) FR Lunettes passives SimulView™: TDG-SV5P (KDL-50W68xA uniquement) Dimensions (Environ) (l × h × p) avec support de table KDL-50W68xA: 111,2 × 69,4 × 23,0 cm KDL-50W65xA: 111,2 × 69,4 × 23,0 cm KDL-42W65xA: 95,4 × 59,5 × 19,7 cm KDL-32W65xA: 72,5 × 46,5 × 19,7 cm KDL-32W60xA: 72,1 × 46,3 × 19,7 cm KDL-24W60xA: 54,5 × 36,0 × 14,4 cm sans support de table KDL-50W68xA: 111,2 × 66,1 × 7,7 cm KDL-50W65xA: 111,2 × 66,1 × 7,7 cm KDL-42W65xA: 95,4 × 56,8 × 6,9 cm KDL-32W65xA: 72,5 × 43,8 × 6,9 cm KDL-32W60xA: 72,1 × 43,6 × 6,9 cm KDL-24W60xA: 54,5 × 33,6 × 6,5 cm Température d'utilisation 0 °C - 40 °C Humidité d'utilisation 10 % - 80 % HR (sans condensation) Alimentation et autres Tension d'alimentation 19,5 V CC avec adaptateur secteur Tension : entrée 220 V - 240 V CA, 50 Hz Classe d'efficacité énergétique KDL-50W68xA: A++ KDL-50W65xA: A++ KDL-42W65xA: A+ KDL-32W65xA: A KDL-32W60xA: A KDL-24W60xA: A Taille d'écran (mesurée en diagonale) (Environ) KDL-50W68xA: 125,7 cm / 50 pouces KDL-50W65xA: 125,7 cm / 50 pouces KDL-42W65xA: 106,7 cm / 42 pouces KDL-32W65xA: 80,1 cm / 32 pouces KDL-32W60xA: 80,0 cm / 32 pouces KDL-24W60xA: 59,8 cm / 24 pouces Consommation électrique en mode « Domicile »/« Standard » KDL-50W68xA: 51,0 W KDL-50W65xA: 51,0 W KDL-42W65xA: 50,0 W KDL-32W65xA: 41,0 W KDL-32W60xA: 41,0 W KDL-24W60xA: 25,0 W en mode « Point de vente »/« Intense » KDL-50W68xA: 97 W KDL-50W65xA: 97 W KDL-42W65xA: 95 W KDL-32W65xA: 78 W KDL-32W60xA: 78 W KDL-24W60xA: 56 W Poids (Environ) avec support de table KDL-50W68xA: 15,2 kg KDL-50W65xA: 15,2 kg KDL-42W65xA: 11,0 kg KDL-32W65xA: 7,8 kg KDL-32W60xA: 7,7 kg KDL-24W60xA: 4,5 kg sans support de table KDL-50W68xA: 14,0 kg KDL-50W65xA: 14,0 kg KDL-42W65xA: 9,9 kg KDL-32W65xA: 6,8 kg KDL-32W60xA: 6,7 kg KDL-24W60xA: 4,0 kg *1 Tous les téléviseurs ne bénéficient pas de la technologie DVB-T2 ou DVB-S/S2 et ne sont pas équipés d'une borne d'antenne satellite. Ω Não retire o cartão fictício da ranhura CAM do televisor (Módulo de Acesso Condicional), exceto quando for para introduzir um smart card instalado no CAM. @ @ @ @ @ @ Er varemerker for Sony Kun for satellittmodeller: DiSEqC™ er et varemerke for EUTELSAT. Satellit*1: mezfrequenční kmitočty 950-2150 MHz Zvukový výstup 8 W + 8 W (KDL-50W68xA, KDL-50W65xA, KDL-42W654A, KDL-42W653A, KDL-42W651A, KDL-42W650A) 5 W + 5 W (KDL-42W656A, KDL-42W655A, KDL-32W65xA, KDL-32W60xA, KDL-24W60xA) HDMI IN 1, 2 (pouze model KDL-50W68xA) Video (2D): 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i, 480p, 480i, PC formáty Video (3D): Frame Packing 1080p (30 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p Vedle sebe 1080p (50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (50, 60 Hz) Nad/pod 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (50, 60 Hz) Audio: dvoukanálové lineární PCM: 32, 44,1 a 48 kHz, 16, 20 a 24 bitů, Dolby Digital ARC (Audio Return Channel) (pouze model HDMI IN 1) HDMI IN 1, 2 (kromě modelů KDL-50W68xA) Video: 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i, 480p, 480i, PC formáty Audio: dvoukanálové lineární PCM: 32, 44,1 a 48 kHz, 16, 20 a 24 bitů, Dolby Digital ARC (Audio Return Channel) (pouze model HDMI IN 1) MHL (společný s HDMI 2) (pouze model KDL-50W68xA) Video (2D): 1080p (30 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i, 480p, 480i Video (3D): Vedle sebe 1080/24p, 1080i (50, 60 Hz), 720p (50, 60 Hz) Nad/pod 1080p (30 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (50, 60 Hz) Audio: dvoukanálové lineární PCM: 32, 44,1 a 48 kHz, 16, 20 a 24 bitů, Dolby Digital MHL (společný s HDMI 2) (kromě modelů KDL-50W68xA) Video: 1080p (30 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i, 480p, 480i Audio: dvoukanálové lineární PCM: 32, 44,1 a 48 kHz, 16, 20 a 24 bitů, Dolby Digital DIGITAL AUDIO OUT (OPTICAL) Digitální optický konektor jack (dvoukanálový lineární PCM, Dolby Digital) AUDIO OUT / i Audio výstup (stereoformní mini jack konektor) Sluchátkový konektor USB port (podpora HDD Rec) Šířebina CAM (modul podmíněného přístupu) DC IN 19.



[You're reading an excerpt. Click here to read official SONY KDL-40W605B user guide](#)

