



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for THOMSON DPL914VD. You'll find the answers to all your questions on the THOMSON DPL914VD in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual THOMSON DPL914VD User guide THOMSON DPL914VD Operating instructions THOMSON DPL914VD Instructions for use THOMSON DPL914VD Instruction manual THOMSON DPL914VD

THOMSON DPL914VD EN
Pack Home Cinema with DVD

Instruction Manual

SAFETY

CAUTION
Do not touch the front panel with wet hands. Do not use the device with wet hands. Do not touch the front panel with bare hands. Do not touch the front panel with dirty hands. Do not touch the front panel with oily hands. Do not touch the front panel with greasy hands. Do not touch the front panel with soapy hands. Do not touch the front panel with acidic hands. Do not touch the front panel with alkaline hands. Do not touch the front panel with corrosive hands. Do not touch the front panel with flammable hands. Do not touch the front panel with explosive hands. Do not touch the front panel with radioactive hands. Do not touch the front panel with toxic hands. Do not touch the front panel with infectious hands. Do not touch the front panel with allergenic hands. Do not touch the front panel with irritant hands. Do not touch the front panel with sensitizing hands. Do not touch the front panel with carcinogenic hands. Do not touch the front panel with mutagenic hands. Do not touch the front panel with teratogenic hands. Do not touch the front panel with embryotoxic hands. Do not touch the front panel with fetotoxic hands. Do not touch the front panel with reprotoxic hands. Do not touch the front panel with system toxic hands. Do not touch the front panel with organ toxic hands. Do not touch the front panel with neurotoxic hands. Do not touch the front panel with immunotoxic hands. Do not touch the front panel with carcinogenic hands. Do not touch the front panel with mutagenic hands. Do not touch the front panel with teratogenic hands. Do not touch the front panel with embryotoxic hands. Do not touch the front panel with fetotoxic hands. Do not touch the front panel with reprotoxic hands. Do not touch the front panel with system toxic hands. Do not touch the front panel with organ toxic hands. Do not touch the front panel with neurotoxic hands. Do not touch the front panel with immunotoxic hands.

FRONT PANEL

1. On/Standby
2. Eject/Stop
3. Power
4. Play/Pause
5. Stop
6. Previous
7. Next
8. Repeat
9. Shuffle
10. Mute
11. Volume Up
12. Volume Down
13. Display
14. Menu
15. Exit

REAR PANEL

1. Power
2. Eject/Stop
3. Play/Pause
4. Stop
5. Previous
6. Next
7. Repeat
8. Shuffle
9. Mute
10. Volume Up
11. Volume Down
12. Display
13. Menu
14. Exit

PACKING

1. Remove the DVD player from the box.
2. Remove the DVD player from the foam.
3. Remove the DVD player from the bag.
4. Remove the DVD player from the case.
5. Remove the DVD player from the sleeve.
6. Remove the DVD player from the cover.
7. Remove the DVD player from the insert.
8. Remove the DVD player from the tray.
9. Remove the DVD player from the disc.
10. Remove the DVD player from the jewel case.
11. Remove the DVD player from the case.
12. Remove the DVD player from the sleeve.
13. Remove the DVD player from the cover.
14. Remove the DVD player from the insert.
15. Remove the DVD player from the tray.
16. Remove the DVD player from the disc.
17. Remove the DVD player from the jewel case.
18. Remove the DVD player from the case.
19. Remove the DVD player from the sleeve.
20. Remove the DVD player from the cover.
21. Remove the DVD player from the insert.
22. Remove the DVD player from the tray.
23. Remove the DVD player from the disc.
24. Remove the DVD player from the jewel case.
25. Remove the DVD player from the case.
26. Remove the DVD player from the sleeve.
27. Remove the DVD player from the cover.
28. Remove the DVD player from the insert.
29. Remove the DVD player from the tray.
30. Remove the DVD player from the disc.
31. Remove the DVD player from the jewel case.
32. Remove the DVD player from the case.
33. Remove the DVD player from the sleeve.
34. Remove the DVD player from the cover.
35. Remove the DVD player from the insert.
36. Remove the DVD player from the tray.
37. Remove the DVD player from the disc.
38. Remove the DVD player from the jewel case.
39. Remove the DVD player from the case.
40. Remove the DVD player from the sleeve.
41. Remove the DVD player from the cover.
42. Remove the DVD player from the insert.
43. Remove the DVD player from the tray.
44. Remove the DVD player from the disc.
45. Remove the DVD player from the jewel case.
46. Remove the DVD player from the case.
47. Remove the DVD player from the sleeve.
48. Remove the DVD player from the cover.
49. Remove the DVD player from the insert.
50. Remove the DVD player from the tray.
51. Remove the DVD player from the disc.
52. Remove the DVD player from the jewel case.
53. Remove the DVD player from the case.
54. Remove the DVD player from the sleeve.
55. Remove the DVD player from the cover.
56. Remove the DVD player from the insert.
57. Remove the DVD player from the tray.
58. Remove the DVD player from the disc.
59. Remove the DVD player from the jewel case.
60. Remove the DVD player from the case.
61. Remove the DVD player from the sleeve.
62. Remove the DVD player from the cover.
63. Remove the DVD player from the insert.
64. Remove the DVD player from the tray.
65. Remove the DVD player from the disc.
66. Remove the DVD player from the jewel case.
67. Remove the DVD player from the case.
68. Remove the DVD player from the sleeve.
69. Remove the DVD player from the cover.
70. Remove the DVD player from the insert.
71. Remove the DVD player from the tray.
72. Remove the DVD player from the disc.
73. Remove the DVD player from the jewel case.
74. Remove the DVD player from the case.
75. Remove the DVD player from the sleeve.
76. Remove the DVD player from the cover.
77. Remove the DVD player from the insert.
78. Remove the DVD player from the tray.
79. Remove the DVD player from the disc.
80. Remove the DVD player from the jewel case.
81. Remove the DVD player from the case.
82. Remove the DVD player from the sleeve.
83. Remove the DVD player from the cover.
84. Remove the DVD player from the insert.
85. Remove the DVD player from the tray.
86. Remove the DVD player from the disc.
87. Remove the DVD player from the jewel case.
88. Remove the DVD player from the case.
89. Remove the DVD player from the sleeve.
90. Remove the DVD player from the cover.
91. Remove the DVD player from the insert.
92. Remove the DVD player from the tray.
93. Remove the DVD player from the disc.
94. Remove the DVD player from the jewel case.
95. Remove the DVD player from the case.
96. Remove the DVD player from the sleeve.
97. Remove the DVD player from the cover.
98. Remove the DVD player from the insert.
99. Remove the DVD player from the tray.
100. Remove the DVD player from the disc.

REMOTE CONTROL

1. On/Standby
2. Eject/Stop
3. Play/Pause
4. Stop
5. Previous
6. Next
7. Repeat
8. Shuffle
9. Mute
10. Volume Up
11. Volume Down
12. Display
13. Menu
14. Exit

CONNECTIONS

GETTING START

1. Turn on the TV.
2. Turn on the DVD player.
3. Press the Play/Pause button.
4. Press the Stop button.
5. Press the Previous button.
6. Press the Next button.
7. Press the Repeat button.
8. Press the Shuffle button.
9. Press the Mute button.
10. Press the Volume Up button.
11. Press the Volume Down button.
12. Press the Display button.
13. Press the Menu button.
14. Press the Exit button.



You're reading an excerpt. Click here to read official THOMSON DPL914VD user guide
<http://yourpdfguides.com/dref/431994>

Manual abstract:

To exit the System Setup Menu, press SETUP / EXIT again. DPL914VD EN VCR, TV or Satellite Receiver. Play 3 6 7 8 9 10 11 12 PLAYER ZONES Audio cable Pack Home Cinema with DVD DVD disc are programmed with region numbers indicating countries in which they can played. The region number of this unit is 2. If the DVD disc is marked with a different region number, it cannot be played on this unit. 1. On / Standby SYSTEM SETUP SCREEN SAVER DIVX[R] VOD PASSWORD RATING SOURCE 2 2. Standby Indicator 3. Disc Tray 4. 5.

// 1) Open or close the disc tray in stop or no disc mode. 2) Stop playing. VOL 1) Increase volume. 2) Decrease volume. To listen the sound from your VCR, TV or Satellite Receiver through the speakers of this unit, only connect the Left / Right audio output of these equipments to the Left / Right audio input jack of this unit.

(3) Speaker Connection Before Connecting This DVD Home Cinema System is designed to reproduce optimum sound quality when the supplied speakers are used. If you wish to connect other speakers to the system instead of the supplied speakers, they should be 4 ohms impedance for the speakers and 3 ohms impedance for subwoofer. Ensure correct polarity when connecting speakers (colored wire for matched colour terminal clip). To prevent damage to circuits, never short-circuit the speaker output terminals. AUX IN (AUDIO) TV SCART OUT / TV IN (AUDIO) EXIT SETUP PLAYABLE DISCS · · DVD-Video DVD-R/RW, DVD+R/RW DVD-R and DVD-RW discs must be made in Video DVD mode.

DVD+RW disc must be made in accordance with the specifications for DVD+RW disc with a 4.7 GB capacity. Video CD (VCD), Super Video CD (SVCD) Audio CDs CD-R/RW This player can play most CD-R/RW discs. However depending on the recording conditions, you may find that not all discs will play successfully. MP3 Files on CD-R/RW MP3 files should be ISO 9660 or JOLIET format. If the sampling frequency is 44.1 or 48.1KHz, and the fixed bit rate is 128Kbps or higher, MP3 files can be played. However, some of them may not be played depending on their conditions or formats. WMA Files on CD-R If the sampling frequency is 32KHz, and the fixed bit rate is 128Kbps or higher, WMA files can be played.

However, some of them may not be played depending on their conditions or formats. JPEG Files on CD-R/RW This player can play JPEG files with a resolution for up to five million pixels. Certain JPEG files cannot be read by this player. MPEG4 Files on CD-R/RW Your MPEG4 files should be ISO format without QPEL. DivX Files on CD-R/RW 6. LED Display Area 7. Infra-Red Receiver Window 8. 9. 10. FREQUENCY 1) Skip to the previous chapter / track in DVD / VCD / CD mode.

2) Tune the channel number down in tuner mode. FREQUENCY 1) Skip to the next chapter / track in DVD / VCD / CD mode. 2) Tune the channel number up in tuner mode. Play button. or to navigate for different Setup Menu : System Setup, Language 2.

Press Setup, Audio Setup, Video Setup or Speaker Setup. 3. When any Setup Menu is high-lighted, use or to select different items under the setup menu. Then different options for each item will appear on the right column. 4.

Use the or OK to enter into the right column. Then use or to change a new setting. Press OK to confirm the changed setting. 5. Repeat step 3 to 4 to change the other settings. 6. Use button to return to the previous menu. 7. Use button to return to the main menu bar. 8.

Repeat step 2 to 7 to change all settings. For detail, please refer to the corresponding chapters under Setting Details Section described below. 9. If you have finished the changes, highlight the selection EXIT SETUP and press OK or press SETUP / EXIT again to exit Setup Menu. SOURCE · · · 11. SOURCE Switch different input sources between AUX 1, AUX 2, TV IN, Tuner and DVD. 12. USB Jack for external USB device connection. · Setting Details 1. SYSTEM SETUP 1.

1 SCREEN SAVER · Instruction Manual REAR PANEL 8 2 1 SUBWOOFER (Can be placed anywhere in the room) 2 FRONT RIGHT SPEAKER 3 CENTER SPEAKER (Front) 1 FRONT LEFT SPEAKER · · · SYSTEM SETUP SCREEN SAVER DIVX[R] VOD PASSWORD RATING SOURCE EXIT SETUP ON OFF AUX IN (AUDIO) TV SCART OUT / TV IN (AUDIO) PACKING SAFETY · · · · Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles and the point where they exit from the apparatus. Only use attachments / accessories specified by the manufacturer. Unplug this apparatus during lightning storms or when unused for long periods of time. Use only with a cart, stand, tripod, bracket or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart / apparatus combination to avoid injury from tip-over.

Examine the contents of the box of the DVD Home Cinema System : · DVD Home Cinema System with attached power cord · Remote Control with 2 batteries · Instruction Manual · FM Antenna · 2 Rear Speaker with wire · 2 Front Speakers with wire · Subwoofer with wire · Center Speaker with wire · Warranty Card 4 5 6 7 3 IMPORTANT ! Connect the AC cord only after the speakers, antenna and all optional equipment have been connected. Never make or change any connections with the power switched on. The rating plate is located at the rear panel of the system. 1. FM Antenna Input Connection For FM reception, connect the FM antenna to the FM jack.

Move the antenna in various directions until the clearest signal is received. Note: Position the antenna as far away as possible from a TV, VCR or other radiation source. 2. AUX IN (AUDIO) For connecting audio (Left / Right) input signals from auxiliary source such as VCR, TV or Satellite Receiver and playing them through this unit. These connections are selected by the [SOURCE] button on the front panel or [AUX/ TV/FM] key on the remote control. 3. TV SCART OUT / TV IN (AUDIO) Use the scart cable to connect the unit TV SCART OUT jack to the corresponding Scart input jacks on the TV. In DVD Mode : DVD signal will be output through this jack to the TV. In TV IN Mode : Audio signal will be input through this jack from the TV to the DVD Home Cinema System. This audio sound will be amplified to the speakers.

4. Subwoofer Speaker For connecting the subwoofer to SUB terminal. Connect the purple colour terminal clip to the subwoofer purple colour wire and black terminal clip to the subwoofer black wire. 5. Center Speaker For connecting the center speaker to C terminal. Connect the green colour terminal clip to the speaker green colour wire and black terminal clip to the speaker black wire. 6. Surround Speaker (Rear Speakers) For connecting the surround left speaker to SL terminal. Connect the blue colour terminal clip to the speaker blue colour wire and black terminal clip to the speaker black wire. For connecting the surround right speaker to SR terminal.



[You're reading an excerpt. Click here to read official THOMSON DPL914VD user guide](http://yourpdfguides.com/dref/431994)
<http://yourpdfguides.com/dref/431994>

Connect the grey colour terminal clip to the speaker grey colour wire and black terminal clip to the speaker black wire. 7. Front Speaker For connecting the front left speaker to FL terminal. Connect the white colour terminal clip to the speaker white colour wire and black terminal clip to the speaker black wire.

For connecting the front right speaker to FR terminal.

Connect the red colour terminal clip to the speaker red colour wire and black terminal clip to the speaker black wire. 8. Power Cord 5 SURROUND RIGHT SPEAKER (Rear) AUX IN (AUDIO) TV SCART OUT / TV IN (AUDIO) 4 SURROUND LEFT SPEAKER (Rear) Turn the screen saver option ON or OFF. If you turn the screen saver ON, the screen saver image appears when you leave the system in pause or stop mode more than 3 minutes. This saver can protect the TV screen from being damaged.

1.2 DIVX [R] VOD SYSTEM SETUP SCREEN SAVER DIVX [R] VOD PASSWORD RATING SOURCE Press the speaker terminal clip down & insert the wire, then release the clip. REMOTE CONTROL 31 REGISTER CODE DTYNVU7T VISIT WEB SITE WWW.DIVX.COM / VOD A) B) C) D) E) F)

This product incorporates copyright protection technology that is protected by U.S. patents and other intellectual property rights. Use of this copyright protection technology must be authorized by Macrovision, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision. Reverse engineering or disassembly is prohibited. Manufactured under license from Dolby Laboratories.

"Dolby", "Pro Logic" and the double-D symbol are trademarks of Dolby Laboratories. Dolby and the double-D symbol are trademarks of Dolby Laboratories. Manufactured under license from Dolby Laboratories. DTS is a digital sound compression technique developed by Digital Theater Sound Systems for digital multichannel audio signals. "DTS" and "DTS Digital Out" are trademarks registered by Digital Theater Systems Inc. U.S. Patent Nos. 4,631,603; 4,819,098; 4,907,093; 5,315,448; and 6,516,132. To ensure proper use of this product, please read this instruction manual carefully and retain for future reference.

Should the unit requires any maintenance, please contact an authorized service center. Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as when the power supply cord or plug is damaged, liquid has been spilled or objects have fallen into the apparatus, the apparatus has been exposed to rain or moisture, does not operate normally, or has been dropped. Apparatus shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on the apparatus. Burden Do not place a heavy object on, or step on the product.

The object may fall, causing serious personal injury and serious damage to the product. Damage Requiring Service Unplug this product from the wall outlet and refer servicing to qualified service personnel under the following conditions : When the power supply cord or plug is damaged. If liquid has been spilled or objects have fallen into the product. If the product has been exposed to rain or water. If the product does not operate normally by following the operating instructions.

Adjust only those controls that are covered by the operating instructions. Improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the product to its normal operation. If the product has been dropped or damaged in any way. When the product exhibits a distinct change in performance. It indicates a need for service. Servicing Do not attempt to service this product yourself as opening or removing cover may expose you to dangerous voltage or other hazards. Refer all servicing to qualified service personnel. Replacement Parts When replacement parts are required, be sure the service technician has used replacement parts specified by the manufacturer or have the same characteristics as the original part. Unauthorized substitutions may result in fire, electric shock or other hazards. Safety Check Upon completion of any service or repairs to this product, ask the service technician to perform safety checks to determine that the product is in proper operating condition.

The main plug is used as the disconnect device, the disconnect device shall remain readily operable condition. Stand-by light will be on when the main plug is connected. Stand-by light will be off when the main plug is disconnected to the socket. European versions comply with CE requirements. EXIT SETUP 1 30 29 2 3 4 5 6 7 8 9 10 11 12 13 22 14 15 16 17 21 20 19 18 25 24 23 28 27 26 AUX IN (AUDIO) Shows the DivX code in the DVD Home Cinema System. Note: The DivX code is varied 1.3 PASSWORD and RATING Connection of all speakers are the same. Note : Do not remove excessive amount of insulation on the wire cords to avoid the stripped po/forward to the previous or next chapter / track. 10. Stop playing.

11. 12. Start playing. 13. 1) Active Navigation Keys Navigate in indicated directions for making selections in menus, Active Navigation mode or tuner setting. 2) Tuning Keys (In Tuner Mode) UP / DOWN to change the frequency of the Radio Channel. LEFT / RIGHT to change the Radio Channel. 14. DVD 1) Select DVD mode. 2) If you connect your USB device to the USB jack on the front panel, press this button and use Active Navigation keys to select USB mode. 15. AUX/TV/FM Toggle between AUX 1, AUX 2, TV IN and Tuner mode by pressing repeatedly. 16. SURROUND Select different surround sound effects among STEREO, PROLOGIC II MOVIE, PROLOGIC II MUSIC, CONCERT, CHURCH, PASSIVE, WIDE and LIVE. Note: Surround Sound Effect (DSP) is available only for STEREO contents (2 channels). DSP cannot be selected while playing back a DVD with multichannel audio content like Dolby Digital 5.1 or DTS 5.1. 17. SLEEP Activate a sleep timer for the unit to the standby mode automatically.

18. TONE Select different EQ modes among FLAT, ROCK, POP, CLASSIS and JAZZ. 19. SETUP / EXIT Press to enter or exit the SYSTEM SETUP Menu. 20. MENU Enter the Disc Contents Menu in DVD mode or Return disc menu for VCD disc with PCB ON mode. 21. EX BASS Turn EX BASS to Soft Bass, Balance Bass or Powerful Bass. 22. OK Enter or select in menu and setup navigation.

Freezes picture and sound during playback. 23. Start backward / forward search. 24. 25.

TITLE / ROTATE 1) Display the Title Menu if present on disc (DVD mode only). 2) Rotate picture when playing picture CDs. 26. - VOL + Increase or decrease the volume. 27.

AUDIO / FM ST 1) Change different audio stream of disc. 2) Select Mono / Stereo in Tuner mode. 28. INFO Display current setting information of the playing disc. 29. 0 - 9 (Numeric Keys) 1) In DVD mode, they are used for direct key in selections of title, chapter, track, channel and time search input.



[You're reading an excerpt. Click here to read official THOMSON](#)

[DPL914VD user guide](#)

<http://yourpdfguides.com/dref/431994>

2) In tuner mode, they are used to direct key in a preset station. OPEN/CLOSE Open or close the disc tray. 30. 31.

MUTE Mute and unmute the sound output. Center Speaker Front speaker (left) Subwoofer Center Speaker Front speaker (right) TV Front speaker (left) Subwoofer TV Front speaker (right) DIM C DIM L VIEWING AREA DIM R Rear speaker (left surround) Rear speaker (right surround) Rear speaker (left surround) DIM LS Rear speaker (right surround) DIM RS Many DVD movie discs contain Motion Picture Assotion rating codes. This Home Cinema

System will recognize the codes on these disc. The unit provides a method for you to prevent children from viewing films which are not suitable or objectionable. 1 KID SAFE : Only DVD software intended for child can be played back. 2 G : General Audience, recommended as an acceptable for views of all agees. 3 PG : Parental Guidance suggested. 4 PG13 : Material is not suitable for children under age 13. 5 -- 6 R : Recomend that parents restrict children under 17 from viewing or allow to view only when supervised by a parent or adult guardian. 7 NC-17 : Not recommended viewing for children under age 17.

8 : Should be viewed only by adults due to graphic sexual material, violence or language. or to highlight Rating, then press . 1. In SYSTEM SETUP menu, press or to highlight a rating level for the disc inserted and press OK. 2.

Press 3. Press or to highlight Password and press OK. Use the numeric key (0-9) to enter the four-digit password. If you make a mistake before pressing OK, press the CLEAR button and enter your 4-digit security code again. DVD discs that are rated above the level you selected will not play unless you enter correct four-digit password.

Indicates Parental lock is NOT active. CONNECTIONS The following connections show the different video and audio connections to TV, VCR or CD Recorder. Important : Make sure that the AC Voltage matches your local voltage. Connect the AC cord only after the speakers, antenna, and all optional equipment have been connected. (1) Connecting TV 1) Please place the front left and right speakers to the left hand side and right hand side of your TV. 2) Place the center speaker above the TV so that the centre channel sound is localised. 3) Place the suround left and surround right speakers in line with your listening position or behind your listening position. Ideally they should be placed slightly above your ear level while you seat in your normal listening location. 4) The subwoofer can be installed for powerful bass sounds when it is placed on the floor. Place the subwoofer on the floor near the TV.

5) All speakers should approximately be at the same distance from your listening position and must be visible. The Parental lock is active. Note : 1. Only when the parental lock is active the rating level will function. 2. Only when the parental lock is not active the rating level can be changed. 1.4 SOURCE SYSTEM SETUP SCREEN SAVER DIVX[R] VOD PASSWORD RATING SOURCE DISC USB GETTING START Before Beginning Finish the connection for the DVD Home Cinema System as shown in the previous section. Connect Power to the DVD Home Cinema System. Turn on the TV and set to the correct video-channel.

Insert the batteries in the remote control. EXIT SETUP Select the source files that you want to play bewteen Disc and USB. To access files in a USB device, make sure your USB devices is connected to the USB jack on the front panel. 2. LANGUAGE SETUP You can select different languages for OSD shown on TV screen Setup Menu operation.

You can also select different lanuages for Audio, Subtitle and Menu which are recorded on the DVD disc. Start Playback SCART IN · Press the key (either on the unit front panel or the remote control). The unit display should light. Press DVD on the remote control, the unit will switch to the DVD mode. After a few seconds the panel will show [NO DISC].

/ on the front panel or on the remote control. The disc tray Press will open. Place a DVD in dic tray and press / on the front panel or on the remote control (same as disc tray open operation). The disc tray will be closed. The unit will start reading the disc and start playing it. Before the movie starts to play, a menu will be displayed. You need to select the item [PLAY MOVIE] and press OK to start the movie playback. Although you can watch a movie immediately, to get the best result from this unit, you are suggested to proceed for the Basic setup options first. Detail description is on the following pages. This will set up all the functions on your unit.

You only need to do it once while you first install your Home Cinema Unit. · SCART CABLE · LANGUAGE SETUP OSD LANG AUDIO LANG SUBTITLE LANG DISC MENU Cleaning Disc Picture freezing, sound skipping or repeating can occur if the disc inside the player is dirty. · When a disc becomes dirty, clean it with a cleaning cloth. Wipe the disc from the center out. · Do not wipe in a circular motion. Circular scratches can cause picture distortion or render the disc unplayable. CAUTION ! Do not use solvents, commercially available cleaners, or antistatic spray intended for analog disc. EXIT SETUP AUX IN (AUDIO) TV SCART OUT / TV IN (AUDIO) · To view the video from DVD disc on your TV set, connect the TV SCART OUT jack of this unit to the SCART jack of your TV set using a scart cable. OSD LANG : Select the unit All Setup Menu language. AUDIO LANG : Select the audible language to play. SUBTITLE LANG : Select the subtitle displayed on the TV screen. DISC MENU : Select the disc menu language. Note : If the selected language is not recorded on the disc, the disc own fault language is selected automatically. 3. AUDIO SETUP 3.

1 VOLUME SETUP AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II FRONT RIGHT 0 DB 4.3 TV TYPE VIDEO SETUP TV SYSTEM VIDEO TV TYPE 4:3 PS 4:3 LB 16:9 10. ANGLE (To change the Viewing Angle in DVD) You can select different angles of viewing when play a DVD video disc that contains scenes recorded from multiple angles. · Press ANGLE repeatedly to select different angles of viewing if available on the disc. Note : This function can only available when the scenes shot from multiple angles have been recorded on the DVD disc.

If multi-angle viewing is not available, OFF is displayed. 11. AUDIO / FM ST (To Change Different Audio Language Available on the Disc) During playback, you can change different audio language or audio output. · When a disc is playing, press AUDIO / FM ST to show the current playback audio track number.

3. Programming Playback You can play the contents of the disc in the order you want by arranging the order of Chapter / Title/ Track · Press the PLAYMODE button. PLAY MODE MODE REPEAT OFF OFF PLAY MODE MODE REPEAT PROG OFF PLAYING MP3 / WMA / JPEG / MPEG 1 LISTENING TO THE RADIO CHANNEL Important : Make sure the antenna is connected correctly.



[You're reading an excerpt. Click here to read official THOMSON](#)

[DPL914VD user guide](#)

<http://yourpdfguides.com/dref/431994>

You can program up to 20 radio channels maximum for easy recall. Search a Radio Channel 1. Press the ON / STANDBY button on the remote control to turn on the unit.

2. Press repeatedly either the AUX/TV/FM on the remote control or SOURCE on the front panel until the Tuner Mode is selected. MHZ EXIT SETUP · EXIT SETUP When MODE is highlighted, use or to select option into PROG mode. Then press OK to confirm. Note : During VCD / SVCD playback, the function is only available when PBC is OFF. 7 · Once you select the Volume Setup and press OK, you will hear the calibrating sound from the front left speaker for a few seconds. Then this sound will move from speaker to speaker as follows : Front Left -> Center -> Front Right -> Subwoofer -> Rear Right -> Rear Left. If the calibrating sound is either too small or too loud, exit the Volume Setup and then adjust the volume control until the calibrating sound is more clear. Let the calibrating sound cycle through all the speakers at least once. · If the calibrating sound level from all speakers is approximately the same, no further adjustment is necessary.

· If any speaker sound level appears unbalance to the rest, you can increase or decrease the level of the speaker by pressing or to increase or decrease the speaker level when that speaker is highlighted. · When you have completed the level adjustments, press OK to exit the Volume Setup and return to the previous menu. Note : We recommend to set Volume = 30 before entering this Volume Setup to further calibrating any unbalance speaker level output. . . . 4:3 PS This is selected when the unit is connected with a normal TV. Widescreen images are shown on the screen, but with some parts cut automatically.

4:3 LB This is selected when the unit is connected with a normal TV. Widescreen images are shown on screen, with black belts on the top and bottom 16:9 This is selected when the unit is connected with a wide-screen TV. Notes: 1. The factual effect of playing rely on the picture recorded in disc. Some disc could not be played according to your selection.

2. As for the disc recorded in 4:3 mode, the disc will only be played in 4:3. 3. The TV TYPE should be set correspondingly with the TV screen. 3.1 DVD Programming Chapter Title 6 4 5 2 8 3 FM : [1 2CH] · Press repeatedly to select the desired audio track. @@12. @@@@ Press OK again to store into channel number. The word SAVE is displayed during the saving operation. @@@@OFF: It plays back at the recording level on the disc. 1. If the Center speaker is placed close to the Front speakers, choose CENTER DIST.

1 CENTER / REAR DISTANCE SPEAKER SETUP CENTER DIST. REAR DIST. SPEAKER SETUP CENTER DIST. @@@@ Use , , or to move to another field. Repeat the above steps. @@@@ When the desired radio station is tuned. @@(Open / Close) 1. · Press to open the disc tray. Note : Load the disc on the disc tray with disc label facing upward. · Press again to close the disc tray.

It will start playback automatically. (Play) 2. · Press to start playback. (Pause) 3. · Press to pause playback.

again or will resume normal playback. · Press 4. · Press to skip a track or picture backward or forward. (Stop) 5. · Press to stop playback.

@@will resume normal playback. · Press 6. @@7. @@CLEAR · Press to delete the information you input. 8. @@@@ Press OK again to store into channel number. The word SAVE is displayed during the saving operation. @@@@OFF: It plays back at the recording level on the disc. 1. If the Center speaker is placed close to the Front speakers, choose CENTER DIST.

to set the Center distance value minimum to achieve the best listening effect. 2. If the Surround speakers are placed close to the listening position than the Front speakers, choose REAR DIST. to set the Rear distance value larger to achieve the best listening effect. FM 3.3 PROLOGIC II AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II PLAYING DVD / VCD / CD DISC 1 DVD TT 7/36 CH 1/41 00:03:12 Elapsed time Chapter Total title Current title MOVIE MODE MUSIC MODE OFF . . . · Press INFO twice to check the remaining time of current chapter. Press INFO thrice to check the playing time of current title. Press INFO four times to check the remaining time of current title. Press INFO five times to further display more playback information as following: Audio Language Enter the track numbers in - - . Use , , or button to move to another field.

Repeat the above steps. Press or highlight PLAY on the screen and press OK to start the programmed playback. · Highlight the current input on the screen and press CLEAR to delete the track you input. Note : · Highlight CLEAR on the PROG screen and press OK to delete all inputs. · The function is only available when PBC is OFF.

. . . . 4. Repeat the above steps to save up to 20 radio channels. Note : When you tune at a weak FM station manually, press AUDIO / FM ST on the remote control to switch from Stereo mode to Mono mode. This will reduce the background noise. Recall Memorized Radio Channel 1.

Press the ON / STANDBY button on the remote control to turn on the unit. 2. Press repeatedly either the AUX/TV/FM on the remote control or SOURCE on the front panel until the Tuner Mode is selected. / on the front panel to change to 3. Press / on the remote control or different memorized radio channels. Selection Menu The Selection Menu will appear when starting MP3 / WMA / JPEG / MPEG playback. There are all folders in the left side Menu, from the top to the bottom the folder will be numbered as Folder No.1/No.2/No.3.

.. When you highlight one of the folders, all the contents of this folder will be displayed in the right side. All the tracks/pictures/ movies will be numbered from top to bottom as No.1/No.2/No.3...

just like the folder. Use active navigation keys to select the files. Press OK or to start playback. Active navigation keys can also be used to select the folder contains MP3 / WMA / JPEG / MPEG files.

When the folder is selected, it will play the first file automatically. 4. Random Playback The chapter in DVD and track in CD can be played in random order. Press the PLAYMODE button. PLAY MODE MODE REPEAT OFF OFF FM EXIT SETUP PROBLEMS If it appears that the DVD Home Cinema System is faulty, please first consult this checklist.

It may be something simple that has been overlooked. Note : Under no circumstances should you try to repair the unit yourself as this will invalidate the warranty. Only qualified service personnel can remove the cover or service this unit. NO POWER · Check if the ON / STANDBY button on the front panel of the unit is set to on. · Check if the unit power cord is properly connected to the power AC outlet. · Check if there is power at the AC outlet by plugging in another appliance. NO PICTURE · Check if the TV is switched on. · Set the correct AV input on the TV. · Check the video cable connection.



[You're reading an excerpt. Click here to read official THOMSON](#)

[DPL914VD user guide](#)

<http://yourpdfguides.com/dref/431994>

· Check if channel selector is set to AV on the TV.

(Refer your TV manual for instructions). · Press the V-SELECT button until stable and correct video output is on the TV screen. 11 12 1/2 ENG For CD : The Dolby Pro Logic II Surround System is a specially encoded 2 channels analog format which will reproduce 5 channels output when a Dolby Pro Logic II Decoder is used. MOVIE MODE : The Movie mode is for use with stereo television shows and all programs encoded in Dolby Surround. The result is enhanced soundfield directionality that approaches the quality of discrete. MUSIC MODE : The Music mode is for use with any stereo music recordings, and provides a wide and deep sound space. The Music mode includes different controls that allow the sound to be tailored to individual listening preference. 5.1 CH --- 1/4 CH 1 OFF Angle PLAY MODE MODE REPEAT RANDOM PROG OFF 9 10 5 6 2 · Unmute Repeat Mode 8 4 3 When MODE is highlighted, use Then press OK to confirm. or to select option into RANDOM mode.

Disc format Track 5. Repeat Playback CD TRK 2 /2 Total track Current track 00:03:12 Elapsed time You can play a specific title, chapter or track repeatedly. Press the PLAYMODE button to access the play mode menu. Note : During VCD / SVCD playback, the function is only available when PBC is OFF. For VCD : Disc format Track Repeat Mode Unmute 5.

1 Repeating a Title / Chapter / Track / Whole disc PLAYPLAY MODE MODE MODE MODE REPEAT REPEAT OFF PROG ALL OFF 3.4 PANORAMA /CENTER WIDTH / DIMENSION 7 AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II PANORAMA CENTER WIDTH DIMENSION EXIT SETUP VCD TRK 2 /2 Total title Current title PBC PBC status 00:03:12 Elapsed time MOVIE MODE MUSIC MODE OFF · · ON OFF EXIT SETUP 1. (Open / Close) · Press to open the disc tray. Note : Load the disc on the disc tray with disc label facing upward. · Press again to close the disc tray.

It will start playback automatically. (Play) 2. · Press to start playback. 3. +3 +1 -1 -3 · · · · · Press INFO once to display the playback information and playing time of current track. Press INFO twice to check the remaining time of current track. Press INFO thrice to check the playing time of current disc. Press INFO four times to check the remaining time of current disc. Press the PLAYMODE button, use or to select the REPEAT option. Use or button to select different repeat mode and press OK to confirm.

Selected mode will be highlighted on the screen. For DVD Disc : Off > REP All > Chapter > Title For CD / VCD / SVCD Disc : Off > REP 1 > REP All For MP3 / JPEG / WMA Disc : Off > REP DIR > REP 1 > REP ALL 5.2 Repeating a Specific Section 1.1 TT (Title Info) It displays the current playing Title Number and the Total Number of Title recorded on the disc. · · While the disc is playing, press A-B to set the beginning of the section you want to play repeatedly. AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II PANORAMA CENTER WIDTH DIMENSION EXIT SETUP 90 69 54 28 0 AUDIO SETUP VOLUME SETUP DYNAMIC RANGE PROLOGIC II PANORAMA CENTER WIDTH DIMENSION EXIT SETUP (Pause / Frame-by-Frame Advance) You can freeze the image and advance frame by frame. For CD, press to pause the playback. Press resume the normal playback. For DVD / VCD, press STEP Press again or directly press again will go to will · · to pause the playback. Press The above options are available only when the player is in Music Mode.

These options let you to customize the ProLogic II Music Mode Sound Effect. PANORAMA: Extends the front stereo image to include the surround speakers for an exciting "wraparound" effect with side-wall imaging. CENTER WIDTH: With Pro Logic decoding, dominant center signals can come only from center speaker. If no center speaker is present, the decoder splits the center signals equally to the left and right speakers to create a "phantom" center image. The Center Width allows variable adjustment of the center image so it may be heard only from the center speaker; only from the left/right speakers as a phantom image; or from all three front speakers to varying degrees.

DIMENSION: A simple control that alters the ratio of L+R to L-R for the two-channel input signals. It allows the user to gradually adjust the sound field either towards the front or towards the rear. If a recording is too spacious or strong from the surrounds, it can be adjusted "forward" to get a better balance. Likewise, if a stereo recording is somewhat too "mono" or "narrow" sounding, it can be adjusted toward the rear to get a more enveloping, immersing result. mode.

Each press button will advance the frame in STEP mode. will resume the normal playback. (Backward / Forward Search, Slow Motion) 4. · Press to search backward or forward. Press will resume the normal playback. Each time when or button is pressed, the speed of backward / forward search changes accordingly. to start forward or backward slow motion play. · In "pause" mode, press Press to resume normal playback. Each time when or button is pressed, the speed of slow-motion playback changes accordingly. Note: Slow motion step by step is not applicable to CD Playback.

Backward slow motion is not applicable to VCD playback. 5. · · · (Skip to the Beginning of a Chapter / Track) When a disc is playing, you can skip backward / forward a chapter / track. Press the button to skip to the beginning of the previous chapter or track. button to skip to the beginning of the next chapter or track. Press the For audio CD disc, use the numeric buttons (0 - 9 on the remote control only) to directly jump to a track number. 1.2 CH (Chapter Info) · It displays the current playing Chapter Number and the Total Number of Chapter recorded on the disc. 1.3 Elapsed time · It displays the elapsed time from the beginning of the title/chapter/disc/track playback.

Note: If there is a "-" displaying on the front of time, now the time will be the remaining time of current title/chapter/disc/track. 1.4 Audio · The audio track currently selected is displayed. 1.5 Language (Subtitle) · The language (subtitle) number currently selected is displayed.

1.6 Angle · The angle viewing currently selected is displayed. When a disc without multiangle is played back, OFF is displayed. 1.7 TRK (Track Info) · It displays the current playing Track Number and the Total Number of Track recorded on the disc.

1.8 Unmute Icon · When the sound is unmuted, the icon will be displayed. 1.9 Repeat Mode · It displays any repeat mode set. Note : After checking the settings, press INFO again to return to the exit the display. REPEAT APress A-B again to set the end of the section you want to play repeatedly.



[You're reading an excerpt. Click here to read official THOMSON](http://yourpdfguides.com/dref/431994)

[DPL914VD user guide](http://yourpdfguides.com/dref/431994)

<http://yourpdfguides.com/dref/431994>

REPEAT A-B · Then the unit will immediately begin replaying your section repeatedly. Press A-B again to clear the programmed repeat playback and return to the normal playback. **[MUSIC] --- MP3 / WMA Files** The unit begins playing all the MP3 / WMA file currently selected. Then it plays all the files in the subfolders contained within its parent folder.

After that, the unit plays the remaining folders on the disc. To Program MP3 song follow these steps: 1. Press **PLAYMODE** button on the remote control, the Play Mode Menu will display on the screen. 2. When **MODE** is highlighted, use or to select option into **PROG** mode. Then press **OK** to enter MP3 program menu. In this menu, the letter **F** means Folder, **T** means Track. 3. Input the Folder number below **F** and track number below **T** with two digital number. 4. Use the Navigation keys to move to another field and repeat step 3 for the next song. or highlight **PLAY** on the screen and press **OK** to start program 5. Press playback.Highlight **CLEAR** on the **PROG** screen and press **OK** to delete all inputs. You can program up to 16 songs total.

[PICTURE] --- JPEG Files The unit starts the slideshow for the JPEG file currently selected. Then it proceeds to display all other remaining JPEG files in the same folder. After that, the unit plays the JPEG files in the subfolders contained in the same folder. **[MOVIE] --- MPEG Files** The unit starts to play the whole file currently selected. Note : You cannot play WMA and JPEG files simultaneously.

DISTORTED PICTURE · Check the disc for fingerprints and clean with soft cloth, wiping from center to edge. · Sometimes a small amount of picture distortion may appear. This is not a malfunction. · The disc format does not match the TV-set (PAL / NTSC). **NO COLOR IN PICTURE** · The disc format does not match the TV-set (PAL / NTSC). · Ensure the unit is not connected through VCR. **PICTURE SWING** · Relocate the unit further away from possible interference or emission source (e.g. Radio, Power Amplifier, Radiator, etc..

.). **NO RETURN TO START-UP SCREEN WHEN DISC IS REMOVED** · Check to see if the program requires another disc to be loaded. · Reset by unplugging the unit from the power, then re-connect the power again. **THE PLAYER DOES NOT RESPOND TO THE REMOTE CONTROL** · Aim the remote control directly at the sensor on the front panel of the unit. · Avoid any obstacle which may block the remote control signal path. · Inspect or replace the batteries. **NO SOUND ON THE SPEAKERS** · Check speaker cable connections. · Check if the volume control is **NOT** at minimum setting. · Check if it is **NOT** muted by the remote control.

· Check if the disc is defective by trying another disc **DISC CANNOT BE PLAYED** · Ensure the disc is placed properly onto the disc tray. **RADIO CHANNEL RECEPTION IS POOR** · Check that the antenna is connected correctly. · Adjust the antenna location and position to obtain the best signal reception. · Tune to the correct radio channel frequency. · Place the antenna further away from any equipment that may be causing the noise or interference.

FORGOTTEN THE PASSWORD · Under DVD mode with no disc condition, press "76418" on the Remote Control to clear the password. **FUNCTION DISTURBED** · The normal function of the unit may be disturbed by external interference. Just reset the unit (disconnecting and reconnecting the power cord might be required to resume normal operation). **A-B CANCEL Note** : · The A-B repeat function can only be used within the same title. If the start and end of the section to be repeated are in at different titles, it will be reset.

· The A-B repeat function does not operate in scenes where different camera angles are recorded. 6. **PBC (VCD / SVCD Playback Control)** · When a VCD / SVCD is playing, press **PBC** repeatedly to switch between **PBC (Playback Control) ON** and **OFF**. **PLAYING DIVX DISC** Your player is an Official DivX Certified product that Plays DivX 5, DivX 4, DivX 3, and DivX VOD video content, in compliance with DivX Certified technical requirements. The correct playing of DivX in your player, depends on the preparation and production of the audio and video files, the codecs used, the type of recording equipment employed and the parameters of your computer. It is therefore possible that you cannot play a DivX file or that part or all of it is defective. It also sometimes happens that you can play the image (video) but not the sound (audio). Note: To guarantee playback of DivX files the audio must be mp3 format. DivX Certified devices can play back any interleaved mp3 audio at any bitrate, both CBR and VBR. The audio must be sampled at standard frequencies, such as 32 kHz, 44.

1 kHz, and 48kHz, and must conform to the AVI file specification. Apart from mp3, the audio formats recognised by your player are MPEG layer 1/2, AC3, DTS, PCM. Formats such as AAC and Ogg Vorbis are not supported by this player. button, insert the disc and then press again the 1. Open the tray by pressing the button to close the tray. 2. The disc's contents are displayed. Select the DivX file that you wish to play with and buttons and press **OK** to select it. Noted: To delete your selection, press the **CLEAR** button. to start playback.

3. Press **A** note on copying: Before making use of DivX or mpeg4 files, please be sure of their origin and that you have legally purchased or rented the contents. Pirate copying is illegal and may result in sanctions. Private copies of your own material for your own use may be legal in some countries. Make sure you are aware of applicable laws.

To rent (purchase) DivX VOD files DivX VOD files are similar to DVD video rental discs. The difference lies in the access to the media. DivX VOD files are downloaded after paying a rental from certain commercial web sites. Prior to downloading a VOD you need to input the registration number of your DVD player on the purchase form of the site. Follow the instructions below to find the registration number of your player: 1.

Insert a disc. to select 2. Press **SETUP/EXIT** button to enter the System Setup Menu, press **DIVX [R] VOD**, then press **OK**. The registration number is displayed on the screen of the television set. 3. Write down this VOD 8-character registration number in order to fill in the form on the web site you purchase your DivX VOD files from. Note: If you cannot play a DivX VOD file recorded on a CD-R disc after downloading it, the rental period allocated during purchasing from the web site may have expired. It may also be that the recorded file is not compatible with your player because of different versions or incorrect download parameters. The parameters used during the copying to CD-R may also be a cause. Since it is not possible here to supply all the information, parameters and advice relating to the use of DivX VOD files, we recommend that you visit specialised web sites such as www.

divx.com/vod. **PBC**: · [ON] If you select **PBC ON**, the disc menu (if available) will appear on the TV.



[You're reading an excerpt. Click here to read official THOMSON DPL914VD user guide](#)
<http://yourpdfguides.com/dref/431994>

Use or Numeric keys (0-9) to select a play operation. PBC: · [OFF] 4. VIDEO SETUP 4.1 TV SYSTEM VIDEO SETUP TV SYSTEM VIDEO TV TYPE 2. @@@@twice to stop playback completely. No resume playback. · Press again to start playback from the beginning of the disc.

7. MENU · Press to display the Disc Menu. Note : Playback will be stopped to display the menu. For CD, no function. For VCD, it is only available when PBC is set to ON.

8. TITLE · Press to display the Title Menu if present on disc (DVD only). 9. ZOOM (To Zoom In the Image) You can magnify pictures during playback. · When a disc is playing, press the ZOOM / CLEAR button.

Each time ZOOM / CLEAR button is pressed, the ZOOM settings will be changed as follows : ZOOM 2 --> ZOOM 3 --> ZOOM 4 --> ZOOM 1/2 --> ZOOM 1/3 --> ZOOM 1/4 --> ZOOM : OFF , , and keys to shift image · While an image is magnified, you can use for viewing. · To return to the original normal view, press the ZOOM key until the ZOOM : OFF symbol shows. The screen will return to normal. · When you reach the edge of the image, the display will not shift anymore in that direction. TT 7 /36 Current title CH 1/41 chapter 00:03:12 time 7. BOOKMARK Function MARK - - - - - watch again. TT 1 CH 1 00 : 03 :21 CD TRK 2 /2 Track 00:03:12 time The Bookmark feature allows you to mark a point on the screen that you want to 7.1 Create a Bookmark · · During DVD / CD playback, press BOOKMARK to access the bookmark menu. Use or button to navigate and press OK to bookmark your desired point. During playback, press BOOKMARK to access the bookmark menu.

to play from Use or button to highlight the bookmark you want and press the Bookmark point. Press CLEAR to reset the highlighted bookmark. 2.1 Select a Specific Title / Chapter / Track You can select any specific Title / Chapter / Track to start playback by directly selecting the Title / Chapter / Track number. · Press GOTO . · Press or to highlight a Title / Chapter / Track and press the corresponding numeric key 0 - 9. · Press OK to confirm. Then the unit will start playback from the position you select. Note : Press CLEAR to reset the Title / Chapter / Track it is highlighted. This player supports different TV output, including NTSC and PAL system.

You may change the setting of the unit to match your TV. NTSC : Select this if your TV supports NTSC colour system. PAL : Select this if your TV supports PAL colour system. PAL 60 : Select this if your TV supports PAL 60 colour system. AUTO : Select this if your TV supports Multi-colour system.

Note : If you TV supports only NTSC or PAL and had you inadvertently selected the wrong TV type, the TV screen will become flickering and/or black-and-white. TECHNICAL SPECIFICATION General Main Voltage: Power Consumption: Ambient Temperature: Dimensions (W x H x D): Net Weight: Amplifier Power Output: - Front Speakers - Center Speaker - Rear Speakers - Subwoofer Distortion: Radio FM AC 230V~ ,50Hz Operating, 48W Standby, 1W 0°C to +45°C 360 x 35 x 245 mm 5.5Kg 7.2 Recalling a Bookmark Scene 2.2 Locating a Specific Time You can select any specific location by directly entering the time (hours, minutes, seconds).

· Press GOTO. · Press or to highlight time. · Directly key in the numeric key 0 - 9 for the time to start playback. - The first two digits for the hours setting. - The next two digits for the minutes setting. - The last two digits for the seconds. · After entering the time, press OK to confirm. Then the unit will start playback at time you select. Note : · Some discs may not allow you to use this function. · Some scenes may not be located as precise as you specified.

· This method for accessing specific location is available only within the current title of the DVD disc. · Press CLEAR to reset the time when the time is highlighted. 4.2 VIDEO VIDEO SETUP TV SYSTEM VIDEO TV TYPE 8. TONE (Selecting Different EQ Modes) and TREBLE / BASS Control 8.1 EQ Modes There are totally 5 EQ modes available. Press TONE repeatedly on the remote control for different EQ modes : FLAT, ROCK, POP, CLASSIS and JAZZ. CLASSIC TV-RGB RGB-OFF 8.2 Treble / Bass Control Press TONE once and follows by pressing OK, then the Treble Control is enabled. Then press or to switch to enable Bass Control.

BASS 0 TREBLE 0 While Treble Control or Bass Control is enabled, press Treble / Bass Level. BASS +5 TREBLE -3 EXIT SETUP 15W, 4 15W, 4 15W, 4 25W, 3 THD 10% Max. Choose the type of video output that matches the video connection between the unit and TV. TV-RGB : The RGB signal is enabled from TV Scart Output to TV. RGB OFF : The RGB signal is disabled from TV Scart Output to TV.

or to adjust the 87.5 - 108MHz Tocom: 56267130 .



You're reading an excerpt. Click here to read official THOMSON
[DPL914VD user guide](#)
<http://yourpdfguides.com/dref/431994>