



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for TRICITY CAW1010. You'll find the answers to all your questions on the TRICITY CAW1010 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual TRICITY CAW1010
User guide TRICITY CAW1010
Operating instructions TRICITY CAW1010
Instructions for use TRICITY CAW1010
Instruction manual TRICITY CAW1010

TRICITY BENDIX

Better Products. Better Value.



Operating and Installation Instructions

Model No.
CAW1010



[You're reading an excerpt. Click here to read official TRICITY CAW1010 user guide](http://yourpdfguides.com/dref/947105)

<http://yourpdfguides.com/dref/947105>

Manual abstract:

@ @

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... @@.
. Positioning ... Water inlet .
. . Water drainage ... Levelling .
... @@.....

. Washing hints
Wash care symbols
. . . Programmes for cotton and linen . .
. . @@Using your machine

. . Washing 4.5 kg of white cotton at 95°C . Washing 2 kg of synthetic fabrics at 40°C Maintenance and cleaning Descaling, after each wash, external cleaning . .

.....
..... Cleaning the dispenser drawer, cleaning the drawer recess, the dangers of freezing Cleaning the filter .
.....

..... The water inlet filters . .

.....
.....
..... Servicing

.....
.....
.....

.....

. . . Tricity Bendix guarantee conditions Tricity Bendix service centres . .

TECHNICAL SPECIFICATIONS DIMENSIONS Height Width Depth 85 cm (33.5") 60 cm (23.6") 54 cm (21.38") 220-240 V/50 Hz 2550 W (13A) Minimum (hot) Minimum (cold) Maximum Cotton, linen Synthetics, delicate fabrics Wool Maximum 005 psi (3.5 N/cm²) 007 psi (4.8 N/cm²) 110 psi (76 N/cm²) 4.5 kg (10 lb) 2 kg (4.5 lb) 1 kg (2.2 lb) 1000 rpm **POWER SUPPLY VOLTAGE TOTAL POWER ABSORBED WATER PRESSURE MAXIMUM RECOMMENDED LOAD SPIN SPEED** This appliance complies with the following E.E.C. Directives: - 73/23 EEC of 19.2.73 (Low Voltage Directive) and subsequent modifications; - 89/336 EEC of 3.5.

89 (Electromagnetic Compatibility Directive) and subsequent modifications. 2 **IMPORTANT INFORMATION** It is most important that this instruction book should be retained with the appliance for future reference. Should the appliance be sold or transferred to another owner, or should you move house and leave the appliance, always ensure that the book is supplied with the appliance in order that the new owner can get to know the functioning of the appliance and the relevant warnings. These warnings have been provided in the interest of safety. You **MUST** read them carefully before installing or using the appliance.

INSTALLATION s s Only use the advised quantities of fabric softener. Damage to the fabric can ensue if you over-fill. Refer to the manufacturer's recommendations of quantities. As some duvets and eiderdowns should be washed in large commercial machines because of their bulk, please check with the manufacturer of the item before washing in a domestic machine. The users should always check that they have not left their gas lighters (disposable or otherwise) in their clothing.

Leave the porthole door slightly ajar between washes to preserve the door seal. s s s This appliance is heavy. Care should be taken when moving it. All packing and transit bolts must be removed before use. Serious damage can occur to the product and to property if this is not adhered to. See relevant section in instructions. Any plumbing work required to install this appliance should be carried out by a qualified plumber or competent person. Any electrical work required to install this appliance should be carried out by a qualified electrician or competent person. @@@@ Contact your local Tricity Bendix Service Centre. @@This appliance is designed to be operated by adults.

Children should not be allowed to tamper with the controls or play with the product. Pets and children have been known to climb into washing machines. Please check your drum before use. The glass door becomes very hot during the washing cycle. Keep children away from the vicinity of the appliance whilst it is in operation. When disposing of your old washing machine, the electric cable must be cut off and the door catch must be made unusable. s s s **USE** s s Always unplug the appliance and turn off the water after use. Do not overload the appliance. See relevant section in instruction book. Only wash fabrics which are designed to be machine washed.

If in doubt, consult the care label on the clothes. Before washing, ensure that all pockets are empty and buttons and zips are fastened. Avoid washing frayed or torn articles and treat stains such as paint, ink, rust, and grass before washing. Underwired bras must **NOT** be machine washed. Any objects such as coins, safety pins, nails, screws, stones or any other hard, sharp material can cause extensive damage and must not be placed into the machine. Garments which have been in contact with volatile petroleum products should not be machine washed. If volatile cleaning fluids are used, care should be taken to ensure that the fluid is removed from the garment before placing in the machine. Wash small items such as socks, laces, washable belts etc in a washing bag or pillow case as it is possible for such items to slip down between the tub and the inner drum. s s s s s s 3 **INSTALLATION** Unpacking Before starting the machine up, the packing must be removed as follows. You are advised to keep all the packaging for re-use in case the machine is to be transported again.

Using a spanner unscrew and remove the rear right bolt. Lay the machine gently on its back, making sure that the hoses are not squashed. Positioning Your new washing machine has been designed to be permanently plumbed in to your home's water supply and drainage system. However, if this is not possible, it may be connected to suitable existing taps with the drain hose discharging into a sink. The appliance has two inlet hoses, hot and cold, with female 3/4" BSP thread connectors.

If this connection is not compatible with the plumbing of the existing installation, a variety of connectors are available from good hardware stores and plumbers merchants to suit most domestic plumbing. Any alteration to your existing plumbing must be carried out by a competent person, or qualified plumber. P0255 Water inlet The inlets on the back of the appliance are colour coded, blue for cold and red for hot. Before connecting the hoses be sure to fit

the mesh filters supplied as per diagram. 2 1 P0234 P0233 Remove the polystyrene block from the bottom of the machine.

Carefully slide out the right polythene bag (1), removing it toward the centre of the machine. Repeat the operation for the left polythene bag (2), removing it toward the centre of the machine. @@@@Set the hoses correctly by loosening the ring nuts. @@@@Note Please ensure that when the appliance is installed it is easily accessible for the engineer in the event of a breakdown. All plumbing and electrical work required to install this appliance must be carried out by competent persons or qualified plumbers or electricians. In the interest of the environment 3 pin 40 mm inside dia min 600 mm min 900 mm max P0376 Important Before connecting up the machine to new pipework or to pipework that has not been used for some time, run off a reasonable amount of water to flush out any debris that may have collected in the pipes.



[You're reading an excerpt. Click here to read official TRICITY](#)

[CAW1010 user guide](#)

<http://yourpdfguides.com/dref/947105>

Whether discharging into a sink or a standpipe check that the end of the drain hose is neither too high nor too low. The top of the curve in the hose's end should be no more than 90 cm (35.4"), and no less than 60cm (23.6") above floor level.

Washing machines and dishwashers should be connected to the FOUL drainage system, the water will then be taken to a sewage works for treatment before being discharged safely into a river. It is essential that these appliances are not connected to the surface water drainage system as this water is discharged directly into a river or stream and may cause pollution. If you require any further advice please contact your local authority drainage department. Levelling Level the washing machine by raising or lowering the feet. The feet may be tight to adjust as they incorporate a self locking nut, but the machine MUST be level. Any necessary adjustment can be made with a spanner. Accurate levelling prevents vibration, noise and displacement of the machine during operation. Some vibration is inevitable, especially if mounted on a wooden floor. Sprung wooden floors are particularly susceptible to vibration. For advice, consult a builder.

If possible, always place the machine on a solid floor. Special conditions If the floor is carpeted with a deep-pile carpet or covered with crumbly or soft material, insert a rigid support base under the feet to prevent noise, vibration or displacement. The base should protrude a few centimetres beyond the edges of the machine. SHOWER SINK BATH TOILET BIDET WASHING MACHINE RAINWATER 'RUN-OFF' DISHWASHER FOUL DRAIN SURFACE WATER DRAINS & SEWERS FOUL SEWERS UNTREATED DISCHARGE SEWAGE TREATMENT WORKS TREATED DISCHARGE RIVER RIVER P0987 5 Electrical connections WARNING: THIS APPLIANCE MUST BE EARTHED. The manufacturer declines any liability should this safety measure not be observed.

If the plug that is fitted to your appliance is not suitable for your socket outlet, it must be cut off and the appropriate plug fitted. Remove the fuse from the cut off plug. The cut off plug should then be disposed of to prevent the hazard of shock and spin programme, without any garments, to ensure that any dye is removed from the sump. Once you have finished using the machine, you are advised to unplug it and turn off the water taps. s 1000g = 1 kg Sheet Pillow case Tablecloth Serviette Tea towel Linen hand towel Towelling hand towel Bath robe Man's shirt Apron 700-1000 g 100-200 g 400-500 g 50-100 g 70-120 g s s 100-150 g 150-250 g 700-1000 g 1000-1500 g 200-300 g 150-200 g s Load t C0021 T0006 Pull out the detergent dispenser drawer from the control panel.

Measure out the amount of detergent required and pour into the main wash compartment. If you wish to carry out a programme with prewash, pour the amount of detergent required into the «prewash» compartment. 7 At the end of the programme The machine stops automatically. @@Switch the machine off by depressing the ON/OFF button again. The mains-on light goes out. When the programme has finished you are advised to unplug the appliance and turn off the water taps. 3 Add the fabric softener if required Pour the fabric softener, if required, into the compartment marked . Do not exceed the MAX level and then close the drawer gently. C0020 4 Select the required options Depress Half Load and/or Eco Wash, if desired. 13 WASHING 2 KG OF SYNTHETIC FABRICS AT 40°C Suppose you have 2 kg of synthetic fabric laundry to wash.

They are rather delicate fabrics and should not be washed at a high temperature. 4 Select the required wash programme Turn the programme selector dial clockwise to the required programme. 7 1 Load the laundry Open the door by pulling the catch outward. Load the items one at a time and close the door. M0018 5 Start the machine P0004 2 Measure out the detergent Before starting up the machine check that: s the appliance is plugged in s the water supply taps are turned on s the drain hose is correctly and securely positioned s the door and the detergent dispenser drawer are closed. Depress the ON/OFF button: the mains-on light illuminates and the machine MAINS starts operating. @@@@Do not exceed the MAX level and then close the drawer gently. @@@Turn the selector dial to DRAIN (14) or SPIN (13) to drain the water. @@Switch the machine off by depressing the ON/OFF button again. The mains-on light goes out.

@@s Turn off the water taps. s Select a wash programme and run for a few seconds. s Unscrew the inlet hoses. @@Run the draining programme for a few seconds. @@@@@@@Keeping the door open after a wash will also help to preserve the door seal.

External cleaning Clean the exterior cabinet of the appliance with soap and water only, and then dry thoroughly. Cleaning the dispenser drawer From time to time the washing powder and additive dispenser drawer should be cleaned. Remove the drawer by pressing the catch downwards and by pulling it out. Flush it out under a tap, to remove any traces of accumulated powder. C0019 C0018 Cleaning the drawer recess Having removed the drawer, use a small brush to clean the recess, ensuring that all washing powder residue is removed from the upper and lower part of the recess.

Replace the drawer and run the rinse programme for a few minutes without P0038 any clothes in the drum. 15 Cleaning the filter The water drain filter A clean filter is important for the correct functioning of the machine, and should therefore be cleaned after every wash. Open the filter door and place a container underneath to catch any spillage. If the filter is blocked and the machine is unable to drain you will need to drain the water manually from the machine at this stage. To do this, unhook P0011 the drain hose from the standpipe or sink and hold the end of the hose over a bowl on the floor. The water should drain by gravity into the bowl. When the bowl is full, hook the hose back up and empty the bowl. Repeat the procedure until water stops flowing out. Unscrew and remove the filter. The water inlet filters If your water is very hard or contains traces of lime deposit, the water inlet filters may become clogged.

It is therefore a good idea to clean them from time to time. Turn off the water taps. Unscrew the water inlet hoses. Remove and clean the filters using a hard bristle brush. Replace the filters and tighten up the inlet hoses. P0041 P0132 P0133 Clean carefully under a fast running tap. P0040 Warning When the appliance is in use and depending on the programme selected there can be hot water in the filter. Never remove the filter during a wash cycle, always wait until the appliance has finished the cycle, and is empty. @@@@@..

.....
... Prod. No.
.....
. Ser. No.
.. Mod. ..
.....
... Prod. No. @@No.

..... The water taps are not turned on The water supply has been disconnected The inlet hoses are kinked The water pressure is too low The water inlet filters are clogged The door is not closed properly Original spare parts can be purchased from Tricity Bendix Service Centres.

[You're reading an excerpt. Click here to read official TRICITY CAW1010 user guide](#)



<http://yourpdfguides.com/dref/947105>

In-guarantee customers should ensure that the above checks have been made as the engineer will make a charge if the fault is not a mechanical or electrical breakdown. Please note that proof of purchase is required for any in-guarantee service calls. The machine empties as it fills s s s The end of the drain hose is too low The end of the drain hose is submerged in water Drain pipe has no vent-hole The machine does not drain or spin s s s s s You have selected a gentle wash cycle The drain filter is clogged The drain hose is kinked The drainage system pipes are blocked The drain hose extension is incorrect The wash load is unbalanced; redistribute the clothes inside the drum to allow the machine to spin The machine leaks or overflows s s s s s Too much detergent Unsuitable detergent The inlet hose(s) is (are) loose The detergent dispenser drawer or recess is clogged The end of the drain hose is not securely positioned The drainage system pipes are blocked The machine vibrates or is noisy s s s s s The internal packing has not been removed The machine is not level The machine is in contact with the wall or furniture The washing load is badly distributed The machine is overloaded The door does not open s s The safety device has locked it Water in the tub: the door cannot be opened if water is present in the tub 17 TRICITY BENDIX GUARANTEE CONDITIONS We, Tricity Bendix, undertake that if within 12 months of the date of the purchase this TRICITY BENDIX appliance or any part thereof is proved to be defective by reason only of faulty workmanship or materials, we will, at our option repair or replace the same FREE OF ANY CHARGE for labour, materials or carriage on condition that: s Exclusions This guarantee does not cover: s Damage or calls resulting from transportation, improper use or neglect, the replacement of any light bulbs or removable parts of glass or plastic, or vacuum cleaner drive belts, brushes or dust bags. Costs incurred for calls to put right an appliance which is improperly installed or calls to appliances outside the United Kingdom.

Appliances found to be in use within a commercial environment, plus those which are subject to rental agreements. Products of Tricity Bendix manufacture which are not marketed by Tricity Bendix Ltd. EU Countries. The standard guarantee is applicable but subject to the owner's responsibility and cost to ensure the appliance meets the standards set by the country to which the product is taken. The appliance has been installed correctly and used only on the electricity supply stated on the rating plate.

@@@@Any appliance or defective part replaced shall become our property. @@Home visits are made between 8.30 am and 5.30 pm Monday to Friday.

@@Electrolux Aftersales Service in the country concerned, with whom Tricity Bendix have an arrangement, will be pleased to advise further.

18 Tricity Bendix Service Force Postcode Cross Reference Code Telephone Serv. Centre Aberdeen Canvey Nuneaton Redditch Bristol Manchester Leeds South Coast Manchester Tonbridge Tonbridge Bristol N/ East Code HS9 Isle of Barra Telephone 01871-890206 Serv. Centre S. Zelfahs Code Telephone Serv. Centre AB 01224-696569 AL 0181-965-9699 B1-48, 0121-358-7076 62-79 90-94 B 49,50,60 01527 512919 61,80,95-98 BA 0117-9211876 BB 0161-4777758 BD 0113-2608511 BH 01705-667411 BL 0161-4777758 BN1-18 01273-694341 BN20-27 BR 0181 -658-9069 BS 0117-9211876 BT1-30 01232-746591 BT36-57 BT63-67 BT31-35 01861-510400 BT60-62 01861-510400 BT68-82 01861-510400 BT92-94 01861-510400 CA 01228-594747 CB 0181-965-9699 CF 01222-460131 CH 0151-2541724 CM 01268-694144 CO 01268-694144 CR 0181-658-9069 CT 01732-357722 CV 01203-354424 CW 0151-2541724 DA 01732-357722 DD 01250-876285 DE 0113-2608511 DG 01387-265166 DH 01325-310400 0191-493-2025 DL 01325-301400 DNI-7,10-12 0113-2608511 DN8,9 01472-267978 DNI4 01482-585678 DN15-20 01472-267978 DN21 Subcodes 1,2,5 01522-514603 DN21 subcodes 3, 4 01472-267978 DN31-40 01472-267978 DT 01705-667411 Dundee 01382-642828 gas only DY 0121-358-7076 E 0181 -443-3464 EC 0181-443-3464 EH 0141-647-4381 EN 0181-443-3464 EX1-17 01626-65909 EX18 - 23 01271-328826 EX31 - 39 01271-328826 FK 0141-6474381 FY 0151-2541724 G 0141-647-4381 GL 01527 512919 GU1-35 01252-24505 Guernsey 01481- 46931 HA 0181 -965-9699 HD 0113-2608511 HG 0113-2608511 HP 0181-965-9699 HR 01432-340334 HU 01482-585678 HX 0113-2608511 IG IM IP IV1-39, 52-56 IV40-51 Jersey KA1-26, 28-30 KA27 KT KW15-17 KW1-14 01268-694144 01624-687794 01603-667017 01463-792952 01855-821315 01534-505050 0141-647-4381 01773-302909 0181-658-9069 01856-875457 01463-792952 Canvey Manx Electricity Canvey Highland Appliances Inverness G Ross Jersey Elec Co Glasgow Arran Domestic Tonbridge Refrigeration Sales & Service N/ West N/ West N/ West N/ West Cumbria Canvey Cardiff Liverpool Canvey Canvey Tonbridge Tonbridge Nuneaton Liverpool Tonbridge Dundee Leeds Dumfries Northern Northern Northern Leeds S.Humberside Hull S.Humberside Lincoln S.Humberside South Coast Tayside Refrigeration Nuneaton Canvey Canvey Glasgow Canvey Newton Abbott KY 0141-647-4381 L 0151-2541724 LA 01772-316175 LD 01432-340334 LE 01203-354424 LL 01745-591616 LN1,2,4-6 01522-514603 LN3 subcodes 4 & 5 01522-514603 LN3 subcode 6 only LN7,11-13 01472-267978 LN8-10 01522-514603 LS 0113-2608511 LU 0181-965-9699 M 0161-4777758 ME 01732-357722 MK 0181-965-9699 ML 0141-647-4381 N 0181-443-3464 NE 0191 -493-2025 NG1-22 & 25 0113-2608511 NG23, 24 01522-514603 NG31-34 01522-514603 NN 01203-354424 NP1-4,6, 9-44 01222-460131 NP5,7,8 01432-340334 NR 01603-667017 NW 0181-443-3464 OL 0161-4777758 OX 01527 512919 PA1-19, 21-23 PA20 PA24-61 PA62-75 PA 83-87 PE14-19, PE30-38 PE1-13, PE 20-25 PH1-7 PH8-18 PH19-26, 42-44 PH30-41 PL1-9, 16,19-21 PL10-15 17,18 PL22-35 0141-647-4381 01700-504777 01369-703161 01688-302262 01851-705555 01603-667017 01603-667017 01522-514603 01522-514603 0141-647-4381 01250-876285 01463-792952 01855-821315 Highland Appliances Glasgow Liverpool Lancaster Hereford Nuneaton North Wales Lincoln Lincoln PO1-22 01705-667411 South Coast PO30-41 01983-872552 Isle of Wight PR 0151-2541724 Liverpool RG 01252-24505 Tonbridge RH 01273-694341 Tonbridge RM 01268-694144 Canvey S 0113-2608511 Leeds SA1-18 01222-460131 Cardiff SA19,20 01222-461972 Cardiff SA2132 01222-460131 Cardiff SA33-39 01437-710914 Haverfordwest SA40 01222-461972 Cardiff Haverfordwest SA41-44 01437-710914 SA45-48 01222-461972 Cardiff SA61-73 01437-710914 Haverfordwest SE 0181-658-9069 Tonbridge SG 0181-965-9699 Canvey SHETLAND 01595-692225 Tait Electronics SHETLAND 01595-692855 Bolts SHETLAND 01806-566546 Leask Electrical SHETLAN 01595 692915 G Robertson SK 0161-4777758 Manchester SL 01252-24505 Tonbridge SM 0181-658-9069 Tonbridge SN 01527 512919 Redditch SO SP SR SS ST SW SY1-6 SY7,18 SY8-17 SY19-22 SY23-25 TA TD TF TN TQ TRI-20 TR21 -25 TR26,27 TS TW UB W WA (Not 14/15) WA14/15 WC WD WF WN WR (not WR 15) WR 15 WS WV YO1-3 YO5-8 YO4 YO11-18 YO21, 22 YO25 01705-667411 0117-9211876 0191-493-2025 01268-694144 0121-358-7076 0181-658-9069 01743-450279 01432-340334 01743-450279 01743-450279 01222-461972 0117-9211876 01573-224411 01743-450279 01732-357722 01626-65909 01209-314407 0117-9211876 01209-314407 01325-301400 0181 -658-9069 0181 -965-9699 0181-443-3464 0151-2541724 0161-4777758 0181-443-3464 0181-965-9699 0113-2608511 0151-2541724 01527 512919 01203-354424 0121-358-5051 0121-358-5051 0113-2608511 0113-2608511 01482-585678 01482-585678 01325-301400 01482-585678 South Coast Bristol Northern Canvey Nuneaton Tonbridge Shrewsbury Hereford Shrewsbury Shrewsbury Cardiff Bristol Borders Shrewsbury Tonbridge Newton Abbott S Humberside Lincoln Leeds Canvey Manchester Tonbridge Canvey Glasgow Canvey Northern Leeds Lincoln Lincoln Nuneaton Cardiff Hereford Canvey Canvey Manchester Redditch Glasgow D Mc Glashan Redruth South Coast Redruth Northern Tonbridge Canvey Canvey Liverpool Manchester Canvey Canvey Leeds Liverpool Redditch Nuneaton Nuneaton Nuneaton Leeds Leeds Hull Hull Northern Hull Barnstaple Barnstaple Glasgow Liverpool Glasgow Redditch Tonbridge Guernsey Elec Canvey Leeds Leeds Canvey Hereford Hull Leeds Argyll B Hogg Isle of Mull Isl.



[You're reading an excerpt. Click here to read official TRICITY CAW1010 user guide](http://yourpdfguides.com/dref/947105)
<http://yourpdfguides.com/dref/947105>

of Lewis Canvey Canvey Lincoln Lincoln Glasgow Dundee Highland Appliances INVERNESS George Ross Newton Abbott 01626-65909 01209-314407
Redruth 19 Tricity Bendix Service Force Addresses CENTRE ADDRESS Tricity Bendix Service Force Northeast Appliance Service 8 Cornhill Arcade
Cornhill Drive Aberdeen AB2 5UT Tricity Bendix Service Force T.

D.C. Refrigeration Briar Hill 7 Hill Street Dunoon Argyll PA 23 7AL Tricity Bendix Service Force McBain Refrigeration P.O. Box 12 Barnstaple North
Devon EX31 2YB Tricity Bendix Service Force James Stewart & Son 2-8 Wood Market Kelso Borders TD 5 7AX Tricity Bendix Service Force Unit BE46 PO
Box 372 Bristol BS 99 1UD CENTRE ADDRESS Tricity Bendix Service Force I Brogan Domestic 41 Lesley Street Blairgowrie Perthshire PH 10 6AT Tricity
Bendix Service Force 20 Cunningham Road Clyde Estate Rutherglen Glasgow G73 1PP ABERDEEN DUNDEE ARGYLL GLASGOW BARNSTAPLE
GUERNSEY Guernsey Electricity PO Box 4 Vale Guernsey Channel Island Tricity Bendix Service Force C Butherway 1 Church Road Roch Haverfordwest
Dyfed/Wales SA 62 6AG Tricity Bendix Service Force Domestic Repair Centre Unit 3 Bank Buildings Cattle Market Hereford HR4 9HX Tricity Bendix
Service Force John Sizer Unit 1, Boulevard Unit Factory Estate Hull HU3 4AY Tricity Bendix Service Force Highland Appliances Unit 3B3 Smithton
Industrial Estate Smithton Inverness IV 1 2PD Tricity Bendix Service Force George Ross Electrical Forrestry Workshop Inchree Onich Invernessshire PH33
6SE Tricity Bendix Service Force Wyatts Electrical Service 4 Forelands Road Bembridge Isle of Wight PO35 5XW Tricity Bendix Service Force John Zerfahs
244 Bruemish Isle of Barra Western Islands HS9 5QY BORDERS HAVERFORDWEST BRISTOL HEREFORD CANVEY Tricity Bendix Service Force 2-4
Sandhurst Kings Road Canvey Island SS8 0QY Tricity Bendix Service Force Guardian Industrial Estate Clydesmuir Road Tremorfa Cardiff CF2 2QS Tricity
Bendix Service Force E.T.B. Services Carlisle Enterprise Centre James Street Carlisle CA2 5AP Tricity Bendix Service Force Allan Crossan (Service) 93
Irish Street Dumfries Scotland DG1 2PQ Tricity Bendix Service Force Tayside Refrigeration 3-7 Blackness Street Dundee DD1 5LR HULL CARDIFF
INVERNESS CUMBRIA INVERNESS DUMFRIES & GALLOWAY ISLE OF WIGHT DUNDEE (gas only) 20 ISLE OF BARRA Tricity Bendix Service Force
Addresses CENTRE ADDRESS Tricity Bendix Service Force Arran Domestic Unit 4 The Douglas Centre Brodick Isle of Arran KA27 8AJ Tricity Bendix
Service Force N D Macleod Churchhouse 16 James Street Stornoway Isle of Lewis, PA87 2QW Tricity Bendix Service Force Manx Electricity Service
Workshop North Quay Douglas Isle of Man CENTRE ADDRESS Tricity Bendix Service Force South West Domestic Service Unit 2 Zealley Industrial Estate
Kingsteignton Newton Abbott South Devon, TQ12 3TD ISLE OF ARRAN NEWTON ABBOTT ISLE OF LEWIS NORTH WALES Tricity Bendix Service Force
GMS (Cymru) Unit 2 Coed - Parc Abergele Road Rhuddlan Clwyd, Wales, LL18 5UG Tricity Bendix Service Force PO Box 40 Preston Road Aycliffe
Industrial Estate Newton Aycliffe, Co Durham DL5 6XA Tricity Bendix Service Force Unit C3 Edenderry Industrial Estate 326 Crumlin Road Belfast, BT14
7EE ISLE OF MAN NORTHERN ISLE OF MULL Tricity Bendix Service Force B Hogg Braeside Raeric Road Tobermory Isle of Mull PA75 6PU Jersey
Electricity Company PO Box 45 Queens Road St Helier Jersey, Channel Islands JE4 8NY Tricity Bendix Service Force NL Services Unit 333 Ranglet Road
Walton Summit Bamber Bridge Preston, Lancashire, PR5 8AR Tricity Bendix Service Force 64-66 Cross Gates Road Leeds, LS15 7NN NORTHERN
IRELAND EAST JERSEY NORTHERN IRELAND WEST Tricity Bendix Service Force G & O (Armagh) Service Owenmore House Kilwee Business Park
Upper Dunmurray Lane Belfast, BT17 0HD Tricity Bendix Service Force Unit 23-24 Alliance Business Park Townsend Drive Nuneaton Warwickshire, CV11
6RX Tricity Bendix Service Force Refrigeration Sales and Service Hatson Ind. Estate Kirkwall Orkney KW15 1RE Tricity Bendix Service Force Heming Road
Washford Redditch Worcestershire, B98 0DH Tricity Bendix Service Force Cornwall Domestic Service Unit 7D Pool Industrial Estate Wilson Way Redruth,
Cornwall TR15 3QW Tricity Bendix Service Force D McGlashan Walker Engineering Glenmhor Upper Serpentine Rothesay, PA20 LANCASTER
NUNEATON LEEDS ORKNEY LINCOLN Tricity Bendix Service Force Brian Hudson Unit 8 Stonefield Park Clifton Street Lincoln, LN 5 8AA Tricity Bendix
Service Force Unit 1 Honeys Green Precinct Honeys Green Lane West Derby Liverpool, L12 9JH Tricity Bendix Service Force Unit 30 Oakhill Trading
Estate Devonshire Road Worsley Manchester, M28 3PT REDDITCH LIVERPOOL REDRUTH MANCHESTER ROTHESAY 21 Tricity Bendix Service Force
Addresses CENTRE ADDRESS Tricity Bendix Service Force G. Robertson Ltd.
3/4 Carlton Place Lerwick Shetland ZE1 OED Tricity Bendix Service Force Tait Electronic Systems Ltd Holmsgarth Road Lerwick Shetland ZE1 OPW Tricity
Bendix Service Force Bolts Shetland Ltd 26 North Road Lerwick Shetland ZE1 OPE Tricity Bendix Service Force Leask Electrical Harlsdale Symbister
Whalsay Shetland ZE2 9AA Tricity Bendix Service Force BLI Service 6 Harlescott Barn Harlescott Lane Shrewsbury, Shropshire SY1 3SY Tricity Bendix
Service Force Limberline Road Hilsea Portsmouth Hampshire PO3 5JJ SHETLAND SHETLAND SHETLAND SHETLAND SHREWSBURY SOUTH COAST
SOUTH HUMBERSIDE Tricity Bendix Service Force John Robinson (Electrical) 81 Pasture Street Grimsby DN32 9EP Tricity Bendix Service Force Unit 30
Deacon Trading Estate Morley Road Tonbridge Kent TN9 1RA TONBRIDGE 22 TRICITY BENDIX Better Products. Better Value. Tricity Bendix, 99 Oakley
Road, Luton, Beds LU 4 9QQ 124978250 Model No. CAW1010 A DIVISION OF EMACO LIMITED. REGISTERED IN ENGLAND NO.
176547 Part No. 124978250 .



[You're reading an excerpt. Click here to read official TRICITY
CAW1010 user guide
http://yourpdfguides.com/dref/947105](http://yourpdfguides.com/dref/947105)