



Your PDF Guides

You can read the recommendations in the user guide, the technical guide or the installation guide for XEROX 6279. You'll find the answers to all your questions on the XEROX 6279 in the user manual (information, specifications, safety advice, size, accessories, etc.). Detailed instructions for use are in the User's Guide.

User manual XEROX 6279
User guide XEROX 6279
Operating instructions XEROX 6279
Instructions for use XEROX 6279
Instruction manual XEROX 6279

FreeFlow® Accxes® Print Server V15.0
August 2010
701P50924



Xerox® FreeFlow® Accxes® Print Server
Drivers and Client Tools Software
Installation Guide



[You're reading an excerpt. Click here to read official XEROX 6279 user guide](http://yourpdfguides.com/dref/4266349)
<http://yourpdfguides.com/dref/4266349>

Manual abstract:

@@@@@Adobe®, PostScript®, PostScript®3TM, and PostScript Logo® are trademarks of Adobe Systems Incorporated in the US and/or other countries. AutoCAD® is a registered trademark of Autodesk, Inc. Product status, build status, and/or specifications are subject to change without notice.

Table of Contents 1 Introduction.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....1-1 Related Information Sources and CDs.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.1-1 Prerequisite Knowledge.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..1-2 2 About the Printer Drivers.....

.....

.....

.....

.....

.....

.....

.....

....2-1 Getting Started.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.2-1 Drivers.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....2-1 Installing Drivers Locally on a Server or Client....

.....

.....

.....

.....

2-1 HP-GL/2 or PostScript Driver Installation.....

.....

.....

.....

.....

.....

.....

....2-2 Installing Remote Drivers on a Client.....

.....

.....

.....

.....

.....

.....

.....

.....2-2 3 FreeFlow Accxes Client Tools and Account Management Tool.....

.....

.....

.....

.....
.....
.....
.....

.....
.....
.....
.....

.....
.....
.....

.....3-1 Overview of ACT..

.....
.....
.....
.....

.....
.....
.....
.....

.....
.....
.....
.....

.....
.....
.....

...3-1 Overview of the Account Management Tool.....

.....
.....
.....
.....

.....
.....
.....

...3-2 Prerequisite to the Installation of the Account Management Tool.....

.....
.....
.....
.....

3-3 Configure Your Printer Network Connections.....

.....
.....
.....
.....
.....

.....3-3 On the Web Printer Management Tool.

.....
.....
.....

.....
.....
.....
.....

.....3-3 On the 6204 Printer User Interface...

.....

.....
.....

.....
.....
.....
.....

.....
.....
..3-3 On the 6279, 6604/6605, and 6622 Printer User Interface...

.....
.....

3-3 On the 7142 Operator Panel.....

.....
.....
.....

.....
.....
.....
.....

.....
.....
...3-4 Prerequisite to the Installation of the ACT and AMT..

.....

.....
.....
.....
.....

...3-4 Table 3-1 Location of XES Preferences Directory.....

.....
.....
.....

.....
.3-4 Table 3-2 Location of Database files....

.....
.....

.....
.....
.....
.....

.....
...3-5 Uninstalling the ACT and AMT Software..

.....
.....

.....
.....
.....
.....

.....
.....
3-5 Uninstall from a Windows System.....

.....
.....
.....
.....

.....
.....
.....
.....3-5 Uninstall from Sun Solaris...

.....
.....
.....

.....
.....
.....

.....
.....
.....

3-6 Uninstall from GNU/Linux.....

.....
.....
.....

.....
.....
.....

...3-6 Uninstall from a Mac OS X..

.....
.....

.....
.....
.....

.....
.....
.....

.....3-6 Uninstalling the Client Tools Software on the Graphical User Interface on Mac OS X.....

.....
.....
.....

.....
.....
.....

....3-7 About Installing ACT and AMT on Windows 2003.....

.....
.....
.....

.....
.....
.....

..3-7 Installing ACT and AMT on Windows 2003 Operating System.....

.....

.....
.....

.....
.....
.....

.....
.....
.....

.....

.3-7 Installing ACT and AMT on Windows from CD-ROM....

.....

...3-7 Installing ACT and AMT on Windows from the Internet.....

.....
.....

.....
.....
.....

.....
.....
.....

..3-8 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® i Table of Contents Download the Client Tools Software from the Xerox Website ...

.....

.....
.....
.....

.....
.....

....3-8 Installing ACT and AMT on Sun Solaris Systems.....

.....
.....
.....

.....

.3-9 Installing ACT and AMT Sun Solaris from CD-ROM....

.....

.....

....3-9 Installing ACT and AMT Sun Solaris Using a Browser.

.....

.....
.....

...3-9 Installing ACT and AMT on a GNU/Linux System..

.....
.....
.....
.....
.....

.....3-10 Installing ACT and AMT on GNU/Linux from CD-ROM.....

.....
.....

.....3-10 Installing ACT and AMT on GNU/Linux From a Browser.

.....
.....
.....

3-10 Installing ACT and AMT on Mac OS X from CD-ROM.....

.....
.....
.....
.....

3-11 Installing ACT and AMT on Mac OS X using a Browser.....

.....
.....

...3-11 Device Manager Setup in ACT.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

...3-11 Adding a Network Printer or Scanner Device..

.....
.....
.....
.....
.....

..3-12 4 Finishing Setup.....

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

...4-1 Download Finisher File Creator from Xerox.com.....

.....
.....
.....

.....
.....
.....
.....4-1 Configure the HP-GL/2 Printer Driver to Recognize the Finisher...
.....
.....
.....

4-2 ii Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® Introduction ® ® ® 1 The Xerox FreeFlow Accxes Drivers and Client Tools Software Installation Guide for version 15.0 has been provided to assist in the process of printing to the Wide Format products. Also in this guide, instructions are provided to configure your network connections to client tools software. This guide contains information on the following topics: · Driver Installation and Removal · Adding Printers · Installing FreeFlow Accxes Client Tools (ACT) · Installing FreeFlow Account Management Tool (AMT) · Connecting Accxes Client Tools to a Finisher Related Information Sources and CDs We provide the following documentation to help you make optimum use of the machine. CD-ROMs: Several CDs are provided with the machine, including the following: · Documentation CD: The Documentation CD contains the Copier/Printer User Guide in PDF format, and installation instructions for client and driver software. The user guides for the client and driver software are included with the respective software. · Driver Software CD: The Driver Software CD contains the version 15.0 PostScript driver (functionality must be enabled using a Feature Key), version 15.0 HP-GL/2 driver, and driver installer for PostScript and HP-GL/2. NOTE Drivers for AutoCAD 2007 - 2010 are on the AutoCAD CD.

Client Software CD: The Client Software CD contains the version 15.0 Accxes Client Tools software and the Account Management Tool software. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® 1-1 Introduction Prerequisite Knowledge What does Accxes do for you? Accxes is a Raster Image Processor (RIP). Accxes receives requests from various sources, including a client, using one of our printer drivers, processes the request, and then sends the information to the printer. 1-2 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® About the Printer Drivers 2 This section of the FreeFlow Accxes document provides you with the detailed instructions required to download and install printer drivers, set up ports, add the Wide Format printer to your client workstation (namely your personal computer) and send a test print. You can find the driver installation files on the Driver Software or the Xerox web site at www.xerox.com. Getting Started There are two options offered to you for connecting to a printer prior to submitting your job. They are: · Connecting from a Client (Windows 7, XP, Vista, 2003, 2008): This is most commonly used and therefore more familiar to most users.
· Connecting through a Windows 2003 or 2008 server: This is done when your business environment is a networked, shared community. The server has all of the drivers and allows many users to connect and install the appropriate driver from that server. Drivers Installing Drivers Locally on a Server or Client A Windows 2003 or 2008 server system can have all of the drivers that the workstations require installed locally on the server. Each workstation can then install the appropriate driver from the server to make remote drivers. These instructions describe how to install the printer driver locally on a workstation or server. To install a printer driver on a workstation from a server, see Installing Remote Drivers on a Client in this document. The printer driver must be installed on the server locally first, according to the following instructions. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® 2-1 About the Printer Drivers NOTE Deleting the Microsoft XPS Document Writer Printer could hang WF Printer Drivers and cause printing problems with all Wide Format printers. The FreeFlow Accxes printer driver is delivered on your Driver Software CD or can be downloaded from www.xerox.com as a self-extracting zip file. Executing this program extracts the files to a default directory or to a directory of the user's choice, such as c:\temp). NOTE You must have administrator rights to install the driver and ports. NOTE Changes to the Enable Advanced Printing Feature checkbox are shared between Clients and Remote Printers. Therefore, all clients and remote printers sharing the driver from that server inherit the advanced printing settings.



[You're reading an excerpt. Click here to read official XEROX 6279 user guide](http://yourpdfguides.com/dref/4266349)
<http://yourpdfguides.com/dref/4266349>

HP-GL/2 or PostScript Driver Installation 1. Insert the CD. 2. Double-click the Drivers folder. 3.

Double-click the XFAInstaller.exe. The Xerox Wide Format Printer Driver Installer displays. 4. Select Next. 5. Enter a Driver Language. 6. Enter the Printer Name or IP Address or select the existing Printer Port..

7. Select Next. 8. Select HP-GL/2 or PostScript driver. NOTE The FreeFlow Accxes PostScript feature needs to be installed on the controller before the PostScript driver can be used.

9. Select Use Default Printer Name or Specify a Printer Name and enter a <name>. Select Next. The Ready to install page opens. 10.

Select Finish to complete the driver installation. The Copying files screen displays. 11. The Installation Completed Successfully message displays. 12. Select Done. Installing Remote Drivers on a Client If you are not installing drivers locally on a client, install them from a server. NOTE Remove previously installed drivers manually before proceeding. 1. Go to the Printers folder.

2-2 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide © © © About the Printer Drivers · Windows 7 - Start > Devices and Printers · Windows 2003/XP - Start > Settings > Control Panel > Printers and Faxes · Windows 2008/Vista - Start > Settings > Printers 2. Double-click Add Printer and select Next. 3. Select A Network printer, or a printer attached to another computer for connecting to the network server. 4. Select the printer you wish to use. 5. If the Use Existing Driver screen appears, select Replace Existing Driver and then select Next. 6. Reboot the system. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide © © © 2-3 About the Printer Drivers 2-4 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide © © © FreeFlow Accxes Client Tools and Account Management Tool 3 This chapter describes the installation of the FreeFlow Accxes Client Tools and the FreeFlow Account Management Tool products. · The FreeFlow ACT and the AMT software are installed during the same installation process. · The installation can be done from the Accxes Client Tools and Account Management Tool CD, or from the www.xerox.com website.

· Go to the latest copy of the Xerox FreeFlow Accxes Print Server Customer Relork Setup option. Prerequisite to the Installation of the ACT and AMT A clean installation using the Control Panel Add or Remove Programs function is required for these software products. NOTE The XES Preferences folder was created while the ACT and AMT applications were in use. The uninstaller for ACT and AMT does not remove this folder automatically. This is not necessary if you are performing a reinstallation of your software, but if you are not going to run the software on a system anymore or if you are deleting the preferences and scanned images to save space, delete the XES Preferences directory.

The following table describes the location of the XES Preferences directory by platform, if ACT and AMT were previously installed. Table 3-1 Location of XES Preferences Directory Type of Platform Windows 7 Windows 2003/XP Sun Solaris Mac OS X GNU/Linux Windows 2008/Vista Location of XES Preferences Directory C:\USERS\<username>\XESACT C:\Documents and Settings\<username>\XESACT <home directory>\XES/ACT <home directory>\XES/ACT <home directory>\XES/ACT C:\USERS\<username>\XESACT Removal of the directory results in the loss of all ACT user device settings. CAUTION It is important to do a manual backup of the AMT database files on a regular basis. If you accidentally corrupt or delete the saved files, they cannot be recovered. The files you back up need to be copied back into the AMT database folder if required. Uninstalling the AMT software does not delete the saved database files.

Files, images, data, user preferences, etc., created by the user or application are not deleted accidentally. Refer to the Xerox FreeFlow Accxes Print Server Customer Release Notes on www.xerox.com for the Vista location of database files. 3-4 © © © Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide FreeFlow Accxes Client Tools and Account Management Tool The AMT backup files for MS Windows and Sun Solaris are: · Accxesjadb.backup · Accxesjadb.data · Accxesjadb.script · Accxesjadb.properties Table 3-2 Location of Database files Type of Platform MS Windows Sun Solaris 10 Mac OS X Vista Location of Database Files C:\Program Files\Accxes <install directory>\AccXES\AMT database Mac OS X /Applications/AccXES/AMTdatabase C:/users/<user name>/AppData/Local/VirtualStore/Program Files/AccXES/AMTdatabase C:/Program Files/AccXES/AMTdatabase C:\Program Files (x86)\AccXES\ Windows Server 2008/Server 2003/XP/7 Windows 64bit Uninstalling the ACT and AMT Software Both the ACT and AMT products are uninstalled at the same time.

Close all ACT and AMT software programs before performing an uninstall. NOTE Always run the uninstaller from outside the install directories to prevent loss of data files and damage to directory functions. NOTE The uninstaller deletes the current working directory, the Accxes Client Tools, and the Account Management Tool software from your client. In the following instructions, variable data that depends on your particular platform is lower case and enclosed in brackets, such as <cd-rom mount point> for CD-ROM installation instructions. Uninstall from a Windows System 1.

Select Start > Settings > Control Panel > Add/Remove Programs. 2. In the software list, select Accxes. Click Add/Remove Programs. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide © © © 3-5 FreeFlow Accxes Client Tools and Account Management Tool · On Windows 7 it is, Start > Control Panel > Uninstall a program · On Windows 2008/Vista it is, Programs and Features.

The InstallAnywhere Uninstaller screen displays. 3. Select Uninstall. 4. An Uninstall Complete message displays when uninstall is complete. Select Exit. 5. If desired, delete the XES/ACT folder. Be advised that you will lose all settings. On Windows 2003 the location of the XES Preferences Directory is C:\Documents and Settings\<username>\.

XESACT On Windows 7, 2008/Vista the location of the XES Preferences Directory is C:\Users\<username>\XESACT Uninstall from Sun Solaris If you run the Uninstall_Accxes program within the Accxes/UninstallerData directory on your Sun Solaris, the current Accxes work directory and the subdirectory may get deleted. To uninstall the software: 1. @@2. Then type the command: ./Uninstall_Accxes This launches the uninstaller. 3. If desired, delete the XES/ACT folder. Be advised that you will lose all settings.



[You're reading an excerpt. Click here to read official XEROX 6279 user guide](http://yourpdfguides.com/dref/4266349)
<http://yourpdfguides.com/dref/4266349>

On Sun Solaris the location of the XES Preferences Directory is <home directory>/XES/ACT Uninstall from GNU/Linux To uninstall the software: 1. @2. Then type the command: ./Uninstall_Accxes 3. If desired, delete the XES/ACT folder. Be advised that you will lose all settings. @@@@Navigate from the hard drive. 1. Select the Applications folder. 2. Select the Accxes folder. 3. Select UninstallerData. 4. Double-click Uninstall_Accxes. 5. Select the Uninstall button. 6. @@@@Select setup.exe to begin the installation. The Install Anywhere software automatically loads.

3. On the Client Tools screen, select your language. Click OK. 4. If you wish to install the Accxes Client Tools only, click Next. @5. @6. @The default is C:\Program Files\Accxes. 7. @@@@8. Click Next. 9. @10. Click Next. 11. @@@@Launch www.xerox.com in your browser. 2. Select the Support and Drivers link.

3. Go to the Wide Format section. 4. @@@@5. Under your type of printer, select the Drivers and Downloads link. 6. Select your Operating System and Language. Press the Go button. 7. @8.

Select the Open or Save button to start the .zip file download. Be patient, as this may take a while to download. 9. @@· Windows users, double-click the install.exe file. 10. Follow the instructions on the screens, as explained in the Installing ACT and AMT on Windows from CD-ROM section. Installing ACT and AMT on Sun Solaris Systems The following installation procedure is for the Sun Solaris 10 based environment. NOTE If you are using Solaris, you need to download the patches from KJVM 1. 4.2.06 for your version of Solaris from the Internet. Installing ACT and AMT Sun Solaris from CD-ROM In all cases, <cd-rom mount point> is the directory where the CD-ROM is mounted. 1.

Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. 2. In a command window, type the following: cd /<cd-rom mount point>Accxes Tools 15.0/InstData/Solaris/VM hit enter key. 3. Type sh ./install.bin The Install Anywhere software loads. 4. Follow the directions on the screens. 5. On the Choose Shortcut Location screen, select where you want the shortcut to be located. On Sun Solaris, it cannot be located on the desktop. 6. Click Next.

7. On the Choose Install Set screen, select the FreeFlow Accxes Client Tools button. If you install ACT only, a password is not required. If you install both ACT and AMT, you need to enter the password AMTPASSWORD. 8. Select the Next button. 9. Remove the CD. NOTE ACT does not support a parallel port on Solaris; therefore it is not listed on the Device Manager tab. When running the ACT under Solaris 10, use the arrow keys on the numeric keypad instead of the separate arrow keys on the keyboard.

Installing ACT and AMT Sun Solaris Using a Browser In all cases <cd-rom mount point> is the directory where the CD-ROM is mounted. 1. Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® 3-9 FreeFlow Accxes Client Tools and Account Management Tool 2. In a web browser, type the following: cd /<cd-rom mount point>/Accxes Tools 15.0/install.htm 3. Follow the instructions on the web page. If you install ACT only, a password is not required. If you install both ACT and AMT, you need to enter the password AMTPASSWORD.

Installing ACT and AMT on a GNU/Linux System Ensure you have uninstalled any previous version of the ACT and AMT software. NOTE The AMT software should be loaded on a workstation that is password protected against anyone but the AMT manager. There should be no other applications loaded on this workstation either. Installing ACT and AMT on GNU/Linux from CD-ROM The following instructions should be used for GNU/Linux systems. In all cases <cd-rom mount point> is the directory where the CD-ROM is mounted. 1. Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. 2. In a command window, type the following: cd /<cd-rom mount point>/InstData/Linux/VM hit enter key. 3. Type sh ./install.bin NOTE If you wish to install the Accxes Client Tools only, a password is not required. Installing ACT and AMT on GNU/Linux From a Browser In all cases <cd-rom mount point> is the directory where the CD-ROM is mounted. 1. Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. 2. In a web browser, type the following: cd /<cd-rom mount point>/install.htm Install.htm launches the web browser. 3. Follow the instructions on the web page. NOTE If you wish to install the Accxes Client Tools only, a password is not required. 3-10 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® FreeFlow Accxes Client Tools and Account Management Tool Installing ACT and AMT on Mac OS X from CD-ROM NOTE These commands may differ from that shown below depending on the version of Mac OS X being used. 1. Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. 2. Copy the setup.zip file from the top level of the install CD. 3. Paste the setup.zip file on your desktop. 4. Double-click the zip file. 5. After the archive is expanded, double-click Install. NOTE If you wish to install the Accxes Client Tools only, a password is not required. Installing ACT and AMT on Mac OS X using a Browser In all cases <cd-rom mount point> is the directory where the CD-ROM is mounted. 1. Insert the Accxes Client Tools and Account Management Tool CD into your CD-ROM drive. 2. In a web browser, type the following: cd \<cd-rom mount point>/install.htm Install.htm launches the web browser. NOTE For Safari: Go to File > Open 3. Follow the instructions on the web page. NOTE If you wish to install the Accxes Client Tools only, a password is not required. Device Manager Setup in ACT The Device Manager tab is where you specify your network connection and select the printer/scanner you are accessing while using the FreeFlow Accxes Client Tools. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® 3-11 FreeFlow Accxes Client Tools and Account Management Tool When FreeFlow Accxes Client Tools software is first installed, the software attempts to update the Printer Identification information for all of the network devices listed on the Device Manager tab. Adding a Network Printer or Scanner Device 1. Launch the Accxes Client Tools and select the Device Manager tab. 2. Select the Create a New Device icon. @@@@5. @NOTE The Document Submitand Printer Queue tabs use this default setting when communicating with your printer. The Access to Client Communications checkbox setting allows ACT to ask the printer information about its status. Refer to online Help for more details on using the Accxes Client Tools. Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® 3-13 FreeFlow Accxes Client Tools and Account Management Tool 3-14 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® Finishing Setup Check the following to prepare to set up finishing functions: 4 This chapter describes how to connect the FreeFlow Accxes Client Tools to a Finisher product.

[You're reading an excerpt. Click here to read official XEROX 6279 user guide](#)



<http://yourpdfguides.com/dref/4266349>

· The printer, controller, and client need to be on the same network and must be powered on. · The FreeFlow Accxes Client Tools needs to be installed. · The finisher must be connected to the printer and powered on so that the executable file can access the finisher to create the correct XES.FIN file. Download Finisher File Creator from Xerox.com To create a .FIN file so the FreeFlow Accxes Client Tools can connect to the finisher, perform the following: net 1. Launch www.xerox.com in your browser. 2. Select the Support and Drivers link.

3. Go to the Wide Format section. 4. @@@@c) Select the Drivers and Download link for the specific Xerox Model to which you are printing, for example, FreeFlow Accxes HP-GL/2 32 bit Printer Driver. 5. Under your type of driver, select the Drivers and Downloads link. 6. Select your Operating System and Language. Select Go. 7.

Select the Utilities and Applications link and choose Finisher File Creator. Save the .zip file to your client. 8. Open the download .zip file and extract the XFAFin.exe for Windows XP and later. ® ® ® Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide 4-1 Finishing Setup Save it in the same place where your ACT files are installed. 9. On your client, start a Command Prompt window by selecting Start > Run > cmd.

10. In the Command Prompt window, change the current directory to be the same as the location of the extracted zip file (XFAFin.exe). 11. Enter the following command: xesfin.exe IP_Address folder.fin, replacing IP_Address with the IP Address of your printer. A Successfully created message displays when the .FIN file is created. 12.

Start the FreeFlow Accxes Client Tools. 13. Select the Job options button on the Document Submit tab. 14. Select the Finishing tab. 15. Select Add Folder in the Folder Typelist. 16. The folder is added to the Folder Type list and can now be selected. The appropriate folder methods for that folder type are listed on the Folder Method drop-down menu.

NOTE Only the last folder that has been added remains in the Folder Type list between sessions of using the Client Tools. It also remains after you uninstall and install ACT. Configure the HP-GL/2 Printer Driver to Recognize the Finisher If you have a Xerox Wide Format HP-GL/2 printer driver installed on a standard TCP/IP port with bi-directional disabled, you must follow the procedure below to configure the driver to recognize the finisher. 1. Go to the Printers folder.

Paths are shown below. Type of Platform Windows 7 Windows Server 2000 Windows 2003/XP Windows 2008/Vista Location of the Printer Directory Start > Devices and Printers Start > Settings > Printers Start > Settings > Control Panel > Printers and Faxes Start > Settings > Control Panel > Printers 2. 3. 4. 5. 6. Select the icon for the Xerox Wide Format HP-GL/2 printer and right-click. Select Properties. Select the Device Options tab. In the Finisher Type combo box, select Add finisher. In the Open Finisher Description File dialog, navigate to the location of the .FIN file created above. 7. Select the .FIN file and click OK.

8. Click OK again. 4-2 Xerox FreeFlow Accxes Print Server Drivers and Client Tools Software Installation Guide ® ® ® .



[You're reading an excerpt. Click here to read official XEROX 6279 user guide](http://yourpdfguides.com/dref/4266349)

<http://yourpdfguides.com/dref/4266349>